

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0050619\
 Data File : P0055914.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 07 May 2019 2:46
 Operator : SM/SJ
 Sample : K2672-12
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleID :
 SB-06-COMP

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: May 07 03:53:56 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0050319.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Fri May 03 15:20:04 2019
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.274	3.589	1004041	897810	33.551	31.788
2)	SA Decachlor...	9.869	8.537	986754	649301	26.372	24.010
Target Compounds							
3)	L1 AR-1016-1	5.436	4.662	22102	18825	15.552	14.007
4)	L1 AR-1016-2	5.458	4.680	49293	40286	24.910	22.063
5)	L1 AR-1016-3	5.497	4.853	81181	50417	63.336	50.310
6)	L1 AR-1016-4	5.617	4.894	49188	57336	47.059	70.469 #
7)	L1 AR-1016-5	5.912	5.119	122715	111885	108.933	101.634
8)	L2 AR-1221-1	0.000	3.749	0	61668	N.D.	167.968 #
9)	L2 AR-1221-2	0.000	3.926	0	21873	N.D.	78.863 #
10)	L2 AR-1221-3	4.660	3.957	71279	58579	70.883	65.930
11)	L3 AR-1232-1	4.660	3.957	71279	58579	82.988	79.152
12)	L3 AR-1232-2	5.146	4.680	244038	40286	503.050	45.965 #
13)	L3 AR-1232-3	5.458	4.853	49293	50417	50.950	105.107 #
14)	L3 AR-1232-4	5.617	4.931	49188	40186	96.723	94.608
15)	L3 AR-1232-5	5.704	5.119	157355	111885	362.423	230.877 #
16)	L4 AR-1242-1	5.436	4.662	22102	18825	18.254	16.799
17)	L4 AR-1242-2	5.458	4.680	49293	40286	29.195	26.479
18)	L4 AR-1242-3	5.497	4.853	81181	50417	74.101	58.217
19)	L4 AR-1242-4	5.617	4.931	49188	40186	54.664	47.972
20)	L4 AR-1242-5	6.350	5.463	251176	574109	229.600	478.266 #
21)	L5 AR-1248-1	5.436	4.662	22102	18825	24.419	22.450
22)	L5 AR-1248-2	5.704	4.894	157355	57336	117.991	52.182 #
23)	L5 AR-1248-3	5.912	4.931	122715	40186	83.099	35.402 #
24)	L5 AR-1248-4	6.293	5.119	809575	111885	464.276	79.680 #
25)	L5 AR-1248-5	6.350	5.494	251176	107425	150.375	71.726 #
26)	L6 AR-1254-1	6.293	5.463	809575	574109	385.542	214.514 #
27)	L6 AR-1254-2	6.502	5.600	1399726	156246	421.753	63.964 #
28)	L6 AR-1254-3	6.877	6.018	2543709	2099757	699.682	529.224
29)	L6 AR-1254-4	7.149	6.226	153539	163981	56.434	61.160
30)	L6 AR-1254-5	7.566	6.640	377870	686603	131.840	189.738 #
31)	L7 AR-1260-1	7.026	6.128	206386	218988	95.571	99.396
32)	L7 AR-1260-2	7.279	6.314	9736946	214379	3717.971	70.206 #
33)	L7 AR-1260-3	7.638	6.466	160601	140802	80.301	56.501 #
34)	L7 AR-1260-4	7.859	6.934	224652	84769	97.142	41.081 #
35)	L7 AR-1260-5	8.172	7.176	181683	192152	42.826	38.260
36)	L8 AR-1262-1	7.638	6.674	160601	145924	50.096	35.584 #
37)	L8 AR-1262-2	8.172	7.176	181683	192152	33.841	30.730
38)	L8 AR-1262-3	8.468	7.456	179330	117126	49.418	47.555
39)	L8 AR-1262-4	8.552	7.520	102142	177158	37.620	43.263
40)	L8 AR-1262-5	9.173	8.013	45861	67552	25.387	39.640 #
41)	L9 AR-1268-1	8.468	7.456	179330	117126	29.696	16.904 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0050619\
 Data File : P0055914.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 07 May 2019 2:46
 Operator : SM/SJ
 Sample : K2672-12
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :
 SB-06-COMP

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: May 07 03:53:56 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0050319.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Fri May 03 15:20:04 2019
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42) L9	AR-1268-2	8.552	7.520	102142	177158	18.660	31.140 #
43) L9	AR-1268-3	8.767	7.725	128904	112280	28.579	23.773
44) L9	AR-1268-4	9.173	8.013	45861	67552	23.372	35.710 #
45) L9	AR-1268-5	9.558	8.293	375129	335549	27.805	27.554



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\PO050619\
Data File : PO055914.D
Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
Acq On : 07 May 2019 2:46
Operator : SM/SJ
Sample : K2672-12
Misc :
ALS Vial : 13 Sample Multiplier: 1

Instrument :
ECD_O
ClientSampleId :
SB-06-COMP

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: May 07 03:53:56 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\PO050319.M
Quant Title : GC EXTRACTABLES
QLast Update : Fri May 03 15:20:04 2019
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.274 min
Delta R.T.: -0.005 min
Response: 1004041
Conc: 33.55 ng/ml

Instrument :
ECD_O
ClientSampleId :
SB-06-COMP




#1 Tetrachloro-m-xylene

R.T.: 3.589 min
Delta R.T.: -0.004 min
Response: 897810
Conc: 31.79 ng/ml




#2 Decachlorobiphenyl

R.T.: 9.869 min
Delta R.T.: -0.010 min
Response: 986754
Conc: 26.37 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.537 min
Delta R.T.: -0.007 min
Response: 649301
Conc: 24.01 ng/ml



#3 AR-1016-1


R.T.: 5.436 min
Delta R.T.: -0.005 min
Response: 22102
Conc: 15.55 ng/ml

Instrument :
ECD_O
ClientSampleId :
SB-06-COMP




#3 AR-1016-1

R.T.: 4.662 min
Delta R.T.: -0.003 min
Response: 18825
Conc: 14.01 ng/ml




#4 AR-1016-2

R.T.: 5.458 min
Delta R.T.: -0.005 min
Response: 49293
Conc: 24.91 ng/ml



#4 AR-1016-2


R.T.: 4.680 min
Delta R.T.: -0.003 min
Response: 40286
Conc: 22.06 ng/ml



#5 AR-1016-3


R.T.: 5.497 min
Delta R.T.: -0.027 min
Response: 81181
Conc: 63.34 ng/ml

Instrument :
ECD_O
ClientSampleId :
SB-06-COMP




#5 AR-1016-3

R.T.: 4.853 min
Delta R.T.: -0.004 min
Response: 50417
Conc: 50.31 ng/ml




#6 AR-1016-4

R.T.: 5.617 min
Delta R.T.: -0.005 min
Response: 49188
Conc: 47.06 ng/ml



#6 AR-1016-4


R.T.: 4.894 min
Delta R.T.: -0.004 min
Response: 57336
Conc: 70.47 ng/ml



#7 AR-1016-5


R.T.: 5.912 min
Delta R.T.: -0.002 min
Response: 122715
Conc: 108.93 ng/ml

Instrument :
ECD_O
ClientSampleId :
SB-06-COMP




#7 AR-1016-5

R.T.: 5.119 min
Delta R.T.: 0.010 min
Response: 111885
Conc: 101.63 ng/ml




#8 AR-1221-1

R.T.: 0.000 min
Exp R.T. : 4.492 min
Response: 0
Conc: N.D.



#8 AR-1221-1


R.T.: 3.749 min
Delta R.T.: -0.054 min
Response: 61668
Conc: 167.97 ng/ml



#9 AR-1221-2


R.T.: 0.000 min
Exp R.T.: 4.578 min
Response: 0
Conc: N.D.

Instrument :
ECD_O
ClientSampleId :
SB-06-COMP




#9 AR-1221-2

R.T.: 3.926 min
Delta R.T.: 0.038 min
Response: 21873
Conc: 78.86 ng/ml




#10 AR-1221-3

R.T.: 4.660 min
Delta R.T.: 0.006 min
Response: 71279
Conc: 70.88 ng/ml



#10 AR-1221-3


R.T.: 3.957 min
Delta R.T.: -0.007 min
Response: 58579
Conc: 65.93 ng/ml



#11 AR-1232-1


R.T.: 4.660 min
Delta R.T.: 0.010 min
Response: 71279
Conc: 82.99 ng/ml

Instrument :
ECD_O
ClientSampleId :
SB-06-COMP




#11 AR-1232-1

R.T.: 3.957 min
Delta R.T.: -0.007 min
Response: 58579
Conc: 79.15 ng/ml




#12 AR-1232-2

R.T.: 5.146 min
Delta R.T.: -0.028 min
Response: 244038
Conc: 503.05 ng/ml



#12 AR-1232-2


R.T.: 4.680 min
Delta R.T.: -0.003 min
Response: 40286
Conc: 45.97 ng/ml



#13 AR-1232-3


R.T.: 5.458 min
Delta R.T.: -0.004 min
Response: 49293
Conc: 50.95 ng/ml

Instrument :
ECD_O
ClientSampleId :
SB-06-COMP




#13 AR-1232-3

R.T.: 4.853 min
Delta R.T.: -0.004 min
Response: 50417
Conc: 105.11 ng/ml




#14 AR-1232-4

R.T.: 5.617 min
Delta R.T.: -0.005 min
Response: 49188
Conc: 96.72 ng/ml



#14 AR-1232-4


R.T.: 4.931 min
Delta R.T.: -0.008 min
Response: 40186
Conc: 94.61 ng/ml



#15 AR-1232-5


R.T.: 5.704 min
Delta R.T.: -0.007 min
Response: 157355
Conc: 362.42 ng/ml

Instrument :
ECD_O
ClientSampleId :
SB-06-COMP




#15 AR-1232-5

R.T.: 5.119 min
Delta R.T.: 0.009 min
Response: 111885
Conc: 230.88 ng/ml




#16 AR-1242-1

R.T.: 5.436 min
Delta R.T.: -0.004 min
Response: 22102
Conc: 18.25 ng/ml



#16 AR-1242-1


R.T.: 4.662 min
Delta R.T.: -0.002 min
Response: 18825
Conc: 16.80 ng/ml



#17 AR-1242-2


R.T.: 5.458 min
Delta R.T.: -0.004 min
Response: 49293
Conc: 29.20 ng/ml

Instrument :
ECD_O
ClientSampleId :
SB-06-COMP




#17 AR-1242-2

R.T.: 4.680 min
Delta R.T.: -0.002 min
Response: 40286
Conc: 26.48 ng/ml




#18 AR-1242-3

R.T.: 5.497 min
Delta R.T.: -0.025 min
Response: 81181
Conc: 74.10 ng/ml



#18 AR-1242-3


R.T.: 4.853 min
Delta R.T.: -0.004 min
Response: 50417
Conc: 58.22 ng/ml



#19 AR-1242-4


R.T.: 5.617 min
Delta R.T.: -0.004 min
Response: 49188
Conc: 54.66 ng/ml

Instrument :
ECD_O
ClientSampleId :
SB-06-COMP




#19 AR-1242-4

R.T.: 4.931 min
Delta R.T.: -0.008 min
Response: 40186
Conc: 47.97 ng/ml




#20 AR-1242-5

R.T.: 6.350 min
Delta R.T.: -0.003 min
Response: 251176
Conc: 229.60 ng/ml



#20 AR-1242-5


R.T.: 5.463 min
Delta R.T.: 0.005 min
Response: 574109
Conc: 478.27 ng/ml



#21 AR-1248-1


R.T.: 5.436 min
Delta R.T.: -0.003 min
Response: 22102
Conc: 24.42 ng/ml

Instrument :
ECD_O
ClientSampleId :
SB-06-COMP




#21 AR-1248-1

R.T.: 4.662 min
Delta R.T.: -0.002 min
Response: 18825
Conc: 22.45 ng/ml




#22 AR-1248-2

R.T.: 5.704 min
Delta R.T.: -0.006 min
Response: 157355
Conc: 117.99 ng/ml



#22 AR-1248-2


R.T.: 4.894 min
Delta R.T.: -0.003 min
Response: 57336
Conc: 52.18 ng/ml



#23 AR-1248-3


R.T.: 5.912 min
Delta R.T.: 0.000 min
Response: 122715
Conc: 83.10 ng/ml

Instrument :
ECD_O
ClientSampleId :
SB-06-COMP




#23 AR-1248-3

R.T.: 4.931 min
Delta R.T.: -0.007 min
Response: 40186
Conc: 35.40 ng/ml




#24 AR-1248-4

R.T.: 6.293 min
Delta R.T.: -0.021 min
Response: 809575
Conc: 464.28 ng/ml



#24 AR-1248-4


R.T.: 5.119 min
Delta R.T.: 0.010 min
Response: 111885
Conc: 79.68 ng/ml



#25 AR-1248-5


R.T.: 6.350 min
Delta R.T.: -0.002 min
Response: 251176
Conc: 150.37 ng/ml

Instrument :
ECD_O
ClientSampleId :
SB-06-COMP




#25 AR-1248-5

R.T.: 5.494 min
Delta R.T.: -0.005 min
Response: 107425
Conc: 71.73 ng/ml




#26 AR-1254-1

R.T.: 6.293 min
Delta R.T.: 0.006 min
Response: 809575
Conc: 385.54 ng/ml



#26 AR-1254-1


R.T.: 5.463 min
Delta R.T.: 0.005 min
Response: 574109
Conc: 214.51 ng/ml



#27 AR-1254-2


R.T.: 6.502 min
Delta R.T.: -0.002 min
Response: 1399726
Conc: 421.75 ng/ml

Instrument :
ECD_O
ClientSampleId :
SB-06-COMP




#27 AR-1254-2

R.T.: 5.600 min
Delta R.T.: -0.003 min
Response: 156246
Conc: 63.96 ng/ml




#28 AR-1254-3

R.T.: 6.877 min
Delta R.T.: 0.007 min
Response: 2543709
Conc: 699.68 ng/ml



#28 AR-1254-3


R.T.: 6.018 min
Delta R.T.: 0.014 min
Response: 2099757
Conc: 529.22 ng/ml



#29 AR-1254-4


R.T.: 7.149 min
Delta R.T.: -0.005 min
Response: 153539
Conc: 56.43 ng/ml

Instrument :
ECD_O
ClientSampleId :
SB-06-COMP




#29 AR-1254-4

R.T.: 6.226 min
Delta R.T.: -0.004 min
Response: 163981
Conc: 61.16 ng/ml




#30 AR-1254-5

R.T.: 7.566 min
Delta R.T.: -0.005 min
Response: 377870
Conc: 131.84 ng/ml



#30 AR-1254-5


R.T.: 6.640 min
Delta R.T.: -0.005 min
Response: 686603
Conc: 189.74 ng/ml



#31 AR-1260-1


R.T.: 7.026 min
Delta R.T.: -0.006 min
Response: 206386
Conc: 95.57 ng/ml

Instrument :
ECD_O
ClientSampleId :
SB-06-COMP




#31 AR-1260-1

R.T.: 6.128 min
Delta R.T.: -0.006 min
Response: 218988
Conc: 99.40 ng/ml




#32 AR-1260-2

R.T.: 7.279 min
Delta R.T.: -0.009 min
Response: 9736946
Conc: 3717.97 ng/ml



#32 AR-1260-2


R.T.: 6.314 min
Delta R.T.: -0.006 min
Response: 214379
Conc: 70.21 ng/ml



#33 AR-1260-3


R.T.: 7.638 min
Delta R.T.: -0.007 min
Response: 160601
Conc: 80.30 ng/ml

Instrument :
ECD_O
ClientSampleId :
SB-06-COMP




#33 AR-1260-3

R.T.: 6.466 min
Delta R.T.: -0.007 min
Response: 140802
Conc: 56.50 ng/ml




#34 AR-1260-4

R.T.: 7.859 min
Delta R.T.: -0.011 min
Response: 224652
Conc: 97.14 ng/ml



#34 AR-1260-4


R.T.: 6.934 min
Delta R.T.: -0.007 min
Response: 84769
Conc: 41.08 ng/ml



#35 AR-1260-5


R.T.: 8.172 min
Delta R.T.: -0.006 min
Response: 181683
Conc: 42.83 ng/ml

Instrument :
ECD_O
ClientSampleId :
SB-06-COMP




#35 AR-1260-5

R.T.: 7.176 min
Delta R.T.: -0.006 min
Response: 192152
Conc: 38.26 ng/ml




#36 AR-1262-1

R.T.: 7.638 min
Delta R.T.: -0.007 min
Response: 160601
Conc: 50.10 ng/ml



#36 AR-1262-1


R.T.: 6.674 min
Delta R.T.: -0.009 min
Response: 145924
Conc: 35.58 ng/ml



#37 AR-1262-2


R.T.: 8.172 min
Delta R.T.: -0.006 min
Response: 181683
Conc: 33.84 ng/ml

Instrument :
ECD_O
ClientSampleId :
SB-06-COMP




#37 AR-1262-2

R.T.: 7.176 min
Delta R.T.: -0.006 min
Response: 192152
Conc: 30.73 ng/ml




#38 AR-1262-3

R.T.: 8.468 min
Delta R.T.: -0.005 min
Response: 179330
Conc: 49.42 ng/ml



#38 AR-1262-3


R.T.: 7.456 min
Delta R.T.: -0.006 min
Response: 117126
Conc: 47.55 ng/ml



#39 AR-1262-4


R.T.: 8.552 min
Delta R.T.: -0.005 min
Response: 102142
Conc: 37.62 ng/ml

Instrument :
ECD_O
ClientSampleId :
SB-06-COMP




#39 AR-1262-4

R.T.: 7.520 min
Delta R.T.: -0.007 min
Response: 177158
Conc: 43.26 ng/ml




#40 AR-1262-5

R.T.: 9.173 min
Delta R.T.: -0.007 min
Response: 45861
Conc: 25.39 ng/ml



#40 AR-1262-5


R.T.: 8.013 min
Delta R.T.: -0.005 min
Response: 67552
Conc: 39.64 ng/ml



#41 AR-1268-1


R.T.: 8.468 min
Delta R.T.: -0.003 min
Response: 179330
Conc: 29.70 ng/ml

Instrument :
ECD_O
ClientSampleId :
SB-06-COMP




#41 AR-1268-1

R.T.: 7.456 min
Delta R.T.: -0.005 min
Response: 117126
Conc: 16.90 ng/ml




#42 AR-1268-2

R.T.: 8.552 min
Delta R.T.: -0.009 min
Response: 102142
Conc: 18.66 ng/ml



#42 AR-1268-2


R.T.: 7.520 min
Delta R.T.: -0.007 min
Response: 177158
Conc: 31.14 ng/ml



#43 AR-1268-3


R.T.: 8.767 min
Delta R.T.: -0.007 min
Response: 128904
Conc: 28.58 ng/ml

Instrument :
ECD_O
ClientSampleId :
SB-06-COMP




#43 AR-1268-3

R.T.: 7.725 min
Delta R.T.: -0.006 min
Response: 112280
Conc: 23.77 ng/ml




#44 AR-1268-4

R.T.: 9.173 min
Delta R.T.: -0.007 min
Response: 45861
Conc: 23.37 ng/ml



#44 AR-1268-4


R.T.: 8.013 min
Delta R.T.: -0.004 min
Response: 67552
Conc: 35.71 ng/ml



#45 AR-1268-5

R.T.: 9.558 min
Delta R.T.: -0.007 min
Response: 375129
Conc: 27.80 ng/ml

Instrument :
ECD_O
ClientSampleId :
SB-06-COMP



#45 AR-1268-5

R.T.: 8.293 min
Delta R.T.: -0.005 min
Response: 335549
Conc: 27.55 ng/ml