

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0051122\
 Data File : P0085966.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 12 May 2022 1:04
 Operator : YP\AJ
 Sample : AR1254ICV500
 Misc :
 ALS Vial : 30 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :
 ICVPO051122AR1254

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jun 01 03:32:45 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0051122.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Thu May 19 09:06:34 2022
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.478	3.684	5657347	2471888	55.679	56.750
2)	SA Decachlor...	10.324	8.752	3366696	2164548	62.003	62.198
Target Compounds							
3)	L1 AR-1016-1	5.659	4.789	51216	24058	16.026	15.405
4)	L1 AR-1016-2	5.682	4.809	64008	18925	14.399	9.038 #
5)	L1 AR-1016-3	5.751	4.988	45312	13442	16.526	12.161 #
6)	L1 AR-1016-4	5.844	5.029	27206	566011	12.274	613.978 #
7)	L1 AR-1016-5	6.142	5.244	639851	328571	308.796	290.989
9)	L2 AR-1221-2	4.788	3.989	83299	31390	91.253	81.451
10)	L2 AR-1221-3	4.854	4.067	20542	6088	7.622	5.013 #
11)	L3 AR-1232-1	4.854	4.067	20542	6088	10.034	6.589 #
12)	L3 AR-1232-2	5.389	4.809	22373	18925	23.756	23.217
13)	L3 AR-1232-3	5.682	4.988	64008	13442	36.416	32.555
14)	L3 AR-1232-4	5.844	5.070	27206	162756	31.274	434.371 #
15)	L3 AR-1232-5	5.935	5.244	1080947	328571	1632.336	784.526 #
16)	L4 AR-1242-1	5.659	4.789	51216	24058	18.841	18.215
17)	L4 AR-1242-2	5.682	4.809	64008	18925	17.026	10.792 #
18)	L4 AR-1242-3	5.751	4.988	45312	13442	19.286	14.295 #
19)	L4 AR-1242-4	5.844	5.070	27206	162756	14.353	172.552 #
20)	L4 AR-1242-5	6.590	5.599	576611	1364891	314.997	1200.192 #
21)	L5 AR-1248-1	5.659	4.789	51216	24058	25.356	24.777
22)	L5 AR-1248-2	5.935	5.029	1080947	566011	400.675	425.568
23)	L5 AR-1248-3	6.142	5.070	639851	162756	215.652	118.268 #
24)	L5 AR-1248-4	6.547	5.244	925548	328571	287.517	205.208 #
25)	L5 AR-1248-5	6.590	5.639	576611	156529	185.270	99.635 #
26)	L6 AR-1254-1	6.522	5.599	1805724	1364891	536.561	541.903
27)	L6 AR-1254-2	6.742	5.747	2707477	1198962	550.184	547.513
28)	L6 AR-1254-3	7.110	6.153	2812577	1945203	556.681	550.568
29)	L6 AR-1254-4	7.398	6.381	2073051	1232406	556.566	557.092
30)	L6 AR-1254-5	7.819	6.802	2198144	1659944	564.136	561.201
31)	L7 AR-1260-1	7.276	6.285	1064678	919955	351.795	472.664 #
32)	L7 AR-1260-2	7.534	6.472	1253553	752428	346.525	320.138
33)	L7 AR-1260-3	7.881	6.627	384321	745795	139.247	346.838 #
34)	L7 AR-1260-4	8.109	7.102	1000377	74062	296.497	41.131 #
35)	L7 AR-1260-5	8.450	7.319	351425	242745	56.950	56.038
36)	L8 AR-1262-1	7.881	6.872	384321	120932	84.976	40.024 #
37)	L8 AR-1262-2	8.450	7.342	351425	180068	44.900	32.780 #
38)	L8 AR-1262-3	8.786	7.629	219909	8595	41.814	4.077 #
39)	L8 AR-1262-4	8.835	7.689	60825	187628	25.417	47.337 #
40)	L8 AR-1262-5	0.000	8.188	0	8282	N.D.	4.623 #
41)	L9 AR-1268-1	8.786	7.629	219909	8595	25.189	1.409 #
42)	L9 AR-1268-2	8.835	7.689	60825	187628	7.604	34.179 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0051122\
Data File : P0085966.D
Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
Acq On : 12 May 2022 1:04
Operator : YP\AJ
Sample : AR1254ICV500
Misc :
ALS Vial : 30 Sample Multiplier: 1

Instrument :
ECD_O
ClientSampleId :
ICVPO051122AR1254

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jun 01 03:32:45 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0051122.M
Quant Title : GC EXTRACTABLES
QLast Update : Thu May 19 09:06:34 2022
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
43) L9	AR-1268-3	0.000	7.901	0	8915	N.D.	1.961 #
44) L9	AR-1268-4	0.000	8.188	0	8282	N.D.	4.242 #
45) L9	AR-1268-5	0.000	8.488	0	16045	N.D.	1.095 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0051122\
Data File : P0085966.D
Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
Acq On : 12 May 2022 1:04
Operator : YP\AJ
Sample : AR1254ICV500
Misc :
ALS Vial : 30 Sample Multiplier: 1

Instrument :
ECD_O
ClientSampleId :
ICVPO051122AR1254

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jun 01 03:32:45 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0051122.M
Quant Title : GC EXTRACTABLES
QLast Update : Thu May 19 09:06:34 2022
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.478 min
Delta R.T.: 0.000 min
Response: 5657347
Conc: 55.68 ng/ml

Instrument :
ECD_O
ClientSampleId :
ICVPO051122AR1254




#1 Tetrachloro-m-xylene

R.T.: 3.684 min
Delta R.T.: 0.000 min
Response: 2471888
Conc: 56.75 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.324 min
Delta R.T.: 0.000 min
Response: 3366696
Conc: 62.00 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.752 min
Delta R.T.: -0.001 min
Response: 2164548
Conc: 62.20 ng/ml



#3 AR-1016-1


R.T.: 5.659 min
Delta R.T.: 0.000 min
Response: 51216
Conc: 16.03 ng/ml

Instrument :
ECD_O
ClientSampleId :
ICVPO051122AR1254




#3 AR-1016-1

R.T.: 4.789 min
Delta R.T.: 0.009 min
Response: 24058
Conc: 15.40 ng/ml




#4 AR-1016-2

R.T.: 5.682 min
Delta R.T.: -0.001 min
Response: 64008
Conc: 14.40 ng/ml



#4 AR-1016-2


R.T.: 4.809 min
Delta R.T.: 0.009 min
Response: 18925
Conc: 9.04 ng/ml



#5 AR-1016-3


R.T.: 5.751 min
Delta R.T.: 0.005 min
Response: 45312
Conc: 16.53 ng/ml

Instrument :
ECD_O
ClientSampleId :
ICVPO051122AR1254




#5 AR-1016-3

R.T.: 4.988 min
Delta R.T.: 0.003 min
Response: 13442
Conc: 12.16 ng/ml




#6 AR-1016-4

R.T.: 5.844 min
Delta R.T.: -0.002 min
Response: 27206
Conc: 12.27 ng/ml



#6 AR-1016-4


R.T.: 5.029 min
Delta R.T.: 0.014 min
Response: 566011
Conc: 613.98 ng/ml



#7 AR-1016-5


R.T.: 6.142 min
Delta R.T.: 0.000 min
Response: 639851
Conc: 308.80 ng/ml

Instrument :
ECD_O
ClientSampleId :
ICVPO051122AR1254




#7 AR-1016-5

R.T.: 5.244 min
Delta R.T.: 0.012 min
Response: 328571
Conc: 290.99 ng/ml




#9 AR-1221-2

R.T.: 4.788 min
Delta R.T.: 0.005 min
Response: 83299
Conc: 91.25 ng/ml



#9 AR-1221-2


R.T.: 3.989 min
Delta R.T.: -0.004 min
Response: 31390
Conc: 81.45 ng/ml



#10 AR-1221-3


R.T.: 4.854 min
Delta R.T.: -0.007 min
Response: 20542
Conc: 7.62 ng/ml

Instrument :
ECD_O
ClientSampleId :
ICVPO051122AR1254




#10 AR-1221-3

R.T.: 4.067 min
Delta R.T.: -0.004 min
Response: 6088
Conc: 5.01 ng/ml




#11 AR-1232-1

R.T.: 4.854 min
Delta R.T.: 0.000 min
Response: 20542
Conc: 10.03 ng/ml



#11 AR-1232-1


R.T.: 4.067 min
Delta R.T.: -0.002 min
Response: 6088
Conc: 6.59 ng/ml



#12 AR-1232-2


R.T.: 5.389 min
Delta R.T.: 0.000 min
Response: 22373
Conc: 23.76 ng/ml

Instrument :
ECD_O
ClientSampleId :
ICVPO051122AR1254




#12 AR-1232-2

R.T.: 4.809 min
Delta R.T.: -0.002 min
Response: 18925
Conc: 23.22 ng/ml




#13 AR-1232-3

R.T.: 5.682 min
Delta R.T.: -0.001 min
Response: 64008
Conc: 36.42 ng/ml



#13 AR-1232-3


R.T.: 4.988 min
Delta R.T.: 0.000 min
Response: 13442
Conc: 32.56 ng/ml



#14 AR-1232-4


R.T.: 5.844 min
Delta R.T.: -0.002 min
Response: 27206
Conc: 31.27 ng/ml

Instrument :
ECD_O
ClientSampleId :
ICVPO051122AR1254




#14 AR-1232-4

R.T.: 5.070 min
Delta R.T.: -0.003 min
Response: 162756
Conc: 434.37 ng/ml




#15 AR-1232-5

R.T.: 5.935 min
Delta R.T.: -0.002 min
Response: 1080947
Conc: 1632.34 ng/ml



#15 AR-1232-5


R.T.: 5.244 min
Delta R.T.: -0.003 min
Response: 328571
Conc: 784.53 ng/ml



#16 AR-1242-1


R.T.: 5.659 min
Delta R.T.: -0.002 min
Response: 51216
Conc: 18.84 ng/ml

Instrument :
ECD_O
ClientSampleId :
ICVPO051122AR1254




#16 AR-1242-1

R.T.: 4.789 min
Delta R.T.: -0.003 min
Response: 24058
Conc: 18.21 ng/ml




#17 AR-1242-2

R.T.: 5.682 min
Delta R.T.: -0.002 min
Response: 64008
Conc: 17.03 ng/ml



#17 AR-1242-2


R.T.: 4.809 min
Delta R.T.: -0.002 min
Response: 18925
Conc: 10.79 ng/ml



#18 AR-1242-3


R.T.: 5.751 min
Delta R.T.: 0.005 min
Response: 45312
Conc: 19.29 ng/ml

Instrument :
ECD_O
ClientSampleId :
ICVPO051122AR1254




#18 AR-1242-3

R.T.: 4.988 min
Delta R.T.: -0.001 min
Response: 13442
Conc: 14.29 ng/ml




#19 AR-1242-4

R.T.: 5.844 min
Delta R.T.: -0.002 min
Response: 27206
Conc: 14.35 ng/ml



#19 AR-1242-4


R.T.: 5.070 min
Delta R.T.: -0.004 min
Response: 162756
Conc: 172.55 ng/ml



#20 AR-1242-5


R.T.: 6.590 min
Delta R.T.: 0.002 min
Response: 576611
Conc: 315.00 ng/ml

Instrument :
ECD_O
ClientSampleId :
ICVPO051122AR1254




#20 AR-1242-5

R.T.: 5.599 min
Delta R.T.: -0.001 min
Response: 1364891
Conc: 1200.19 ng/ml




#21 AR-1248-1

R.T.: 5.659 min
Delta R.T.: 0.000 min
Response: 51216
Conc: 25.36 ng/ml



#21 AR-1248-1


R.T.: 4.789 min
Delta R.T.: -0.002 min
Response: 24058
Conc: 24.78 ng/ml



#22 AR-1248-2


R.T.: 5.935 min
Delta R.T.: -0.002 min
Response: 1080947
Conc: 400.68 ng/ml

Instrument :
ECD_O
ClientSampleId :
ICVPO051122AR1254




#22 AR-1248-2

R.T.: 5.029 min
Delta R.T.: -0.002 min
Response: 566011
Conc: 425.57 ng/ml




#23 AR-1248-3

R.T.: 6.142 min
Delta R.T.: 0.000 min
Response: 639851
Conc: 215.65 ng/ml



#23 AR-1248-3


R.T.: 5.070 min
Delta R.T.: -0.003 min
Response: 162756
Conc: 118.27 ng/ml



#24 AR-1248-4


R.T.: 6.547 min
Delta R.T.: -0.001 min
Response: 925548
Conc: 287.52 ng/ml

Instrument :
ECD_O
ClientSampleId :
ICVPO051122AR1254




#24 AR-1248-4

R.T.: 5.244 min
Delta R.T.: -0.002 min
Response: 328571
Conc: 205.21 ng/ml




#25 AR-1248-5

R.T.: 6.590 min
Delta R.T.: 0.002 min
Response: 576611
Conc: 185.27 ng/ml



#25 AR-1248-5


R.T.: 5.639 min
Delta R.T.: -0.002 min
Response: 156529
Conc: 99.64 ng/ml



#26 AR-1254-1


R.T.: 6.522 min
Delta R.T.: 0.000 min
Response: 1805724
Conc: 536.56 ng/ml

Instrument :
ECD_O
ClientSampleId :
ICVPO051122AR1254




#26 AR-1254-1

R.T.: 5.599 min
Delta R.T.: 0.000 min
Response: 1364891
Conc: 541.90 ng/ml




#27 AR-1254-2

R.T.: 6.742 min
Delta R.T.: -0.001 min
Response: 2707477
Conc: 550.18 ng/ml



#27 AR-1254-2


R.T.: 5.747 min
Delta R.T.: -0.001 min
Response: 1198962
Conc: 547.51 ng/ml



#28 AR-1254-3


R.T.: 7.110 min
Delta R.T.: -0.001 min
Response: 2812577
Conc: 556.68 ng/ml

Instrument :
ECD_O
ClientSampleId :
ICVPO051122AR1254




#28 AR-1254-3

R.T.: 6.153 min
Delta R.T.: -0.001 min
Response: 1945203
Conc: 550.57 ng/ml




#29 AR-1254-4

R.T.: 7.398 min
Delta R.T.: 0.000 min
Response: 2073051
Conc: 556.57 ng/ml



#29 AR-1254-4


R.T.: 6.381 min
Delta R.T.: -0.002 min
Response: 1232406
Conc: 557.09 ng/ml



#30 AR-1254-5


R.T.: 7.819 min
Delta R.T.: 0.000 min
Response: 2198144
Conc: 564.14 ng/ml

Instrument :
ECD_O
ClientSampleId :
ICVPO051122AR1254




#30 AR-1254-5

R.T.: 6.802 min
Delta R.T.: -0.002 min
Response: 1659944
Conc: 561.20 ng/ml




#31 AR-1260-1

R.T.: 7.276 min
Delta R.T.: 0.000 min
Response: 1064678
Conc: 351.79 ng/ml



#31 AR-1260-1


R.T.: 6.285 min
Delta R.T.: -0.004 min
Response: 919955
Conc: 472.66 ng/ml



#32 AR-1260-2


R.T.: 7.534 min
Delta R.T.: 0.000 min
Response: 1253553
Conc: 346.53 ng/ml

Instrument :
ECD_O
ClientSampleId :
ICVPO051122AR1254




#32 AR-1260-2

R.T.: 6.472 min
Delta R.T.: -0.004 min
Response: 752428
Conc: 320.14 ng/ml




#33 AR-1260-3

R.T.: 7.881 min
Delta R.T.: -0.016 min
Response: 384321
Conc: 139.25 ng/ml



#33 AR-1260-3


R.T.: 6.627 min
Delta R.T.: -0.005 min
Response: 745795
Conc: 346.84 ng/ml



#34 AR-1260-4


R.T.: 8.109 min
Delta R.T.: -0.015 min
Response: 1000377
Conc: 296.50 ng/ml

Instrument :
ECD_O
ClientSampleId :
ICVPO051122AR1254




#34 AR-1260-4

R.T.: 7.102 min
Delta R.T.: 0.007 min
Response: 74062
Conc: 41.13 ng/ml




#35 AR-1260-5

R.T.: 8.450 min
Delta R.T.: -0.002 min
Response: 351425
Conc: 56.95 ng/ml



#35 AR-1260-5


R.T.: 7.319 min
Delta R.T.: -0.011 min
Response: 242745
Conc: 56.04 ng/ml



#36 AR-1262-1


R.T.: 7.881 min
Delta R.T.: -0.015 min
Response: 384321
Conc: 84.98 ng/ml

Instrument :
ECD_O
ClientSampleId :
ICVPO051122AR1254




#36 AR-1262-1

R.T.: 6.872 min
Delta R.T.: 0.030 min
Response: 120932
Conc: 40.02 ng/ml




#37 AR-1262-2

R.T.: 8.450 min
Delta R.T.: 0.000 min
Response: 351425
Conc: 44.90 ng/ml



#37 AR-1262-2


R.T.: 7.342 min
Delta R.T.: 0.000 min
Response: 180068
Conc: 32.78 ng/ml



#38 AR-1262-3


R.T.: 8.786 min
Delta R.T.: 0.013 min
Response: 219909
Conc: 41.81 ng/ml

Instrument :
ECD_O
ClientSampleId :
ICVPO051122AR1254




#38 AR-1262-3

R.T.: 7.629 min
Delta R.T.: 0.000 min
Response: 8595
Conc: 4.08 ng/ml




#39 AR-1262-4

R.T.: 8.835 min
Delta R.T.: -0.029 min
Response: 60825
Conc: 25.42 ng/ml



#39 AR-1262-4


R.T.: 7.689 min
Delta R.T.: -0.003 min
Response: 187628
Conc: 47.34 ng/ml



#40 AR-1262-5


R.T.: 0.000 min
Exp R.T.: 9.539 min
Response: 0
Conc: N.D.

Instrument :
ECD_O
ClientSampleId :
ICVPO051122AR1254




#40 AR-1262-5

R.T.: 8.188 min
Delta R.T.: -0.002 min
Response: 8282
Conc: 4.62 ng/ml




#41 AR-1268-1

R.T.: 8.786 min
Delta R.T.: 0.016 min
Response: 219909
Conc: 25.19 ng/ml



#41 AR-1268-1


R.T.: 7.629 min
Delta R.T.: 0.000 min
Response: 8595
Conc: 1.41 ng/ml



#42 AR-1268-2


R.T.: 8.835 min
Delta R.T.: -0.032 min
Response: 60825
Conc: 7.60 ng/ml

Instrument :
ECD_O
ClientSampleId :
ICVPO051122AR1254




#42 AR-1268-2

R.T.: 7.689 min
Delta R.T.: -0.004 min
Response: 187628
Conc: 34.18 ng/ml




#43 AR-1268-3

R.T.: 0.000 min
Exp R.T. : 9.104 min
Response: 0
Conc: N.D.



#43 AR-1268-3


R.T.: 7.901 min
Delta R.T.: -0.002 min
Response: 8915
Conc: 1.96 ng/ml



#44 AR-1268-4


R.T.: 0.000 min
Exp R.T.: 9.541 min
Response: 0
Conc: N.D.

Instrument :
ECD_O
ClientSampleId :
ICVPO051122AR1254




#44 AR-1268-4

R.T.: 8.188 min
Delta R.T.: -0.002 min
Response: 8282
Conc: 4.24 ng/ml



#45 AR-1268-5

R.T.: 0.000 min
Exp R.T.: 9.971 min
Response: 0
Conc: N.D.



#45 AR-1268-5

R.T.: 8.488 min
Delta R.T.: -0.002 min
Response: 16045
Conc: 1.09 ng/ml