

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_0\Data\P0051422\
 Data File : P0086040.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 13 May 2022 22:49
 Operator : YP\AJ
 Sample : N2804-06
 Misc :
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 ECD_0
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: May 14 02:15:17 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_0\methods\P0051122.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Thu May 12 05:35:26 2022
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.478	3.680	2114067	795717	20.818	18.258
2)	SA Decachlor...	10.330	8.743	1091142	587822	20.590	17.319
Target Compounds							
3)	L1 AR-1016-1	5.643	4.797	68697	5580	21.495	3.573 #
4)	L1 AR-1016-2	5.682	4.805	220791	5467	49.667	2.611 #
5)	L1 AR-1016-3	5.751	4.985	55815	16596	20.356	15.014 #
6)	L1 AR-1016-4	5.850	5.034	24222	18248	10.928	19.795 #
7)	L1 AR-1016-5	6.168	5.231	121877	17257	58.819	15.283 #
8)	L2 AR-1221-1	4.687	3.929	317070	137636	258.971	267.657
9)	L2 AR-1221-2	4.787	3.987	45158	5641	49.470	14.637 #
10)	L2 AR-1221-3	4.852	4.069	143314	13744	53.177	11.317 #
11)	L3 AR-1232-1	4.852	4.069	143314	13744	70.007	14.874 #
12)	L3 AR-1232-2	5.365	4.805	218594	5467	232.109	6.706 #
13)	L3 AR-1232-3	5.682	4.985	220791	16596	125.614	40.194 #
14)	L3 AR-1232-4	5.850	5.093	24222	19986	27.844	53.341 #
15)	L3 AR-1232-5	5.930	5.231	87162	17257	131.623	41.204 #
16)	L4 AR-1242-1	5.643	4.797	68697	5580	25.271	4.225 #
17)	L4 AR-1242-2	5.682	4.805	220791	5467	58.731	3.117 #
18)	L4 AR-1242-3	5.751	4.985	55815	16596	23.757	17.649 #
19)	L4 AR-1242-4	5.850	5.093	24222	19986	12.779	21.189 #
20)	L4 AR-1242-5	6.598	5.605	31052	52241	16.964	45.937 #
21)	L5 AR-1248-1	5.643	4.797	68697	5580	34.011	5.747 #
22)	L5 AR-1248-2	5.930	5.034	87162	18248	32.308	13.720 #
23)	L5 AR-1248-3	6.168	5.093	121877	19986	41.077	14.523 #
24)	L5 AR-1248-4	6.561	5.231	115696	17257	35.940	10.778 #
25)	L5 AR-1248-5	6.598	5.636	31052	18429	9.977	11.730
26)	L6 AR-1254-1	6.529	5.605	12433	52241	3.694	20.741 #
27)	L6 AR-1254-2	6.744	5.760	13776	35941	2.799	16.413 #
28)	L6 AR-1254-3	7.124	6.154	28348	13981	5.611	3.957 #
29)	L6 AR-1254-4	7.415	6.368	24620	26926	6.610	12.172 #
30)	L6 AR-1254-5	7.827	6.793	47518	40835	12.195	13.806
31)	L7 AR-1260-1	7.262	6.282	49512	3478	16.360	1.787 #
32)	L7 AR-1260-2	7.524	6.476	100041	13560	27.655	5.769 #
33)	L7 AR-1260-3	7.891	6.632	163939	25759	59.398	11.979 #
34)	L7 AR-1260-4	8.129	7.105	238916	5330	70.811	2.960 #
35)	L7 AR-1260-5	8.456	7.360	284993	24165	46.185	5.579 #
36)	L8 AR-1262-1	7.891	6.839	163939	36947	36.248	12.228 #
37)	L8 AR-1262-2	8.456	7.332	284993	48527	36.412	8.834 #
38)	L8 AR-1262-3	8.755	7.639	15199	62573	4.639	29.684 #
39)	L8 AR-1262-4	8.854	7.693	25118	8983	10.860	2.266 #
40)	L8 AR-1262-5	9.554	8.188	16558	5187	5.999	2.895 #
41)	L9 AR-1268-1	8.755	7.639	15199	62573	1.741	10.255 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0051422\
 Data File : P0086040.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 13 May 2022 22:49
 Operator : YP\AJ
 Sample : N2804-06
 Misc :
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: May 14 02:15:17 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0051122.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Thu May 12 05:35:26 2022
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42) L9	AR-1268-2	8.878	7.693	20499	8983	2.563	1.636 #
43) L9	AR-1268-3	9.104	7.897	6276	9452	0.946	2.079 #
44) L9	AR-1268-4	9.554	8.188	16558	5187	5.484	2.656 #
45) L9	AR-1268-5	9.974	8.482	28651	17151	1.310	1.170



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0051422\
Data File : P0086040.D
Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
Acq On : 13 May 2022 22:49
Operator : YP\AJ
Sample : N2804-06
Misc :
ALS Vial : 17 Sample Multiplier: 1

Instrument :
ECD_O
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: May 14 02:15:17 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0051122.M
Quant Title : GC EXTRACTABLES
QLast Update : Thu May 12 05:35:26 2022
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.478 min
Delta R.T.: 0.000 min
Response: 2114067
Conc: 20.82 ng/ml

Instrument :
ECD_O
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 3.680 min
Delta R.T.: -0.005 min
Response: 795717
Conc: 18.26 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.330 min
Delta R.T.: 0.003 min
Response: 1091142
Conc: 20.59 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.743 min
Delta R.T.: -0.017 min
Response: 587822
Conc: 17.32 ng/ml



#3 AR-1016-1


R.T.: 5.643 min
Delta R.T.: -0.017 min
Response: 68697
Conc: 21.50 ng/ml

Instrument :
ECD_O
ClientSampleId :




#3 AR-1016-1

R.T.: 4.797 min
Delta R.T.: 0.004 min
Response: 5580
Conc: 3.57 ng/ml




#4 AR-1016-2

R.T.: 5.682 min
Delta R.T.: 0.000 min
Response: 220791
Conc: 49.67 ng/ml



#4 AR-1016-2


R.T.: 4.805 min
Delta R.T.: -0.006 min
Response: 5467
Conc: 2.61 ng/ml



#5 AR-1016-3


R.T.: 5.751 min
Delta R.T.: 0.005 min
Response: 55815
Conc: 20.36 ng/ml

Instrument :
ECD_O
ClientSampleId :




#5 AR-1016-3

R.T.: 4.985 min
Delta R.T.: -0.005 min
Response: 16596
Conc: 15.01 ng/ml




#6 AR-1016-4

R.T.: 5.850 min
Delta R.T.: 0.005 min
Response: 24222
Conc: 10.93 ng/ml



#6 AR-1016-4


R.T.: 5.034 min
Delta R.T.: 0.002 min
Response: 18248
Conc: 19.79 ng/ml



#7 AR-1016-5


R.T.: 6.168 min
Delta R.T.: 0.025 min
Response: 121877
Conc: 58.82 ng/ml

Instrument :
ECD_O
ClientSampleId :




#7 AR-1016-5

R.T.: 5.231 min
Delta R.T.: -0.017 min
Response: 17257
Conc: 15.28 ng/ml




#8 AR-1221-1

R.T.: 4.687 min
Delta R.T.: -0.009 min
Response: 317070
Conc: 258.97 ng/ml



#8 AR-1221-1


R.T.: 3.929 min
Delta R.T.: 0.024 min
Response: 137636
Conc: 267.66 ng/ml



#9 AR-1221-2


R.T.: 4.787 min
Delta R.T.: 0.004 min
Response: 45158
Conc: 49.47 ng/ml

Instrument :
ECD_O
ClientSampleId :




#9 AR-1221-2

R.T.: 3.987 min
Delta R.T.: -0.005 min
Response: 5641
Conc: 14.64 ng/ml




#10 AR-1221-3

R.T.: 4.852 min
Delta R.T.: -0.009 min
Response: 143314
Conc: 53.18 ng/ml



#10 AR-1221-3


R.T.: 4.069 min
Delta R.T.: 0.000 min
Response: 13744
Conc: 11.32 ng/ml



#11 AR-1232-1


R.T.: 4.852 min
Delta R.T.: -0.002 min
Response: 143314
Conc: 70.01 ng/ml

Instrument :
ECD_O
ClientSampleId :




#11 AR-1232-1

R.T.: 4.069 min
Delta R.T.: 0.000 min
Response: 13744
Conc: 14.87 ng/ml




#12 AR-1232-2

R.T.: 5.365 min
Delta R.T.: -0.025 min
Response: 218594
Conc: 232.11 ng/ml



#12 AR-1232-2


R.T.: 4.805 min
Delta R.T.: -0.006 min
Response: 5467
Conc: 6.71 ng/ml



#13 AR-1232-3


R.T.: 5.682 min
Delta R.T.: 0.000 min
Response: 220791
Conc: 125.61 ng/ml

Instrument :
ECD_O
ClientSampleId :




#13 AR-1232-3

R.T.: 4.985 min
Delta R.T.: -0.003 min
Response: 16596
Conc: 40.19 ng/ml




#14 AR-1232-4

R.T.: 5.850 min
Delta R.T.: 0.005 min
Response: 24222
Conc: 27.84 ng/ml



#14 AR-1232-4


R.T.: 5.093 min
Delta R.T.: 0.020 min
Response: 19986
Conc: 53.34 ng/ml



#15 AR-1232-5


R.T.: 5.930 min
Delta R.T.: -0.007 min
Response: 87162
Conc: 131.62 ng/ml

Instrument :
ECD_O
ClientSampleId :




#15 AR-1232-5

R.T.: 5.231 min
Delta R.T.: -0.016 min
Response: 17257
Conc: 41.20 ng/ml




#16 AR-1242-1

R.T.: 5.643 min
Delta R.T.: -0.017 min
Response: 68697
Conc: 25.27 ng/ml



#16 AR-1242-1


R.T.: 4.797 min
Delta R.T.: 0.005 min
Response: 5580
Conc: 4.22 ng/ml



#17 AR-1242-2


R.T.: 5.682 min
Delta R.T.: -0.001 min
Response: 220791
Conc: 58.73 ng/ml

Instrument :
ECD_O
ClientSampleId :




#17 AR-1242-2

R.T.: 4.805 min
Delta R.T.: -0.006 min
Response: 5467
Conc: 3.12 ng/ml




#18 AR-1242-3

R.T.: 5.751 min
Delta R.T.: 0.005 min
Response: 55815
Conc: 23.76 ng/ml



#18 AR-1242-3


R.T.: 4.985 min
Delta R.T.: -0.004 min
Response: 16596
Conc: 17.65 ng/ml



#19 AR-1242-4


R.T.: 5.850 min
Delta R.T.: 0.004 min
Response: 24222
Conc: 12.78 ng/ml

Instrument :
ECD_O
ClientSampleId :




#19 AR-1242-4

R.T.: 5.093 min
Delta R.T.: 0.019 min
Response: 19986
Conc: 21.19 ng/ml




#20 AR-1242-5

R.T.: 6.598 min
Delta R.T.: 0.011 min
Response: 31052
Conc: 16.96 ng/ml



#20 AR-1242-5


R.T.: 5.605 min
Delta R.T.: 0.005 min
Response: 52241
Conc: 45.94 ng/ml



#21 AR-1248-1


R.T.: 5.643 min
Delta R.T.: -0.017 min
Response: 68697
Conc: 34.01 ng/ml

Instrument :
ECD_O
ClientSampleId :




#21 AR-1248-1

R.T.: 4.797 min
Delta R.T.: 0.005 min
Response: 5580
Conc: 5.75 ng/ml




#22 AR-1248-2

R.T.: 5.930 min
Delta R.T.: -0.007 min
Response: 87162
Conc: 32.31 ng/ml



#22 AR-1248-2


R.T.: 5.034 min
Delta R.T.: 0.003 min
Response: 18248
Conc: 13.72 ng/ml



#23 AR-1248-3


R.T.: 6.168 min
Delta R.T.: 0.025 min
Response: 121877
Conc: 41.08 ng/ml

Instrument :
ECD_O
ClientSampleId :




#23 AR-1248-3

R.T.: 5.093 min
Delta R.T.: 0.020 min
Response: 19986
Conc: 14.52 ng/ml




#24 AR-1248-4

R.T.: 6.561 min
Delta R.T.: 0.012 min
Response: 115696
Conc: 35.94 ng/ml



#24 AR-1248-4


R.T.: 5.231 min
Delta R.T.: -0.015 min
Response: 17257
Conc: 10.78 ng/ml



#25 AR-1248-5


R.T.: 6.598 min
Delta R.T.: 0.010 min
Response: 31052
Conc: 9.98 ng/ml

Instrument :
ECD_O
ClientSampleId :




#25 AR-1248-5

R.T.: 5.636 min
Delta R.T.: -0.005 min
Response: 18429
Conc: 11.73 ng/ml




#26 AR-1254-1

R.T.: 6.529 min
Delta R.T.: 0.007 min
Response: 12433
Conc: 3.69 ng/ml



#26 AR-1254-1


R.T.: 5.605 min
Delta R.T.: 0.005 min
Response: 52241
Conc: 20.74 ng/ml



#27 AR-1254-2


R.T.: 6.744 min
Delta R.T.: 0.001 min
Response: 13776
Conc: 2.80 ng/ml

Instrument :
ECD_O
ClientSampleId :




#27 AR-1254-2

R.T.: 5.760 min
Delta R.T.: 0.012 min
Response: 35941
Conc: 16.41 ng/ml




#28 AR-1254-3

R.T.: 7.124 min
Delta R.T.: 0.013 min
Response: 28348
Conc: 5.61 ng/ml



#28 AR-1254-3


R.T.: 6.154 min
Delta R.T.: 0.000 min
Response: 13981
Conc: 3.96 ng/ml



#29 AR-1254-4


R.T.: 7.415 min
Delta R.T.: 0.017 min
Response: 24620
Conc: 6.61 ng/ml

Instrument :
ECD_O
ClientSampleId :




#29 AR-1254-4

R.T.: 6.368 min
Delta R.T.: -0.015 min
Response: 26926
Conc: 12.17 ng/ml




#30 AR-1254-5

R.T.: 7.827 min
Delta R.T.: 0.007 min
Response: 47518
Conc: 12.20 ng/ml



#30 AR-1254-5


R.T.: 6.793 min
Delta R.T.: -0.011 min
Response: 40835
Conc: 13.81 ng/ml



#31 AR-1260-1


R.T.: 7.262 min
Delta R.T.: -0.015 min
Response: 49512
Conc: 16.36 ng/ml

Instrument :
ECD_O
ClientSampleId :




#31 AR-1260-1

R.T.: 6.282 min
Delta R.T.: -0.006 min
Response: 3478
Conc: 1.79 ng/ml




#32 AR-1260-2

R.T.: 7.524 min
Delta R.T.: -0.011 min
Response: 100041
Conc: 27.65 ng/ml



#32 AR-1260-2


R.T.: 6.476 min
Delta R.T.: 0.000 min
Response: 13560
Conc: 5.77 ng/ml



#33 AR-1260-3


R.T.: 7.891 min
Delta R.T.: -0.006 min
Response: 163939
Conc: 59.40 ng/ml

Instrument :
ECD_O
ClientSampleId :




#33 AR-1260-3

R.T.: 6.632 min
Delta R.T.: 0.000 min
Response: 25759
Conc: 11.98 ng/ml




#34 AR-1260-4

R.T.: 8.129 min
Delta R.T.: 0.004 min
Response: 238916
Conc: 70.81 ng/ml



#34 AR-1260-4


R.T.: 7.105 min
Delta R.T.: -0.002 min
Response: 5330
Conc: 2.96 ng/ml



#35 AR-1260-5


R.T.: 8.456 min
Delta R.T.: 0.003 min
Response: 284993
Conc: 46.18 ng/ml

Instrument :
ECD_O
ClientSampleId :




#35 AR-1260-5

R.T.: 7.360 min
Delta R.T.: 0.014 min
Response: 24165
Conc: 5.58 ng/ml




#36 AR-1262-1

R.T.: 7.891 min
Delta R.T.: -0.005 min
Response: 163939
Conc: 36.25 ng/ml



#36 AR-1262-1


R.T.: 6.839 min
Delta R.T.: -0.003 min
Response: 36947
Conc: 12.23 ng/ml



#37 AR-1262-2


R.T.: 8.456 min
Delta R.T.: 0.006 min
Response: 284993
Conc: 36.41 ng/ml

Instrument :
ECD_O
ClientSampleId :




#37 AR-1262-2

R.T.: 7.332 min
Delta R.T.: -0.011 min
Response: 48527
Conc: 8.83 ng/ml




#38 AR-1262-3

R.T.: 8.755 min
Delta R.T.: -0.018 min
Response: 15199
Conc: 4.64 ng/ml



#38 AR-1262-3


R.T.: 7.639 min
Delta R.T.: 0.010 min
Response: 62573
Conc: 29.68 ng/ml



#39 AR-1262-4


R.T.: 8.854 min
Delta R.T.: -0.010 min
Response: 25118
Conc: 10.86 ng/ml

Instrument :
ECD_O
ClientSampleId :




#39 AR-1262-4

R.T.: 7.693 min
Delta R.T.: 0.000 min
Response: 8983
Conc: 2.27 ng/ml




#40 AR-1262-5

R.T.: 9.554 min
Delta R.T.: 0.015 min
Response: 16558
Conc: 6.00 ng/ml



#40 AR-1262-5


R.T.: 8.188 min
Delta R.T.: -0.002 min
Response: 5187
Conc: 2.90 ng/ml



#41 AR-1268-1


R.T.: 8.755 min
Delta R.T.: -0.015 min
Response: 15199
Conc: 1.74 ng/ml

Instrument :
ECD_O
ClientSampleId :




#41 AR-1268-1

R.T.: 7.639 min
Delta R.T.: 0.010 min
Response: 62573
Conc: 10.25 ng/ml




#42 AR-1268-2

R.T.: 8.878 min
Delta R.T.: 0.011 min
Response: 20499
Conc: 2.56 ng/ml



#42 AR-1268-2


R.T.: 7.693 min
Delta R.T.: 0.000 min
Response: 8983
Conc: 1.64 ng/ml



#43 AR-1268-3


R.T.: 9.104 min
Delta R.T.: 0.000 min
Response: 6276
Conc: 0.95 ng/ml

Instrument :
ECD_O
ClientSampleId :




#43 AR-1268-3

R.T.: 7.897 min
Delta R.T.: -0.006 min
Response: 9452
Conc: 2.08 ng/ml




#44 AR-1268-4

R.T.: 9.554 min
Delta R.T.: 0.013 min
Response: 16558
Conc: 5.48 ng/ml



#44 AR-1268-4


R.T.: 8.188 min
Delta R.T.: -0.002 min
Response: 5187
Conc: 2.66 ng/ml



#45 AR-1268-5

R.T.: 9.974 min
Delta R.T.: 0.003 min
Response: 28651
Conc: 1.31 ng/ml

Instrument :
ECD_O
ClientSampleId :



#45 AR-1268-5

R.T.: 8.482 min
Delta R.T.: -0.008 min
Response: 17151
Conc: 1.17 ng/ml