Quantitation Report (Not Reviewed)

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\PO051422\
Data File : PO086042.D
Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
Acq On : 13 May 2022 23:21
Operator : YP\AJ
Sample : N2804-08
Misc :
ALS Vial : 19 Sample Multiplier: 1

Instrument :
ECD_O
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: May 14 02:16:05 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\PO051122.M
Quant Title : GC EXTRACTABLES
QLast Update : Thu May 12 05:35:26 2022
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml	
	System Monitoring Compounds							
1)	SA Tetrachlo...	4.479	3.680	2589283	1039399	25.497	23.849	
2)	SA Decachlor...	10.333	8.743	1603683	891886	30.262	26.277	
	Target Compounds							
3)	L1 AR-1016-1	5.681	4.786	348224	39833	108.960	25.505	#
4)	L1 AR-1016-2	5.681	4.786	348224	39833	78.333	19.023	#
5)	L1 AR-1016-3	5.737	5.003	73302	46077	26.734	41.685	#
6)	L1 AR-1016-4	5.856	5.035	228362	9941	103.026	10.783	#
7)	L1 AR-1016-5	6.161	5.269	-18904	23830	N.D.	21.105	#
8)	L2 AR-1221-1	4.689	3.929	1013834	161575	828.061	314.212	#
9)	L2 AR-1221-2	4.788	3.983	36497	64558	39.982	167.515	#
10)	L2 AR-1221-3	4.854	4.028f	81979	62591	30.419	51.540	#
11)	L3 AR-1232-1	4.854	4.028f	81979	62591	40.045	67.735	#
12)	L3 AR-1232-2	5.364	4.786	242776	39833	257.786	48.865	#
13)	L3 AR-1232-3	5.681	5.003	348224	46077	198.115	111.595	#
14)	L3 AR-1232-4	5.856	5.106	228362	8584	262.509	22.909	#
15)	L3 AR-1232-5	5.927	5.269	178284	23830	269.226	56.899	#
16)	L4 AR-1242-1	5.681	4.786	348224	39833	128.101	30.158	#
17)	L4 AR-1242-2	5.681	4.786	348224	39833	92.629	22.715	#
18)	L4 AR-1242-3	5.737	5.003	73302	46077	31.200	49.001	#
19)	L4 AR-1242-4	5.856	5.106	228362	8584	120.478	9.100	#
20)	L4 AR-1242-5	6.583	5.600	39853	17398	21.771	15.298	#
21)	L5 AR-1248-1	5.681	4.786	348224	39833	172.400	41.022	#
22)	L5 AR-1248-2	5.927	5.035	178284	9941	66.085	7.474	#
24)	L5 AR-1248-4	6.532	5.269	82140	23830	25.516	14.883	#
25)	L5 AR-1248-5	6.583	5.634	39853	8476	12.805	5.395	#
26)	L6 AR-1254-1	6.532	5.600	82140	17398	24.407	6.907	#
27)	L6 AR-1254-2	6.713	5.753	9963	19678	2.025	8.986	#
28)	L6 AR-1254-3	7.119	6.156	20280	56123	4.014	15.885	#
29)	L6 AR-1254-4	7.367	6.386	12909	40976	3.466	18.522	#
30)	L6 AR-1254-5	7.810	6.807	128071	12281	32.868	4.152	#
31)	L7 AR-1260-1	7.242f	6.268	13706	8493	4.529	4.364	
32)	L7 AR-1260-2	7.541	0.000	297441	0	82.223	N.D.	#
33)	L7 AR-1260-3	7.888	6.606	50428	75040	18.271	34.898	#
34)	L7 AR-1260-4	8.125	7.119	111163	9356	32.947	5.196	#
35)	L7 AR-1260-5	8.494f	7.335	107624	133379	17.441	30.791	#
36)	L8 AR-1262-1	7.888	6.839	50428	18369	11.150	6.080	#
37)	L8 AR-1262-2	8.494f	7.335	107624	133379	13.751	24.281	#
38)	L8 AR-1262-3	8.765	7.618	69672	3661	21.268	1.737	#
39)	L8 AR-1262-4	8.867	7.702	8228	14597	3.557	3.683	
40)	L8 AR-1262-5	0.000	8.252f	0	3672	N.D.	2.050	#
41)	L9 AR-1268-1	8.765	7.618	69672	3661	7.980	0.600	#
42)	L9 AR-1268-2	8.867	7.702	8228	14597	1.029	2.659	#

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\PO051422\
Data File : PO086042.D
Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
Acq On : 13 May 2022 23:21
Operator : YP\AJ
Sample : N2804-08
Misc :
ALS Vial : 19 Sample Multiplier: 1

Instrument :
ECD_O
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: May 14 02:16:05 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\PO051122.M
Quant Title : GC EXTRACTABLES
QLast Update : Thu May 12 05:35:26 2022
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
43) L9	AR-1268-3	9.084	7.903	7839	41540	1.181	9.139 #
44) L9	AR-1268-4	0.000	8.252f	0	3672	N.D.	1.881 #
45) L9	AR-1268-5	9.947	8.483	4063	89964	0.186	6.138 #

(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\PO051422\
Data File : PO086042.D
Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
Acq On : 13 May 2022 23:21
Operator : YP\AJ
Sample : N2804-08
Misc :
ALS Vial : 19 Sample Multiplier: 1

Instrument :
ECD_O
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: May 14 02:16:05 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\PO051122.M
Quant Title : GC EXTRACTABLES
QLast Update : Thu May 12 05:35:26 2022
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm







#1 Tetrachloro-m-xylene

R.T.: 4.479 min
Delta R.T.: 0.000 min
Response: 2589283
Conc: 25.50 ng/ml

Instrument :
ECD_O
ClientSampleId :



#1 Tetrachloro-m-xylene

R.T.: 3.680 min
Delta R.T.: -0.005 min
Response: 1039399
Conc: 23.85 ng/ml



#2 Decachlorobiphenyl

R.T.: 10.333 min
Delta R.T.: 0.006 min
Response: 1603683
Conc: 30.26 ng/ml



#2 Decachlorobiphenyl

R.T.: 8.743 min
Delta R.T.: -0.016 min
Response: 891886
Conc: 26.28 ng/ml



#3 AR-1016-1

R.T.: 5.681 min
Delta R.T.: 0.021 min
Response: 348224
Conc: 108.96 ng/ml

Instrument :
ECD_O
ClientSampleId :



#3 AR-1016-1

R.T.: 4.786 min
Delta R.T.: -0.006 min
Response: 39833
Conc: 25.51 ng/ml



#4 AR-1016-2

R.T.: 5.681 min
Delta R.T.: -0.002 min
Response: 348224
Conc: 78.33 ng/ml



#4 AR-1016-2

R.T.: 4.786 min
Delta R.T.: -0.025 min
Response: 39833
Conc: 19.02 ng/ml



#5 AR-1016-3

R.T.: 5.737 min
Delta R.T.: -0.009 min
Response: 73302
Conc: 26.73 ng/ml

Instrument :
ECD_O
ClientSampleId :



#5 AR-1016-3

R.T.: 5.003 min
Delta R.T.: 0.014 min
Response: 46077
Conc: 41.68 ng/ml



#6 AR-1016-4

R.T.: 5.856 min
Delta R.T.: 0.011 min
Response: 228362
Conc: 103.03 ng/ml



#6 AR-1016-4

R.T.: 5.035 min
Delta R.T.: 0.003 min
Response: 9941
Conc: 10.78 ng/ml



#7 AR-1016-5

R.T.: 6.161 min
Delta R.T.: 0.018 min
Response: -18904
Conc: N.D.

Instrument :
ECD_O
ClientSampleId :



#7 AR-1016-5

R.T.: 5.269 min
Delta R.T.: 0.021 min
Response: 23830
Conc: 21.10 ng/ml



#8 AR-1221-1

R.T.: 4.689 min
Delta R.T.: -0.008 min
Response: 1013834
Conc: 828.06 ng/ml



#8 AR-1221-1

R.T.: 3.929 min
Delta R.T.: 0.024 min
Response: 161575
Conc: 314.21 ng/ml



#9 AR-1221-2

R.T.: 4.788 min
Delta R.T.: 0.004 min
Response: 36497
Conc: 39.98 ng/ml

Instrument :
ECD_O
ClientSampleId :



#9 AR-1221-2

R.T.: 3.983 min
Delta R.T.: -0.009 min
Response: 64558
Conc: 167.51 ng/ml



#10 AR-1221-3

R.T.: 4.854 min
Delta R.T.: -0.007 min
Response: 81979
Conc: 30.42 ng/ml



#10 AR-1221-3

R.T.: 4.028 min
Delta R.T.: -0.042 min
Response: 62591
Conc: 51.54 ng/ml



#11 AR-1232-1

R.T.: 4.854 min
Delta R.T.: 0.000 min
Response: 81979
Conc: 40.05 ng/ml

Instrument :
ECD_O
ClientSampleId :



#11 AR-1232-1

R.T.: 4.028 min
Delta R.T.: -0.041 min
Response: 62591
Conc: 67.74 ng/ml



#12 AR-1232-2

R.T.: 5.364 min
Delta R.T.: -0.026 min
Response: 242776
Conc: 257.79 ng/ml



#12 AR-1232-2

R.T.: 4.786 min
Delta R.T.: -0.025 min
Response: 39833
Conc: 48.87 ng/ml



#13 AR-1232-3

R.T.: 5.681 min
Delta R.T.: -0.002 min
Response: 348224
Conc: 198.12 ng/ml

Instrument :
ECD_O
ClientSampleId :



#13 AR-1232-3

R.T.: 5.003 min
Delta R.T.: 0.015 min
Response: 46077
Conc: 111.60 ng/ml



#14 AR-1232-4

R.T.: 5.856 min
Delta R.T.: 0.011 min
Response: 228362
Conc: 262.51 ng/ml



#14 AR-1232-4

R.T.: 5.106 min
Delta R.T.: 0.033 min
Response: 8584
Conc: 22.91 ng/ml



#15 AR-1232-5

R.T.: 5.927 min
Delta R.T.: -0.010 min
Response: 178284
Conc: 269.23 ng/ml

Instrument :
ECD_O
ClientSampleId :



#15 AR-1232-5

R.T.: 5.269 min
Delta R.T.: 0.022 min
Response: 23830
Conc: 56.90 ng/ml



#16 AR-1242-1

R.T.: 5.681 min
Delta R.T.: 0.021 min
Response: 348224
Conc: 128.10 ng/ml



#16 AR-1242-1

R.T.: 4.786 min
Delta R.T.: -0.006 min
Response: 39833
Conc: 30.16 ng/ml



#17 AR-1242-2

R.T.: 5.681 min
Delta R.T.: -0.002 min
Response: 348224
Conc: 92.63 ng/ml

Instrument :
ECD_O
ClientSampleId :



#17 AR-1242-2

R.T.: 4.786 min
Delta R.T.: -0.025 min
Response: 39833
Conc: 22.72 ng/ml



#18 AR-1242-3

R.T.: 5.737 min
Delta R.T.: -0.009 min
Response: 73302
Conc: 31.20 ng/ml



#18 AR-1242-3

R.T.: 5.003 min
Delta R.T.: 0.014 min
Response: 46077
Conc: 49.00 ng/ml



#19 AR-1242-4

R.T.: 5.856 min
Delta R.T.: 0.010 min
Response: 228362
Conc: 120.48 ng/ml

Instrument :
ECD_O
ClientSampleId :



#19 AR-1242-4

R.T.: 5.106 min
Delta R.T.: 0.032 min
Response: 8584
Conc: 9.10 ng/ml



#20 AR-1242-5

R.T.: 6.583 min
Delta R.T.: -0.004 min
Response: 39853
Conc: 21.77 ng/ml



#20 AR-1242-5

R.T.: 5.600 min
Delta R.T.: 0.000 min
Response: 17398
Conc: 15.30 ng/ml



#21 AR-1248-1

R.T.: 5.681 min
Delta R.T.: 0.021 min
Response: 348224
Conc: 172.40 ng/ml

Instrument :
ECD_O
ClientSampleId :



#21 AR-1248-1

R.T.: 4.786 min
Delta R.T.: -0.005 min
Response: 39833
Conc: 41.02 ng/ml



#22 AR-1248-2

R.T.: 5.927 min
Delta R.T.: -0.010 min
Response: 178284
Conc: 66.08 ng/ml



#22 AR-1248-2

R.T.: 5.035 min
Delta R.T.: 0.004 min
Response: 9941
Conc: 7.47 ng/ml



#23 AR-1248-3

R.T.: 6.161 min
Delta R.T.: 0.018 min
Response: -18904
Conc: N.D.

Instrument :
ECD_O
ClientSampleId :



#23 AR-1248-3

R.T.: 5.106 min
Delta R.T.: 0.033 min
Response: 8584
Conc: 6.24 ng/ml



#24 AR-1248-4

R.T.: 6.532 min
Delta R.T.: -0.016 min
Response: 82140
Conc: 25.52 ng/ml



#24 AR-1248-4

R.T.: 5.269 min
Delta R.T.: 0.022 min
Response: 23830
Conc: 14.88 ng/ml



#25 AR-1248-5

R.T.: 6.583 min
Delta R.T.: -0.004 min
Response: 39853
Conc: 12.81 ng/ml

Instrument :
ECD_O
ClientSampleId :



#25 AR-1248-5

R.T.: 5.634 min
Delta R.T.: -0.007 min
Response: 8476
Conc: 5.39 ng/ml



#26 AR-1254-1

R.T.: 6.532 min
Delta R.T.: 0.010 min
Response: 82140
Conc: 24.41 ng/ml



#26 AR-1254-1

R.T.: 5.600 min
Delta R.T.: 0.000 min
Response: 17398
Conc: 6.91 ng/ml



#27 AR-1254-2

R.T.: 6.713 min
Delta R.T.: -0.030 min
Response: 9963
Conc: 2.02 ng/ml

Instrument :
ECD_O
ClientSampleId :



#27 AR-1254-2

R.T.: 5.753 min
Delta R.T.: 0.005 min
Response: 19678
Conc: 8.99 ng/ml



#28 AR-1254-3

R.T.: 7.119 min
Delta R.T.: 0.007 min
Response: 20280
Conc: 4.01 ng/ml



#28 AR-1254-3

R.T.: 6.156 min
Delta R.T.: 0.002 min
Response: 56123
Conc: 15.88 ng/ml



#29 AR-1254-4

R.T.: 7.367 min
Delta R.T.: -0.031 min
Response: 12909
Conc: 3.47 ng/ml

Instrument :
ECD_O
ClientSampleId :



#29 AR-1254-4

R.T.: 6.386 min
Delta R.T.: 0.003 min
Response: 40976
Conc: 18.52 ng/ml



#30 AR-1254-5

R.T.: 7.810 min
Delta R.T.: -0.010 min
Response: 128071
Conc: 32.87 ng/ml



#30 AR-1254-5

R.T.: 6.807 min
Delta R.T.: 0.003 min
Response: 12281
Conc: 4.15 ng/ml



#31 AR-1260-1

R.T.: 7.242 min
Delta R.T.: -0.035 min
Response: 13706
Conc: 4.53 ng/ml

Instrument :
ECD_O
ClientSampleId :



#31 AR-1260-1

R.T.: 6.268 min
Delta R.T.: -0.021 min
Response: 8493
Conc: 4.36 ng/ml



#32 AR-1260-2

R.T.: 7.541 min
Delta R.T.: 0.006 min
Response: 297441
Conc: 82.22 ng/ml



#32 AR-1260-2

R.T.: 0.000 min
Exp R.T. : 6.476 min
Response: 0
Conc: N.D.



#33 AR-1260-3

R.T.: 7.888 min
Delta R.T.: -0.008 min
Response: 50428
Conc: 18.27 ng/ml

Instrument :
ECD_O
ClientSampleId :



#33 AR-1260-3

R.T.: 6.606 min
Delta R.T.: -0.026 min
Response: 75040
Conc: 34.90 ng/ml



#34 AR-1260-4

R.T.: 8.125 min
Delta R.T.: 0.000 min
Response: 111163
Conc: 32.95 ng/ml



#34 AR-1260-4

R.T.: 7.119 min
Delta R.T.: 0.013 min
Response: 9356
Conc: 5.20 ng/ml



#35 AR-1260-5

R.T.: 8.494 min
Delta R.T.: 0.041 min
Response: 107624
Conc: 17.44 ng/ml

Instrument :
ECD_O
ClientSampleId :



#35 AR-1260-5

R.T.: 7.335 min
Delta R.T.: -0.012 min
Response: 133379
Conc: 30.79 ng/ml



#36 AR-1262-1

R.T.: 7.888 min
Delta R.T.: -0.007 min
Response: 50428
Conc: 11.15 ng/ml



#36 AR-1262-1

R.T.: 6.839 min
Delta R.T.: -0.003 min
Response: 18369
Conc: 6.08 ng/ml



#37 AR-1262-2

R.T.: 8.494 min
Delta R.T.: 0.044 min
Response: 107624
Conc: 13.75 ng/ml

Instrument :
ECD_O
ClientSampleId :



#37 AR-1262-2

R.T.: 7.335 min
Delta R.T.: -0.008 min
Response: 133379
Conc: 24.28 ng/ml



#38 AR-1262-3

R.T.: 8.765 min
Delta R.T.: -0.008 min
Response: 69672
Conc: 21.27 ng/ml



#38 AR-1262-3

R.T.: 7.618 min
Delta R.T.: -0.011 min
Response: 3661
Conc: 1.74 ng/ml



#39 AR-1262-4

R.T.: 8.867 min
Delta R.T.: 0.003 min
Response: 8228
Conc: 3.56 ng/ml

Instrument :
ECD_O
ClientSampleId :



#39 AR-1262-4

R.T.: 7.702 min
Delta R.T.: 0.010 min
Response: 14597
Conc: 3.68 ng/ml



#40 AR-1262-5

R.T.: 0.000 min
Exp R.T. : 9.539 min
Response: 0
Conc: N.D.



#40 AR-1262-5

R.T.: 8.252 min
Delta R.T.: 0.062 min
Response: 3672
Conc: 2.05 ng/ml



#41 AR-1268-1

R.T.: 8.765 min
Delta R.T.: -0.005 min
Response: 69672
Conc: 7.98 ng/ml

Instrument :
ECD_O
ClientSampleId :



#41 AR-1268-1

R.T.: 7.618 min
Delta R.T.: -0.011 min
Response: 3661
Conc: 0.60 ng/ml



#42 AR-1268-2

R.T.: 8.867 min
Delta R.T.: 0.000 min
Response: 8228
Conc: 1.03 ng/ml



#42 AR-1268-2

R.T.: 7.702 min
Delta R.T.: 0.009 min
Response: 14597
Conc: 2.66 ng/ml



#43 AR-1268-3

R.T.: 9.084 min
Delta R.T.: -0.020 min
Response: 7839
Conc: 1.18 ng/ml

Instrument :
ECD_O
ClientSampleId :



#43 AR-1268-3

R.T.: 7.903 min
Delta R.T.: 0.000 min
Response: 41540
Conc: 9.14 ng/ml



#44 AR-1268-4

R.T.: 0.000 min
Exp R.T. : 9.541 min
Response: 0
Conc: N.D.



#44 AR-1268-4

R.T.: 8.252 min
Delta R.T.: 0.061 min
Response: 3672
Conc: 1.88 ng/ml



#45 AR-1268-5

R.T.: 9.947 min
Delta R.T.: -0.024 min
Response: 4063
Conc: 0.19 ng/ml

Instrument :
ECD_O
ClientSampleId :



#45 AR-1268-5

R.T.: 8.483 min
Delta R.T.: -0.007 min
Response: 89964
Conc: 6.14 ng/ml