

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0051215\
 Data File : P0111263.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 21 May 2025 19:27
 Operator : YP/AJ
 Sample : Q2093-14
 Misc :
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :
 WATER-COMP

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: May 22 02:27:23 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0051525.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Thu May 15 07:11:53 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.681	3.678	115.0E6	101.7E6	19.552	18.651
2)	SA Decachlor...	8.721	8.671	97001113	34171649	18.788	18.470
Target Compounds							
3)	L1 AR-1016-1	4.790	4.772	20851427	3536370	92.650	18.522 #
4)	L1 AR-1016-2	4.790	4.772	20851427	3536370	65.379	12.761 #
5)	L1 AR-1016-3	4.861	4.972	8684057	53535	39.996	0.366 #
6)	L1 AR-1016-4	4.944	5.000	5738704	687740	32.953	5.727 #
7)	L1 AR-1016-5	5.236	5.212	275507	301707	1.565	1.954
8)	L2 AR-1221-1	3.905	3.896	3535680	236102	40.590	3.197 #
9)	L2 AR-1221-2	3.965	3.957	17455386	8716966	274.008	160.197 #
10)	L2 AR-1221-3	4.051	4.043	10529041	2347041	54.745	14.046 #
11)	L3 AR-1232-1	4.051	4.043	10529041	2347041	68.739	17.972 #
12)	L3 AR-1232-2	4.553	4.772	3172168	3536370	38.710	26.962 #
13)	L3 AR-1232-3	4.790	4.972	20851427	53535	136.349	0.786 #
14)	L3 AR-1232-4	4.944	5.043	5738704	362068	69.770	5.870 #
15)	L3 AR-1232-5	5.017	5.212	2184159	301707	40.254	4.590 #
16)	L4 AR-1242-1	4.790	4.772	20851427	3536370	109.056	21.950 #
17)	L4 AR-1242-2	4.790	4.772	20851427	3536370	76.656	15.074 #
18)	L4 AR-1242-3	4.861	4.972	8684057	53535	46.692	0.433 #
19)	L4 AR-1242-4	4.944	5.043	5738704	362068	38.827	2.929 #
20)	L4 AR-1242-5	5.624	5.595f	429359	512572	2.760	3.372
21)	L5 AR-1248-1	4.790	4.772	20851427	3536370	136.136	27.260 #
22)	L5 AR-1248-2	5.017	5.000	2184159	687740	10.893	3.910 #
23)	L5 AR-1248-3	5.236	5.043	275507	362068	1.076	1.930 #
24)	L5 AR-1248-4	5.580	5.212	133513	301707	0.369	1.372 #
25)	L5 AR-1248-5	5.624	5.595	429359	512572	1.638	2.348 #
26)	L6 AR-1254-1	5.580	5.595f	133513	512572	0.352	1.582 #
27)	L6 AR-1254-2	5.720	5.694	747396	268434	2.287	0.948 #
28)	L6 AR-1254-3	6.112	6.093	459646	458390	0.874	1.062
29)	L6 AR-1254-4	6.381	6.333	77056	141471	0.229	0.572 #
30)	L6 AR-1254-5	6.773	6.746	223397	82210	0.471	0.238 #
31)	L7 AR-1260-1	6.256	6.241	410001	65800	1.344	0.263 #
33)	L7 AR-1260-3	6.830	6.586	174779	886889	0.501	3.093 #
34)	L7 AR-1260-4	7.121f	7.057	41861	59178	0.150	0.295 #
35)	L7 AR-1260-5	7.331	7.279	945917	354331	1.314	0.771 #
36)	L8 AR-1262-1	6.830	6.782	174779	132279	0.359	0.388
37)	L8 AR-1262-2	7.331	7.279	945917	354331	1.170	0.705 #
38)	L8 AR-1262-3	7.603	7.562	307566	391266	0.909	2.085 #
39)	L8 AR-1262-4	7.662	7.660	236276	38819	0.400	0.118 #
40)	L8 AR-1262-5	8.177	8.178f	695638	362614	2.439	3.229 #
41)	L9 AR-1268-1	7.603	7.562	307566	391266	0.317	0.738 #
42)	L9 AR-1268-2	7.662	7.660	236276	38819	0.265	0.080 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0052125\
 Data File : P0111263.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 21 May 2025 19:27
 Operator : YP/AJ
 Sample : Q2093-14
 Misc :
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :
 WATER-COMP

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: May 22 02:27:23 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0051525.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Thu May 15 07:11:53 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
43) L9	AR-1268-3	7.875	7.833	164935	196485	0.217	0.564 #
44) L9	AR-1268-4	8.177	8.178f	695638	362614	2.130	2.849 #
45) L9	AR-1268-5	8.460	8.425	1774103	238728	0.822	0.317 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\PO051215\
Data File : PO111263.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 21 May 2025 19:27
Operator : YP/AJ
Sample : Q2093-14
Misc :
ALS Vial : 18 Sample Multiplier: 1

Instrument :
ECD_O
ClientSampleId :
WATER-COMP

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: May 22 02:27:23 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\PO051525.M
Quant Title : GC EXTRACTABLES
QLast Update : Thu May 15 07:11:53 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.681 min
Delta R.T.: -0.002 min
Response: 115026109
Conc: 19.55 ng/ml

Instrument :
ECD_O
ClientSampleId :
WATER-COMP




#1 Tetrachloro-m-xylene

R.T.: 3.678 min
Delta R.T.: 0.000 min
Response: 101672916
Conc: 18.65 ng/ml




#2 Decachlorobiphenyl

R.T.: 8.721 min
Delta R.T.: -0.005 min
Response: 97001113
Conc: 18.79 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.671 min
Delta R.T.: -0.004 min
Response: 34171649
Conc: 18.47 ng/ml



#3 AR-1016-1


R.T.: 4.790 min
Delta R.T.: 0.016 min
Response: 20851427
Conc: 92.65 ng/ml

Instrument :
ECD_O
ClientSampleId :
WATER-COMP




#3 AR-1016-1

R.T.: 4.772 min
Delta R.T.: 0.014 min
Response: 3536370
Conc: 18.52 ng/ml




#4 AR-1016-2

R.T.: 4.790 min
Delta R.T.: -0.002 min
Response: 20851427
Conc: 65.38 ng/ml



#4 AR-1016-2


R.T.: 4.772 min
Delta R.T.: -0.005 min
Response: 3536370
Conc: 12.76 ng/ml



#5 AR-1016-3


R.T.: 4.861 min
Delta R.T.: 0.012 min
Response: 8684057
Conc: 40.00 ng/ml

Instrument :
ECD_O
ClientSampleId :
WATER-COMP




#5 AR-1016-3

R.T.: 4.972 min
Delta R.T.: 0.020 min
Response: 53535
Conc: 0.37 ng/ml




#6 AR-1016-4

R.T.: 4.944 min
Delta R.T.: -0.024 min
Response: 5738704
Conc: 32.95 ng/ml



#6 AR-1016-4


R.T.: 5.000 min
Delta R.T.: 0.005 min
Response: 687740
Conc: 5.73 ng/ml



#7 AR-1016-5


R.T.: 5.236 min
Delta R.T.: 0.009 min
Response: 275507
Conc: 1.57 ng/ml

Instrument :
ECD_O
ClientSampleId :
WATER-COMP




#7 AR-1016-5

R.T.: 5.212 min
Delta R.T.: 0.004 min
Response: 301707
Conc: 1.95 ng/ml




#8 AR-1221-1

R.T.: 3.905 min
Delta R.T.: 0.010 min
Response: 3535680
Conc: 40.59 ng/ml



#8 AR-1221-1


R.T.: 3.896 min
Delta R.T.: 0.006 min
Response: 236102
Conc: 3.20 ng/ml



#9 AR-1221-2


R.T.: 3.965 min
Delta R.T.: -0.016 min
Response: 17455386
Conc: 274.01 ng/ml

Instrument :
ECD_O
ClientSampleId :
WATER-COMP




#9 AR-1221-2

R.T.: 3.957 min
Delta R.T.: -0.018 min
Response: 8716966
Conc: 160.20 ng/ml




#10 AR-1221-3

R.T.: 4.051 min
Delta R.T.: -0.006 min
Response: 10529041
Conc: 54.75 ng/ml



#10 AR-1221-3


R.T.: 4.043 min
Delta R.T.: -0.007 min
Response: 2347041
Conc: 14.05 ng/ml



#11 AR-1232-1


R.T.: 4.051 min
Delta R.T.: -0.007 min
Response: 10529041
Conc: 68.74 ng/ml

Instrument :
ECD_O
ClientSampleId :
WATER-COMP




#11 AR-1232-1

R.T.: 4.043 min
Delta R.T.: -0.007 min
Response: 2347041
Conc: 17.97 ng/ml




#12 AR-1232-2

R.T.: 4.553 min
Delta R.T.: 0.002 min
Response: 3172168
Conc: 38.71 ng/ml



#12 AR-1232-2


R.T.: 4.772 min
Delta R.T.: -0.005 min
Response: 3536370
Conc: 26.96 ng/ml



#13 AR-1232-3


R.T.: 4.790 min
Delta R.T.: -0.003 min
Response: 20851427
Conc: 136.35 ng/ml

Instrument :
ECD_O
ClientSampleId :
WATER-COMP




#13 AR-1232-3

R.T.: 4.972 min
Delta R.T.: 0.020 min
Response: 53535
Conc: 0.79 ng/ml




#14 AR-1232-4

R.T.: 4.944 min
Delta R.T.: -0.024 min
Response: 5738704
Conc: 69.77 ng/ml



#14 AR-1232-4


R.T.: 5.043 min
Delta R.T.: 0.007 min
Response: 362068
Conc: 5.87 ng/ml



#15 AR-1232-5


R.T.: 5.017 min
Delta R.T.: 0.005 min
Response: 2184159
Conc: 40.25 ng/ml

Instrument :
ECD_O
ClientSampleId :
WATER-COMP




#15 AR-1232-5

R.T.: 5.212 min
Delta R.T.: 0.005 min
Response: 301707
Conc: 4.59 ng/ml




#16 AR-1242-1

R.T.: 4.790 min
Delta R.T.: 0.018 min
Response: 20851427
Conc: 109.06 ng/ml



#16 AR-1242-1


R.T.: 4.772 min
Delta R.T.: 0.014 min
Response: 3536370
Conc: 21.95 ng/ml



#17 AR-1242-2


R.T.: 4.790 min
Delta R.T.: -0.001 min
Response: 20851427
Conc: 76.66 ng/ml

Instrument :
ECD_O
ClientSampleId :
WATER-COMP




#17 AR-1242-2

R.T.: 4.772 min
Delta R.T.: -0.004 min
Response: 3536370
Conc: 15.07 ng/ml




#18 AR-1242-3

R.T.: 4.861 min
Delta R.T.: 0.013 min
Response: 8684057
Conc: 46.69 ng/ml



#18 AR-1242-3


R.T.: 4.972 min
Delta R.T.: 0.020 min
Response: 53535
Conc: 0.43 ng/ml



#19 AR-1242-4


R.T.: 4.944 min
Delta R.T.: -0.023 min
Response: 5738704
Conc: 38.83 ng/ml

Instrument :
ECD_O
ClientSampleId :
WATER-COMP




#19 AR-1242-4

R.T.: 5.043 min
Delta R.T.: 0.007 min
Response: 362068
Conc: 2.93 ng/ml




#20 AR-1242-5

R.T.: 5.624 min
Delta R.T.: 0.003 min
Response: 429359
Conc: 2.76 ng/ml



#20 AR-1242-5


R.T.: 5.595 min
Delta R.T.: 0.038 min
Response: 512572
Conc: 3.37 ng/ml



#21 AR-1248-1


R.T.: 4.790 min
Delta R.T.: 0.016 min
Response: 20851427
Conc: 136.14 ng/ml

Instrument :
ECD_O
ClientSampleId :
WATER-COMP




#21 AR-1248-1

R.T.: 4.772 min
Delta R.T.: 0.014 min
Response: 3536370
Conc: 27.26 ng/ml




#22 AR-1248-2

R.T.: 5.017 min
Delta R.T.: 0.005 min
Response: 2184159
Conc: 10.89 ng/ml



#22 AR-1248-2


R.T.: 5.000 min
Delta R.T.: 0.005 min
Response: 687740
Conc: 3.91 ng/ml



#23 AR-1248-3


R.T.: 5.236 min
Delta R.T.: 0.009 min
Response: 275507
Conc: 1.08 ng/ml

Instrument :
ECD_O
ClientSampleId :
WATER-COMP




#23 AR-1248-3

R.T.: 5.043 min
Delta R.T.: 0.007 min
Response: 362068
Conc: 1.93 ng/ml




#24 AR-1248-4

R.T.: 5.580 min
Delta R.T.: 0.000 min
Response: 133513
Conc: 0.37 ng/ml



#24 AR-1248-4


R.T.: 5.212 min
Delta R.T.: 0.004 min
Response: 301707
Conc: 1.37 ng/ml



#25 AR-1248-5


R.T.: 5.624 min
Delta R.T.: 0.002 min
Response: 429359
Conc: 1.64 ng/ml

Instrument :
ECD_O
ClientSampleId :
WATER-COMP




#25 AR-1248-5

R.T.: 5.595 min
Delta R.T.: -0.004 min
Response: 512572
Conc: 2.35 ng/ml




#26 AR-1254-1

R.T.: 5.580 min
Delta R.T.: 0.000 min
Response: 133513
Conc: 0.35 ng/ml



#26 AR-1254-1


R.T.: 5.595 min
Delta R.T.: 0.037 min
Response: 512572
Conc: 1.58 ng/ml



#27 AR-1254-2


R.T.: 5.720 min
Delta R.T.: -0.009 min
Response: 747396
Conc: 2.29 ng/ml

Instrument :
ECD_O
ClientSampleId :
WATER-COMP




#27 AR-1254-2

R.T.: 5.694 min
Delta R.T.: -0.012 min
Response: 268434
Conc: 0.95 ng/ml




#28 AR-1254-3

R.T.: 6.112 min
Delta R.T.: -0.022 min
Response: 459646
Conc: 0.87 ng/ml



#28 AR-1254-3


R.T.: 6.093 min
Delta R.T.: -0.014 min
Response: 458390
Conc: 1.06 ng/ml



#29 AR-1254-4


R.T.: 6.381 min
Delta R.T.: 0.017 min
Response: 77056
Conc: 0.23 ng/ml

Instrument :
ECD_O
ClientSampleId :
WATER-COMP




#29 AR-1254-4

R.T.: 6.333 min
Delta R.T.: -0.003 min
Response: 141471
Conc: 0.57 ng/ml




#30 AR-1254-5

R.T.: 6.773 min
Delta R.T.: -0.010 min
Response: 223397
Conc: 0.47 ng/ml



#30 AR-1254-5


R.T.: 6.746 min
Delta R.T.: -0.007 min
Response: 82210
Conc: 0.24 ng/ml



#31 AR-1260-1


R.T.: 6.256 min
Delta R.T.: -0.009 min
Response: 410001
Conc: 1.34 ng/ml

Instrument :
ECD_O
ClientSampleId :
WATER-COMP




#31 AR-1260-1

R.T.: 6.241 min
Delta R.T.: 0.004 min
Response: 65800
Conc: 0.26 ng/ml




#32 AR-1260-2

R.T.: 6.460 min
Delta R.T.: 0.005 min
Response: -284846
Conc: N.D.



#32 AR-1260-2


R.T.: 6.434 min
Delta R.T.: 0.009 min
Response: 55255
Conc: 0.19 ng/ml



#33 AR-1260-3


R.T.: 6.830 min
Delta R.T.: 0.007 min
Response: 174779
Conc: 0.50 ng/ml

Instrument :
ECD_O
ClientSampleId :
WATER-COMP




#33 AR-1260-3

R.T.: 6.586 min
Delta R.T.: 0.007 min
Response: 886889
Conc: 3.09 ng/ml




#34 AR-1260-4

R.T.: 7.121 min
Delta R.T.: 0.038 min
Response: 41861
Conc: 0.15 ng/ml



#34 AR-1260-4


R.T.: 7.057 min
Delta R.T.: 0.008 min
Response: 59178
Conc: 0.29 ng/ml



#35 AR-1260-5


R.T.: 7.331 min
Delta R.T.: 0.006 min
Response: 945917
Conc: 1.31 ng/ml

Instrument :
ECD_O
ClientSampleId :
WATER-COMP




#35 AR-1260-5

R.T.: 7.279 min
Delta R.T.: -0.012 min
Response: 354331
Conc: 0.77 ng/ml




#36 AR-1262-1

R.T.: 6.830 min
Delta R.T.: 0.007 min
Response: 174779
Conc: 0.36 ng/ml



#36 AR-1262-1


R.T.: 6.782 min
Delta R.T.: -0.010 min
Response: 132279
Conc: 0.39 ng/ml



#37 AR-1262-2


R.T.: 7.331 min
Delta R.T.: 0.006 min
Response: 945917
Conc: 1.17 ng/ml

Instrument :
ECD_O
ClientSampleId :
WATER-COMP




#37 AR-1262-2

R.T.: 7.279 min
Delta R.T.: -0.012 min
Response: 354331
Conc: 0.70 ng/ml




#38 AR-1262-3

R.T.: 7.603 min
Delta R.T.: -0.005 min
Response: 307566
Conc: 0.91 ng/ml



#38 AR-1262-3


R.T.: 7.562 min
Delta R.T.: -0.011 min
Response: 391266
Conc: 2.09 ng/ml



#39 AR-1262-4


R.T.: 7.662 min
Delta R.T.: -0.012 min
Response: 236276
Conc: 0.40 ng/ml

Instrument :
ECD_O
ClientSampleId :
WATER-COMP




#39 AR-1262-4

R.T.: 7.660 min
Delta R.T.: 0.023 min
Response: 38819
Conc: 0.12 ng/ml




#40 AR-1262-5

R.T.: 8.177 min
Delta R.T.: 0.007 min
Response: 695638
Conc: 2.44 ng/ml



#40 AR-1262-5


R.T.: 8.178 min
Delta R.T.: 0.049 min
Response: 362614
Conc: 3.23 ng/ml



#41 AR-1268-1


R.T.: 7.603 min
Delta R.T.: -0.003 min
Response: 307566
Conc: 0.32 ng/ml

Instrument :
ECD_O
ClientSampleId :
WATER-COMP




#41 AR-1268-1

R.T.: 7.562 min
Delta R.T.: -0.010 min
Response: 391266
Conc: 0.74 ng/ml




#42 AR-1268-2

R.T.: 7.662 min
Delta R.T.: -0.009 min
Response: 236276
Conc: 0.26 ng/ml



#42 AR-1268-2


R.T.: 7.660 min
Delta R.T.: 0.024 min
Response: 38819
Conc: 0.08 ng/ml



#43 AR-1268-3


R.T.: 7.875 min
Delta R.T.: -0.004 min
Response: 164935
Conc: 0.22 ng/ml

Instrument :
ECD_O
ClientSampleId :
WATER-COMP




#43 AR-1268-3

R.T.: 7.833 min
Delta R.T.: -0.009 min
Response: 196485
Conc: 0.56 ng/ml




#44 AR-1268-4

R.T.: 8.177 min
Delta R.T.: 0.010 min
Response: 695638
Conc: 2.13 ng/ml



#44 AR-1268-4


R.T.: 8.178 min
Delta R.T.: 0.050 min
Response: 362614
Conc: 2.85 ng/ml



#45 AR-1268-5

R.T.: 8.460 min
Delta R.T.: -0.003 min
Response: 1774103
Conc: 0.82 ng/ml

Instrument :
ECD_O
ClientSampleId :
WATER-COMP



#45 AR-1268-5

R.T.: 8.425 min
Delta R.T.: 0.005 min
Response: 238728
Conc: 0.32 ng/ml