

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0052422\
 Data File : P0086507.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 24 May 2022 22:12
 Operator : YP\AJ
 Sample : N2896-07
 Misc :
 ALS Vial : 41 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: May 25 02:41:13 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0051122.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Thu May 19 09:06:34 2022
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.477	3.673	2602193	1063822	25.610	24.423
2)	SA Decachlor...	10.326	8.720	1384734	752873	25.502	21.634
Target Compounds							
3)	L1 AR-1016-1	0.000	4.786	0	2876	N.D.	1.842 #
4)	L1 AR-1016-2	5.731f	4.786	5153	2876	1.159	1.373
5)	L1 AR-1016-3	5.731	5.018	5153	5779	1.879	5.228 #
6)	L1 AR-1016-4	0.000	5.018	0	5779	N.D.	6.269 #
7)	L1 AR-1016-5	6.143	5.216	13135	4905	6.339	4.344 #
8)	L2 AR-1221-1	4.685	0.000	209834	0	171.385	N.D. #
9)	L2 AR-1221-2	4.787	3.976	37398	17266	40.969	44.803
10)	L2 AR-1221-3	4.868	4.102	7659	12984	2.842	10.692 #
11)	L3 AR-1232-1	4.868	4.102	7659	12984	3.741	14.052 #
12)	L3 AR-1232-2	5.355	4.786	35881	2876	38.100	3.528 #
13)	L3 AR-1232-3	5.731f	5.018	5153	5779	2.932	13.996 #
14)	L3 AR-1232-4	0.000	5.088	0	3367	N.D.	8.986 #
15)	L3 AR-1232-5	5.934	5.216	5049	4905	7.625	11.710 #
16)	L4 AR-1242-1	0.000	4.786	0	2876	N.D.	2.177 #
17)	L4 AR-1242-2	5.731f	4.786	5153	2876	1.371	1.640
18)	L4 AR-1242-3	5.731	5.018	5153	5779	2.193	6.146 #
19)	L4 AR-1242-4	0.000	5.088	0	3367	N.D.	3.570 #
20)	L4 AR-1242-5	6.590	5.581	18701	19795	10.216	17.407 #
21)	L5 AR-1248-1	0.000	4.786	0	2876	N.D.	2.962 #
22)	L5 AR-1248-2	5.934	5.018	5049	5779	1.872	4.345 #
23)	L5 AR-1248-3	6.143	5.088	13135	3367	4.427	2.447 #
24)	L5 AR-1248-4	6.544	5.216	9233	4905	2.868	3.063
25)	L5 AR-1248-5	6.590	5.674	18701	11985	6.009	7.629 #
26)	L6 AR-1254-1	6.521	5.581	39504	19795	11.738	7.859 #
27)	L6 AR-1254-2	6.739	5.730	63771	29244	12.959	13.355
28)	L6 AR-1254-3	7.111	6.150	61265	62524	12.126	17.697 #
29)	L6 AR-1254-4	7.397	6.392	36424	46098	9.779	20.838 #
30)	L6 AR-1254-5	7.818	6.819	366268	126709	94.000	42.838 #
31)	L7 AR-1260-1	7.276	6.264	202715	111183	66.982	57.125
32)	L7 AR-1260-2	7.534	6.453	303940	208044	84.020	88.517
33)	L7 AR-1260-3	7.897	6.607	229975	85169	83.324	39.609 #
34)	L7 AR-1260-4	8.126	7.117	195659	12074	57.991	6.705 #
35)	L7 AR-1260-5	8.452	7.320	391075	233035	63.376	53.796
36)	L8 AR-1262-1	7.897	6.819	229975	126709	50.849	41.936
37)	L8 AR-1262-2	8.452	7.320	391075	233035	49.966	42.422
38)	L8 AR-1262-3	8.785	7.605	272397	63688	51.794	30.214 #
39)	L8 AR-1262-4	8.865	7.667	55757	184040	23.300	46.432 #
40)	L8 AR-1262-5	9.540	8.165	117343	60166	42.516	33.585
41)	L9 AR-1268-1	8.785	7.605	272397	63688	31.201	10.438 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0052422\
 Data File : P0086507.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 24 May 2022 22:12
 Operator : YP\AJ
 Sample : N2896-07
 Misc :
 ALS Vial : 41 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: May 25 02:41:13 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0051122.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Thu May 19 09:06:34 2022
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42) L9	AR-1268-2	8.865	7.667	55757	184040	6.971	33.525 #
43) L9	AR-1268-3	9.053f	7.922	6607	17374	0.996	3.822 #
44) L9	AR-1268-4	9.540	8.165	117343	60166	38.864	30.814
45) L9	AR-1268-5	9.973	8.461	36182	20219	1.654	1.380



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0052422\
Data File : P0086507.D
Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
Acq On : 24 May 2022 22:12
Operator : YP\AJ
Sample : N2896-07
Misc :
ALS Vial : 41 Sample Multiplier: 1

Instrument :
ECD_O
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: May 25 02:41:13 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0051122.M
Quant Title : GC EXTRACTABLES
QLast Update : Thu May 19 09:06:34 2022
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.477 min
Delta R.T.: -0.001 min
Response: 2602193
Conc: 25.61 ng/ml

Instrument :
ECD_O
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 3.673 min
Delta R.T.: -0.010 min
Response: 1063822
Conc: 24.42 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.326 min
Delta R.T.: 0.000 min
Response: 1384734
Conc: 25.50 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.720 min
Delta R.T.: -0.033 min
Response: 752873
Conc: 21.63 ng/ml



#3 AR-1016-1


R.T.: 0.000 min
Exp R.T.: 5.660 min
Response: 0
Conc: N.D.

Instrument :
ECD_O
ClientSampleId :




#3 AR-1016-1

R.T.: 4.786 min
Delta R.T.: -0.006 min
Response: 2876
Conc: 1.84 ng/ml




#4 AR-1016-2

R.T.: 5.731 min
Delta R.T.: 0.048 min
Response: 5153
Conc: 1.16 ng/ml



#4 AR-1016-2


R.T.: 4.786 min
Delta R.T.: -0.025 min
Response: 2876
Conc: 1.37 ng/ml



#5 AR-1016-3


R.T.: 5.731 min
Delta R.T.: -0.015 min
Response: 5153
Conc: 1.88 ng/ml

Instrument :
ECD_O
ClientSampleId :




#5 AR-1016-3

R.T.: 5.018 min
Delta R.T.: 0.028 min
Response: 5779
Conc: 5.23 ng/ml




#6 AR-1016-4

R.T.: 0.000 min
Exp R.T. : 5.845 min
Response: 0
Conc: N.D.



#6 AR-1016-4


R.T.: 5.018 min
Delta R.T.: -0.014 min
Response: 5779
Conc: 6.27 ng/ml



#7 AR-1016-5


R.T.: 6.143 min
Delta R.T.: 0.000 min
Response: 13135
Conc: 6.34 ng/ml

Instrument :
ECD_O
ClientSampleId :




#7 AR-1016-5

R.T.: 5.216 min
Delta R.T.: -0.032 min
Response: 4905
Conc: 4.34 ng/ml




#8 AR-1221-1

R.T.: 4.685 min
Delta R.T.: -0.011 min
Response: 209834
Conc: 171.38 ng/ml



#8 AR-1221-1


R.T.: 0.000 min
Exp R.T. : 3.905 min
Response: 0
Conc: N.D.



#9 AR-1221-2


R.T.: 4.787 min
Delta R.T.: 0.004 min
Response: 37398
Conc: 40.97 ng/ml

Instrument :
ECD_O
ClientSampleId :




#9 AR-1221-2

R.T.: 3.976 min
Delta R.T.: -0.017 min
Response: 17266
Conc: 44.80 ng/ml




#10 AR-1221-3

R.T.: 4.868 min
Delta R.T.: 0.007 min
Response: 7659
Conc: 2.84 ng/ml



#10 AR-1221-3


R.T.: 4.102 min
Delta R.T.: 0.031 min
Response: 12984
Conc: 10.69 ng/ml



#11 AR-1232-1


R.T.: 4.868 min
Delta R.T.: 0.014 min
Response: 7659
Conc: 3.74 ng/ml

Instrument :
ECD_O
ClientSampleId :




#11 AR-1232-1

R.T.: 4.102 min
Delta R.T.: 0.033 min
Response: 12984
Conc: 14.05 ng/ml




#12 AR-1232-2

R.T.: 5.355 min
Delta R.T.: -0.034 min
Response: 35881
Conc: 38.10 ng/ml



#12 AR-1232-2


R.T.: 4.786 min
Delta R.T.: -0.024 min
Response: 2876
Conc: 3.53 ng/ml



#13 AR-1232-3


R.T.: 5.731 min
Delta R.T.: 0.048 min
Response: 5153
Conc: 2.93 ng/ml

Instrument :
ECD_O
ClientSampleId :




#13 AR-1232-3

R.T.: 5.018 min
Delta R.T.: 0.029 min
Response: 5779
Conc: 14.00 ng/ml




#14 AR-1232-4

R.T.: 0.000 min
Exp R.T. : 5.845 min
Response: 0
Conc: N.D.



#14 AR-1232-4


R.T.: 5.088 min
Delta R.T.: 0.015 min
Response: 3367
Conc: 8.99 ng/ml



#15 AR-1232-5


R.T.: 5.934 min
Delta R.T.: -0.002 min
Response: 5049
Conc: 7.62 ng/ml

Instrument :
ECD_O
ClientSampleId :




#15 AR-1232-5

R.T.: 5.216 min
Delta R.T.: -0.031 min
Response: 4905
Conc: 11.71 ng/ml




#16 AR-1242-1

R.T.: 0.000 min
Exp R.T. : 5.660 min
Response: 0
Conc: N.D.



#16 AR-1242-1


R.T.: 4.786 min
Delta R.T.: -0.006 min
Response: 2876
Conc: 2.18 ng/ml



#17 AR-1242-2


R.T.: 5.731 min
Delta R.T.: 0.048 min
Response: 5153
Conc: 1.37 ng/ml

Instrument :
ECD_O
ClientSampleId :




#17 AR-1242-2

R.T.: 4.786 min
Delta R.T.: -0.025 min
Response: 2876
Conc: 1.64 ng/ml




#18 AR-1242-3

R.T.: 5.731 min
Delta R.T.: -0.015 min
Response: 5153
Conc: 2.19 ng/ml



#18 AR-1242-3


R.T.: 5.018 min
Delta R.T.: 0.029 min
Response: 5779
Conc: 6.15 ng/ml



#19 AR-1242-4


R.T.: 0.000 min
Exp R.T.: 5.846 min
Response: 0
Conc: N.D.

Instrument :
ECD_O
ClientSampleId :




#19 AR-1242-4

R.T.: 5.088 min
Delta R.T.: 0.014 min
Response: 3367
Conc: 3.57 ng/ml




#20 AR-1242-5

R.T.: 6.590 min
Delta R.T.: 0.003 min
Response: 18701
Conc: 10.22 ng/ml



#20 AR-1242-5


R.T.: 5.581 min
Delta R.T.: -0.020 min
Response: 19795
Conc: 17.41 ng/ml



#21 AR-1248-1


R.T.: 0.000 min
Exp R.T.: 5.660 min
Response: 0
Conc: N.D.

Instrument :
ECD_O
ClientSampleId :




#21 AR-1248-1

R.T.: 4.786 min
Delta R.T.: -0.005 min
Response: 2876
Conc: 2.96 ng/ml




#22 AR-1248-2

R.T.: 5.934 min
Delta R.T.: -0.003 min
Response: 5049
Conc: 1.87 ng/ml



#22 AR-1248-2


R.T.: 5.018 min
Delta R.T.: -0.013 min
Response: 5779
Conc: 4.34 ng/ml



#23 AR-1248-3


R.T.: 6.143 min
Delta R.T.: 0.000 min
Response: 13135
Conc: 4.43 ng/ml

Instrument :
ECD_O
ClientSampleId :




#23 AR-1248-3

R.T.: 5.088 min
Delta R.T.: 0.015 min
Response: 3367
Conc: 2.45 ng/ml




#24 AR-1248-4

R.T.: 6.544 min
Delta R.T.: -0.004 min
Response: 9233
Conc: 2.87 ng/ml



#24 AR-1248-4


R.T.: 5.216 min
Delta R.T.: -0.030 min
Response: 4905
Conc: 3.06 ng/ml



#25 AR-1248-5


R.T.: 6.590 min
Delta R.T.: 0.003 min
Response: 18701
Conc: 6.01 ng/ml

Instrument :
ECD_O
ClientSampleId :




#25 AR-1248-5

R.T.: 5.674 min
Delta R.T.: 0.032 min
Response: 11985
Conc: 7.63 ng/ml




#26 AR-1254-1

R.T.: 6.521 min
Delta R.T.: -0.001 min
Response: 39504
Conc: 11.74 ng/ml



#26 AR-1254-1


R.T.: 5.581 min
Delta R.T.: -0.019 min
Response: 19795
Conc: 7.86 ng/ml



#27 AR-1254-2


R.T.: 6.739 min
Delta R.T.: -0.004 min
Response: 63771
Conc: 12.96 ng/ml

Instrument :
ECD_O
ClientSampleId :




#27 AR-1254-2

R.T.: 5.730 min
Delta R.T.: -0.018 min
Response: 29244
Conc: 13.35 ng/ml




#28 AR-1254-3

R.T.: 7.111 min
Delta R.T.: 0.000 min
Response: 61265
Conc: 12.13 ng/ml



#28 AR-1254-3


R.T.: 6.150 min
Delta R.T.: -0.004 min
Response: 62524
Conc: 17.70 ng/ml



#29 AR-1254-4


R.T.: 7.397 min
Delta R.T.: -0.001 min
Response: 36424
Conc: 9.78 ng/ml

Instrument :
ECD_O
ClientSampleId :




#29 AR-1254-4

R.T.: 6.392 min
Delta R.T.: 0.009 min
Response: 46098
Conc: 20.84 ng/ml




#30 AR-1254-5

R.T.: 7.818 min
Delta R.T.: -0.002 min
Response: 366268
Conc: 94.00 ng/ml



#30 AR-1254-5


R.T.: 6.819 min
Delta R.T.: 0.015 min
Response: 126709
Conc: 42.84 ng/ml



#31 AR-1260-1


R.T.: 7.276 min
Delta R.T.: -0.001 min
Response: 202715
Conc: 66.98 ng/ml

Instrument :
ECD_O
ClientSampleId :




#31 AR-1260-1

R.T.: 6.264 min
Delta R.T.: -0.025 min
Response: 111183
Conc: 57.12 ng/ml




#32 AR-1260-2

R.T.: 7.534 min
Delta R.T.: 0.000 min
Response: 303940
Conc: 84.02 ng/ml



#32 AR-1260-2


R.T.: 6.453 min
Delta R.T.: -0.023 min
Response: 208044
Conc: 88.52 ng/ml



#33 AR-1260-3


R.T.: 7.897 min
Delta R.T.: 0.000 min
Response: 229975
Conc: 83.32 ng/ml

Instrument :
ECD_O
ClientSampleId :




#33 AR-1260-3

R.T.: 6.607 min
Delta R.T.: -0.025 min
Response: 85169
Conc: 39.61 ng/ml




#34 AR-1260-4

R.T.: 8.126 min
Delta R.T.: 0.001 min
Response: 195659
Conc: 57.99 ng/ml



#34 AR-1260-4


R.T.: 7.117 min
Delta R.T.: 0.011 min
Response: 12074
Conc: 6.71 ng/ml



#35 AR-1260-5


R.T.: 8.452 min
Delta R.T.: 0.000 min
Response: 391075
Conc: 63.38 ng/ml

Instrument :
ECD_O
ClientSampleId :




#35 AR-1260-5

R.T.: 7.320 min
Delta R.T.: -0.026 min
Response: 233035
Conc: 53.80 ng/ml




#36 AR-1262-1

R.T.: 7.897 min
Delta R.T.: 0.002 min
Response: 229975
Conc: 50.85 ng/ml



#36 AR-1262-1


R.T.: 6.819 min
Delta R.T.: -0.023 min
Response: 126709
Conc: 41.94 ng/ml



#37 AR-1262-2


R.T.: 8.452 min
Delta R.T.: 0.002 min
Response: 391075
Conc: 49.97 ng/ml

Instrument :
ECD_O
ClientSampleId :




#37 AR-1262-2

R.T.: 7.320 min
Delta R.T.: -0.023 min
Response: 233035
Conc: 42.42 ng/ml




#38 AR-1262-3

R.T.: 8.785 min
Delta R.T.: 0.012 min
Response: 272397
Conc: 51.79 ng/ml



#38 AR-1262-3


R.T.: 7.605 min
Delta R.T.: -0.024 min
Response: 63688
Conc: 30.21 ng/ml



#39 AR-1262-4


R.T.: 8.865 min
Delta R.T.: 0.001 min
Response: 55757
Conc: 23.30 ng/ml

Instrument :
ECD_O
ClientSampleId :




#39 AR-1262-4

R.T.: 7.667 min
Delta R.T.: -0.025 min
Response: 184040
Conc: 46.43 ng/ml




#40 AR-1262-5

R.T.: 9.540 min
Delta R.T.: 0.001 min
Response: 117343
Conc: 42.52 ng/ml



#40 AR-1262-5


R.T.: 8.165 min
Delta R.T.: -0.025 min
Response: 60166
Conc: 33.59 ng/ml



#41 AR-1268-1


R.T.: 8.785 min
Delta R.T.: 0.015 min
Response: 272397
Conc: 31.20 ng/ml

Instrument :
ECD_O
ClientSampleId :




#41 AR-1268-1

R.T.: 7.605 min
Delta R.T.: -0.024 min
Response: 63688
Conc: 10.44 ng/ml




#42 AR-1268-2

R.T.: 8.865 min
Delta R.T.: -0.001 min
Response: 55757
Conc: 6.97 ng/ml



#42 AR-1268-2


R.T.: 7.667 min
Delta R.T.: -0.026 min
Response: 184040
Conc: 33.53 ng/ml



#43 AR-1268-3


R.T.: 9.053 min
Delta R.T.: -0.051 min
Response: 6607
Conc: 1.00 ng/ml

Instrument :
ECD_O
ClientSampleId :




#43 AR-1268-3

R.T.: 7.922 min
Delta R.T.: 0.019 min
Response: 17374
Conc: 3.82 ng/ml




#44 AR-1268-4

R.T.: 9.540 min
Delta R.T.: 0.000 min
Response: 117343
Conc: 38.86 ng/ml



#44 AR-1268-4


R.T.: 8.165 min
Delta R.T.: -0.026 min
Response: 60166
Conc: 30.81 ng/ml



#45 AR-1268-5

R.T.: 9.973 min
Delta R.T.: 0.002 min
Response: 36182
Conc: 1.65 ng/ml

Instrument :
ECD_O
ClientSampleId :



#45 AR-1268-5

R.T.: 8.461 min
Delta R.T.: -0.029 min
Response: 20219
Conc: 1.38 ng/ml