

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0052620\
 Data File : P0068544.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 26 May 2020 14:05
 Operator : DD\AJ
 Sample : L2744-04
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: May 26 18:01:31 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0050820.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Fri May 08 13:29:29 2020
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.894	3.929	533391	790010	19.018	23.023
2)	SA Decachlor...	10.839	9.200	812126	609589	20.409	15.834
Target Compounds							
3)	L1 AR-1016-1	6.224	5.202	48297	30311	44.136	21.707 #
4)	L1 AR-1016-2	6.224	5.202	48297	30311	32.171	16.316 #
5)	L1 AR-1016-3	6.357	5.443	38107	8661	40.889	8.594 #
6)	L1 AR-1016-4	0.000	5.443	0	8661	N.D.	10.402 #
7)	L1 AR-1016-5	6.674	5.609	7242	28306	9.526	26.359 #
9)	L2 AR-1221-2	5.246	4.277	11391	15808	48.810	52.479
10)	L2 AR-1221-3	5.345	4.374	20463	23320	27.045	24.902
11)	L3 AR-1232-1	5.345	4.374	20463	23320	33.318	30.234
12)	L3 AR-1232-2	5.866	5.202	38076	30311	123.558	37.849 #
13)	L3 AR-1232-3	6.224	5.443	48297	8661	75.752	20.394 #
14)	L3 AR-1232-4	6.357	5.443	38107	8661	121.070	23.068 #
15)	L3 AR-1232-5	6.508	5.609	11059	28306	52.268	67.940 #
16)	L4 AR-1242-1	6.224	5.202	48297	30311	54.892	27.911 #
17)	L4 AR-1242-2	6.224	5.202	48297	30311	40.397	21.372 #
18)	L4 AR-1242-3	6.357	5.443	38107	8661	51.006	10.869 #
19)	L4 AR-1242-4	6.357	5.443	38107	8661	62.228	11.210 #
20)	L4 AR-1242-5	7.226	6.050	29974	46757	40.585	46.363
21)	L5 AR-1248-1	6.224	5.202	48297	30311	72.859	37.345 #
22)	L5 AR-1248-2	6.508	5.443	11059	8661	13.265	8.154 #
23)	L5 AR-1248-3	6.674	5.443	7242	8661	7.363	8.102
24)	L5 AR-1248-4	7.153	5.609	150549	28306	127.625	21.936 #
25)	L5 AR-1248-5	7.226	6.074	29974	29470	26.911	22.653
26)	L6 AR-1254-1	7.153	6.050	150549	46757	126.593	23.074 #
27)	L6 AR-1254-2	7.352	6.208	62249	47376	33.720	26.439
28)	L6 AR-1254-3	7.753	6.626	124192	58100	64.148	20.192 #
29)	L6 AR-1254-4	8.021	6.867	15283	32940	9.548	17.075 #
30)	L6 AR-1254-5	8.450	7.293	297462	121824	181.071	45.173 #
31)	L7 AR-1260-1	7.894	6.764	30549	92755	21.926	48.328 #
32)	L7 AR-1260-2	8.156	6.961	74912	49534	42.222	21.113 #
33)	L7 AR-1260-3	8.523	7.113	478374	48594	329.288	22.299 #
34)	L7 AR-1260-4	8.748	7.595	53950	29652	34.646	15.588 #
35)	L7 AR-1260-5	9.071	7.844	35092	56950	10.564	12.814
36)	L8 AR-1262-1	8.523	7.293	478374	121824	239.114	85.640 #
37)	L8 AR-1262-2	9.071	7.844	35092	56950	9.735	12.254 #
38)	L8 AR-1262-3	9.395	8.131	13236	61052	5.099	31.619 #
39)	L8 AR-1262-4	9.464	8.190	20023	75955	9.691	21.625 #
40)	L8 AR-1262-5	0.000	8.688	0	24569	N.D.	14.242 #
41)	L9 AR-1268-1	9.395	8.131	13236	61052	2.780	10.849 #
42)	L9 AR-1268-2	9.464	8.190	20023	75955	4.377	14.847 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0052620\
 Data File : P0068544.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 26 May 2020 14:05
 Operator : DD\AJ
 Sample : L2744-04
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: May 26 18:01:31 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0050820.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Fri May 08 13:29:29 2020
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
43) L9	AR-1268-3	9.680	8.400	15830	18675	4.003	4.405
44) L9	AR-1268-4	0.000	8.688	0	24569	N.D.	12.140 #
45) L9	AR-1268-5	10.518	8.963	28279	36663	2.178	2.784 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0052620\
Data File : P0068544.D
Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
Acq On : 26 May 2020 14:05
Operator : DD\AJ
Sample : L2744-04
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
ECD_O
ClientSampled :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: May 26 18:01:31 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0050820.M
Quant Title : GC EXTRACTABLES
QLast Update : Fri May 08 13:29:29 2020
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.894 min
Delta R.T.: -0.015 min
Response: 533391
Conc: 19.02 ng/ml

Instrument :
ECD_O
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 3.929 min
Delta R.T.: -0.005 min
Response: 790010
Conc: 23.02 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.839 min
Delta R.T.: -0.034 min
Response: 812126
Conc: 20.41 ng/ml



#2 Decachlorobiphenyl


R.T.: 9.200 min
Delta R.T.: -0.010 min
Response: 609589
Conc: 15.83 ng/ml



#3 AR-1016-1


R.T.: 6.224 min
Delta R.T.: 0.004 min
Response: 48297
Conc: 44.14 ng/ml

Instrument :
ECD_O
ClientSampleId :




#3 AR-1016-1

R.T.: 5.202 min
Delta R.T.: 0.015 min
Response: 30311
Conc: 21.71 ng/ml




#4 AR-1016-2

R.T.: 6.224 min
Delta R.T.: -0.030 min
Response: 48297
Conc: 32.17 ng/ml



#4 AR-1016-2


R.T.: 5.202 min
Delta R.T.: -0.005 min
Response: 30311
Conc: 16.32 ng/ml



#5 AR-1016-3


R.T.: 6.357 min
Delta R.T.: 0.038 min
Response: 38107
Conc: 40.89 ng/ml

Instrument :
ECD_O
ClientSampleId :




#5 AR-1016-3

R.T.: 5.443 min
Delta R.T.: 0.046 min
Response: 8661
Conc: 8.59 ng/ml




#6 AR-1016-4

R.T.: 0.000 min
Exp R.T. : 6.427 min
Response: 0
Conc: N.D.



#6 AR-1016-4


R.T.: 5.443 min
Delta R.T.: -0.007 min
Response: 8661
Conc: 10.40 ng/ml



#7 AR-1016-5


R.T.: 6.674 min
Delta R.T.: -0.066 min
Response: 7242
Conc: 9.53 ng/ml

Instrument :
ECD_O
ClientSampleId :




#7 AR-1016-5

R.T.: 5.609 min
Delta R.T.: -0.068 min
Response: 28306
Conc: 26.36 ng/ml




#9 AR-1221-2

R.T.: 5.246 min
Delta R.T.: -0.014 min
Response: 11391
Conc: 48.81 ng/ml



#9 AR-1221-2


R.T.: 4.277 min
Delta R.T.: -0.012 min
Response: 15808
Conc: 52.48 ng/ml



#10 AR-1221-3


R.T.: 5.345 min
Delta R.T.: -0.002 min
Response: 20463
Conc: 27.05 ng/ml

Instrument :
ECD_O
ClientSampleId :




#10 AR-1221-3

R.T.: 4.374 min
Delta R.T.: -0.003 min
Response: 23320
Conc: 24.90 ng/ml




#11 AR-1232-1

R.T.: 5.345 min
Delta R.T.: -0.003 min
Response: 20463
Conc: 33.32 ng/ml



#11 AR-1232-1


R.T.: 4.374 min
Delta R.T.: -0.004 min
Response: 23320
Conc: 30.23 ng/ml



#12 AR-1232-2


R.T.: 5.866 min
Delta R.T.: -0.070 min
Response: 38076
Conc: 123.56 ng/ml

Instrument :
ECD_O
ClientSampleId :




#12 AR-1232-2

R.T.: 5.202 min
Delta R.T.: -0.006 min
Response: 30311
Conc: 37.85 ng/ml




#13 AR-1232-3

R.T.: 6.224 min
Delta R.T.: -0.031 min
Response: 48297
Conc: 75.75 ng/ml



#13 AR-1232-3


R.T.: 5.443 min
Delta R.T.: 0.046 min
Response: 8661
Conc: 20.39 ng/ml



#14 AR-1232-4


R.T.: 6.357 min
Delta R.T.: -0.070 min
Response: 38107
Conc: 121.07 ng/ml

Instrument :
ECD_O
ClientSampleId :




#14 AR-1232-4

R.T.: 5.443 min
Delta R.T.: -0.051 min
Response: 8661
Conc: 23.07 ng/ml




#15 AR-1232-5

R.T.: 6.508 min
Delta R.T.: -0.016 min
Response: 11059
Conc: 52.27 ng/ml



#15 AR-1232-5


R.T.: 5.609 min
Delta R.T.: -0.068 min
Response: 28306
Conc: 67.94 ng/ml



#16 AR-1242-1


R.T.: 6.224 min
Delta R.T.: -0.007 min
Response: 48297
Conc: 54.89 ng/ml

Instrument :
ECD_O
ClientSampleId :




#16 AR-1242-1

R.T.: 5.202 min
Delta R.T.: 0.015 min
Response: 30311
Conc: 27.91 ng/ml




#17 AR-1242-2

R.T.: 6.224 min
Delta R.T.: -0.030 min
Response: 48297
Conc: 40.40 ng/ml



#17 AR-1242-2


R.T.: 5.202 min
Delta R.T.: -0.005 min
Response: 30311
Conc: 21.37 ng/ml



#18 AR-1242-3


R.T.: 6.357 min
Delta R.T.: 0.038 min
Response: 38107
Conc: 51.01 ng/ml

Instrument :
ECD_O
ClientSampleId :




#18 AR-1242-3

R.T.: 5.443 min
Delta R.T.: 0.047 min
Response: 8661
Conc: 10.87 ng/ml




#19 AR-1242-4

R.T.: 6.357 min
Delta R.T.: -0.070 min
Response: 38107
Conc: 62.23 ng/ml



#19 AR-1242-4


R.T.: 5.443 min
Delta R.T.: -0.051 min
Response: 8661
Conc: 11.21 ng/ml



#20 AR-1242-5


R.T.: 7.226 min
Delta R.T.: 0.018 min
Response: 29974
Conc: 40.58 ng/ml

Instrument :
ECD_O
ClientSampleId :




#20 AR-1242-5

R.T.: 6.050 min
Delta R.T.: -0.006 min
Response: 46757
Conc: 46.36 ng/ml




#21 AR-1248-1

R.T.: 6.224 min
Delta R.T.: -0.006 min
Response: 48297
Conc: 72.86 ng/ml



#21 AR-1248-1


R.T.: 5.202 min
Delta R.T.: 0.015 min
Response: 30311
Conc: 37.34 ng/ml



#22 AR-1248-2


R.T.: 6.508 min
Delta R.T.: -0.014 min
Response: 11059
Conc: 13.26 ng/ml

Instrument :
ECD_O
ClientSampleId :




#22 AR-1248-2

R.T.: 5.443 min
Delta R.T.: -0.007 min
Response: 8661
Conc: 8.15 ng/ml




#23 AR-1248-3

R.T.: 6.674 min
Delta R.T.: -0.065 min
Response: 7242
Conc: 7.36 ng/ml



#23 AR-1248-3


R.T.: 5.443 min
Delta R.T.: -0.050 min
Response: 8661
Conc: 8.10 ng/ml



#24 AR-1248-4


R.T.: 7.153 min
Delta R.T.: -0.014 min
Response: 150549
Conc: 127.63 ng/ml

Instrument :
ECD_O
ClientSampleId :




#24 AR-1248-4

R.T.: 5.609 min
Delta R.T.: -0.067 min
Response: 28306
Conc: 21.94 ng/ml




#25 AR-1248-5

R.T.: 7.226 min
Delta R.T.: 0.019 min
Response: 29974
Conc: 26.91 ng/ml



#25 AR-1248-5


R.T.: 6.074 min
Delta R.T.: -0.025 min
Response: 29470
Conc: 22.65 ng/ml



#26 AR-1254-1


R.T.: 7.153 min
Delta R.T.: 0.017 min
Response: 150549
Conc: 126.59 ng/ml

Instrument :
ECD_O
ClientSampleId :




#26 AR-1254-1

R.T.: 6.050 min
Delta R.T.: -0.005 min
Response: 46757
Conc: 23.07 ng/ml




#27 AR-1254-2

R.T.: 7.352 min
Delta R.T.: -0.013 min
Response: 62249
Conc: 33.72 ng/ml



#27 AR-1254-2


R.T.: 6.208 min
Delta R.T.: -0.007 min
Response: 47376
Conc: 26.44 ng/ml



#28 AR-1254-3


R.T.: 7.753 min
Delta R.T.: 0.008 min
Response: 124192
Conc: 64.15 ng/ml

Instrument :
ECD_O
ClientSampleId :




#28 AR-1254-3

R.T.: 6.626 min
Delta R.T.: -0.007 min
Response: 58100
Conc: 20.19 ng/ml




#29 AR-1254-4

R.T.: 8.021 min
Delta R.T.: -0.020 min
Response: 15283
Conc: 9.55 ng/ml



#29 AR-1254-4


R.T.: 6.867 min
Delta R.T.: -0.006 min
Response: 32940
Conc: 17.07 ng/ml



#30 AR-1254-5


R.T.: 8.450 min
Delta R.T.: -0.017 min
Response: 297462
Conc: 181.07 ng/ml

Instrument :
ECD_O
ClientSampleId :




#30 AR-1254-5

R.T.: 7.293 min
Delta R.T.: -0.007 min
Response: 121824
Conc: 45.17 ng/ml




#31 AR-1260-1

R.T.: 7.894 min
Delta R.T.: -0.017 min
Response: 30549
Conc: 21.93 ng/ml



#31 AR-1260-1


R.T.: 6.764 min
Delta R.T.: -0.007 min
Response: 92755
Conc: 48.33 ng/ml



#32 AR-1260-2


R.T.: 8.156 min
Delta R.T.: -0.019 min
Response: 74912
Conc: 42.22 ng/ml

Instrument :
ECD_O
ClientSampleId :




#32 AR-1260-2

R.T.: 6.961 min
Delta R.T.: -0.007 min
Response: 49534
Conc: 21.11 ng/ml




#33 AR-1260-3

R.T.: 8.523 min
Delta R.T.: -0.016 min
Response: 478374
Conc: 329.29 ng/ml



#33 AR-1260-3


R.T.: 7.113 min
Delta R.T.: -0.010 min
Response: 48594
Conc: 22.30 ng/ml



#34 AR-1260-4


R.T.: 8.748 min
Delta R.T.: -0.021 min
Response: 53950
Conc: 34.65 ng/ml

Instrument :
ECD_O
ClientSampleId :




#34 AR-1260-4

R.T.: 7.595 min
Delta R.T.: -0.009 min
Response: 29652
Conc: 15.59 ng/ml




#35 AR-1260-5

R.T.: 9.071 min
Delta R.T.: -0.019 min
Response: 35092
Conc: 10.56 ng/ml



#35 AR-1260-5


R.T.: 7.844 min
Delta R.T.: -0.008 min
Response: 56950
Conc: 12.81 ng/ml



#36 AR-1262-1


R.T.: 8.523 min
Delta R.T.: -0.016 min
Response: 478374
Conc: 239.11 ng/ml

Instrument :
ECD_O
ClientSampleId :




#36 AR-1262-1

R.T.: 7.293 min
Delta R.T.: -0.007 min
Response: 121824
Conc: 85.64 ng/ml




#37 AR-1262-2

R.T.: 9.071 min
Delta R.T.: -0.020 min
Response: 35092
Conc: 9.73 ng/ml



#37 AR-1262-2


R.T.: 7.844 min
Delta R.T.: -0.007 min
Response: 56950
Conc: 12.25 ng/ml



#38 AR-1262-3


R.T.: 9.395 min
Delta R.T.: 0.001 min
Response: 13236
Conc: 5.10 ng/ml

Instrument :
ECD_O
ClientSampleId :




#38 AR-1262-3

R.T.: 8.131 min
Delta R.T.: -0.006 min
Response: 61052
Conc: 31.62 ng/ml




#39 AR-1262-4

R.T.: 9.464 min
Delta R.T.: -0.022 min
Response: 20023
Conc: 9.69 ng/ml



#39 AR-1262-4


R.T.: 8.190 min
Delta R.T.: -0.009 min
Response: 75955
Conc: 21.62 ng/ml



#40 AR-1262-5


R.T.: 0.000 min
Exp R.T.: 10.142 min
Response: 0
Conc: N.D.

Instrument :
ECD_O
ClientSampleId :




#40 AR-1262-5

R.T.: 8.688 min
Delta R.T.: -0.007 min
Response: 24569
Conc: 14.24 ng/ml




#41 AR-1268-1

R.T.: 9.395 min
Delta R.T.: 0.002 min
Response: 13236
Conc: 2.78 ng/ml



#41 AR-1268-1


R.T.: 8.131 min
Delta R.T.: -0.006 min
Response: 61052
Conc: 10.85 ng/ml



#42 AR-1268-2


R.T.: 9.464 min
Delta R.T.: -0.025 min
Response: 20023
Conc: 4.38 ng/ml

Instrument :
ECD_O
ClientSampleId :




#42 AR-1268-2

R.T.: 8.190 min
Delta R.T.: -0.011 min
Response: 75955
Conc: 14.85 ng/ml




#43 AR-1268-3

R.T.: 9.680 min
Delta R.T.: -0.029 min
Response: 15830
Conc: 4.00 ng/ml



#43 AR-1268-3


R.T.: 8.400 min
Delta R.T.: -0.009 min
Response: 18675
Conc: 4.40 ng/ml



#44 AR-1268-4


R.T.: 0.000 min
Exp R.T.: 10.142 min
Response: 0
Conc: N.D.

Instrument :
ECD_O
ClientSampleId :




#44 AR-1268-4

R.T.: 8.688 min
Delta R.T.: -0.008 min
Response: 24569
Conc: 12.14 ng/ml



#45 AR-1268-5

R.T.: 10.518 min
Delta R.T.: -0.026 min
Response: 28279
Conc: 2.18 ng/ml



#45 AR-1268-5

R.T.: 8.963 min
Delta R.T.: -0.009 min
Response: 36663
Conc: 2.78 ng/ml