

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0052722\
 Data File : P0086715.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 27 May 2022 17:55
 Operator : YP\AJ
 Sample : N2893-03DL 2X
 Misc :
 ALS Vial : 36 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: May 27 23:47:09 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0051122.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Thu May 19 09:06:34 2022
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.479	3.673	1345637	556919	13.244	12.786
2)	SA Decachlor...	10.333	8.724	616550	415424	11.355	11.937
Target Compounds							
3)	L1 AR-1016-1	0.000	4.772	0	1252	N.D.	0.802 #
4)	L1 AR-1016-2	0.000	4.772	0	1252	N.D.	0.598 #
5)	L1 AR-1016-3	0.000	5.011	0	6502	N.D.	5.883 #
6)	L1 AR-1016-4	0.000	5.011	0	6502	N.D.	7.053 #
7)	L1 AR-1016-5	6.161	5.240	79322	103083	38.281	91.292 #
8)	L2 AR-1221-1	4.689	3.838f	140500	11954	114.755	23.247 #
9)	L2 AR-1221-2	4.790	3.976	27311	19338	29.919	50.177 #
10)	L2 AR-1221-3	4.850	4.074	1422	5397	0.528	4.444 #
11)	L3 AR-1232-1	4.850	4.074	1422	5397	0.695	5.840 #
12)	L3 AR-1232-2	5.421	4.772f	15162856	1252	16100.324	1.536 #
13)	L3 AR-1232-3	0.000	5.011	0	6502	N.D.	15.748 #
14)	L3 AR-1232-4	0.000	5.087	0	18470	N.D.	49.294 #
15)	L3 AR-1232-5	5.936	5.247	15614	37197	23.579	88.815 #
16)	L4 AR-1242-1	0.000	4.772	0	1252	N.D.	0.948 #
17)	L4 AR-1242-2	0.000	4.772f	0	1252	N.D.	0.714 #
18)	L4 AR-1242-3	0.000	5.011	0	6502	N.D.	6.915 #
19)	L4 AR-1242-4	0.000	5.087	0	18470	N.D.	19.582 #
20)	L4 AR-1242-5	6.587	5.608	198167	273064	108.256	240.114 #
21)	L5 AR-1248-1	0.000	4.772	0	1252	N.D.	1.290 #
22)	L5 AR-1248-2	5.936	5.011	15614	6502	5.788	4.889
23)	L5 AR-1248-3	6.161	5.087	79322	18470	26.734	13.421 #
24)	L5 AR-1248-4	6.525	5.247	983929	37197	305.653	23.231 #
25)	L5 AR-1248-5	6.587	5.674	198167	14720	63.673	9.370 #
26)	L6 AR-1254-1	6.525	5.608	983929	273064	292.369	108.415 #
27)	L6 AR-1254-2	6.745	5.730	171710	88578	34.893	40.450
28)	L6 AR-1254-3	7.114	6.152	468834	629339	92.794	178.127 #
29)	L6 AR-1254-4	7.401	6.393	260158	399207	69.846	180.456 #
30)	L6 AR-1254-5	7.823	6.822	4004653	1786256	1027.761	603.905 #
31)	L7 AR-1260-1	7.280	6.266	1381084	732595	456.343	376.400
32)	L7 AR-1260-2	7.538	6.454	2767894	1836311	765.142	781.302
33)	L7 AR-1260-3	7.901	6.609	2614665	1045294	947.343	486.122 #
34)	L7 AR-1260-4	8.129	7.082	2566244	1256347	760.597	697.725
35)	L7 AR-1260-5	8.457	7.323	4937640	3526365	800.172	814.061
36)	L8 AR-1262-1	7.901	6.822	2614665	1786256	578.119	591.189
37)	L8 AR-1262-2	8.457	7.323	4937640	3526365	630.857	641.946
38)	L8 AR-1262-3	8.791	7.607	3856722	1108756	733.320	525.991 #
39)	L8 AR-1262-4	8.871	7.670	1055657	2941708	441.133	742.174 #
40)	L8 AR-1262-5	9.548	8.167	1661949	1025935	602.163	572.688
41)	L9 AR-1268-1	8.791	7.607	3856722	1108756	441.755	181.709 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0052722\
 Data File : P0086715.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 27 May 2022 17:55
 Operator : YP\AJ
 Sample : N2893-03DL 2X
 Misc :
 ALS Vial : 36 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: May 27 23:47:09 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0051122.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Thu May 19 09:06:34 2022
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42) L9	AR-1268-2	8.871	7.716	1055657	122651	131.977	22.342 #
43) L9	AR-1268-3	9.108	7.923	65431	56418	9.859	12.412 #
44) L9	AR-1268-4	9.548	8.167	1661949	1025935	550.439	525.436
45) L9	AR-1268-5	9.979	8.506	424497	26892	19.411	1.835 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0052722\
Data File : P0086715.D
Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
Acq On : 27 May 2022 17:55
Operator : YP\AJ
Sample : N2893-03DL 2X
Misc :
ALS Vial : 36 Sample Multiplier: 1

Instrument :
ECD_O
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: May 27 23:47:09 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0051122.M
Quant Title : GC EXTRACTABLES
QLast Update : Thu May 19 09:06:34 2022
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.479 min
Delta R.T.: 0.000 min
Response: 1345637
Conc: 13.24 ng/ml

Instrument :
ECD_O
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 3.673 min
Delta R.T.: -0.010 min
Response: 556919
Conc: 12.79 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.333 min
Delta R.T.: 0.008 min
Response: 616550
Conc: 11.35 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.724 min
Delta R.T.: -0.030 min
Response: 415424
Conc: 11.94 ng/ml



#3 AR-1016-1


R.T.: 0.000 min
Exp R.T.: 5.660 min
Response: 0
Conc: N.D.

Instrument :
ECD_O
ClientSampleId :




#3 AR-1016-1

R.T.: 4.772 min
Delta R.T.: -0.008 min
Response: 1252
Conc: 0.80 ng/ml




#4 AR-1016-2

R.T.: 0.000 min
Exp R.T.: 5.683 min
Response: 0
Conc: N.D.



#4 AR-1016-2


R.T.: 4.772 min
Delta R.T.: -0.028 min
Response: 1252
Conc: 0.60 ng/ml



#5 AR-1016-3


R.T.: 0.000 min
Exp R.T.: 5.745 min
Response: 0
Conc: N.D.

Instrument :
ECD_O
ClientSampleId :




#5 AR-1016-3

R.T.: 5.011 min
Delta R.T.: 0.026 min
Response: 6502
Conc: 5.88 ng/ml




#6 AR-1016-4

R.T.: 0.000 min
Exp R.T.: 5.845 min
Response: 0
Conc: N.D.



#6 AR-1016-4


R.T.: 5.011 min
Delta R.T.: -0.004 min
Response: 6502
Conc: 7.05 ng/ml



#7 AR-1016-5


R.T.: 6.161 min
Delta R.T.: 0.018 min
Response: 79322
Conc: 38.28 ng/ml

Instrument :
ECD_O
ClientSampleId :




#7 AR-1016-5

R.T.: 5.240 min
Delta R.T.: 0.008 min
Response: 103083
Conc: 91.29 ng/ml




#8 AR-1221-1

R.T.: 4.689 min
Delta R.T.: -0.007 min
Response: 140500
Conc: 114.76 ng/ml



#8 AR-1221-1


R.T.: 3.838 min
Delta R.T.: -0.067 min
Response: 11954
Conc: 23.25 ng/ml



#9 AR-1221-2


R.T.: 4.790 min
Delta R.T.: 0.006 min
Response: 27311
Conc: 29.92 ng/ml

Instrument :
ECD_O
ClientSampleId :




#9 AR-1221-2

R.T.: 3.976 min
Delta R.T.: -0.017 min
Response: 19338
Conc: 50.18 ng/ml




#10 AR-1221-3

R.T.: 4.850 min
Delta R.T.: -0.011 min
Response: 1422
Conc: 0.53 ng/ml



#10 AR-1221-3


R.T.: 4.074 min
Delta R.T.: 0.004 min
Response: 5397
Conc: 4.44 ng/ml



#11 AR-1232-1


R.T.: 4.850 min
Delta R.T.: -0.004 min
Response: 1422
Conc: 0.69 ng/ml

Instrument :
ECD_O
ClientSampleId :




#11 AR-1232-1

R.T.: 4.074 min
Delta R.T.: 0.005 min
Response: 5397
Conc: 5.84 ng/ml




#12 AR-1232-2

R.T.: 5.421 min
Delta R.T.: 0.031 min
Response: 15162856
Conc: 16100.32 ng/ml



#12 AR-1232-2


R.T.: 4.772 min
Delta R.T.: -0.039 min
Response: 1252
Conc: 1.54 ng/ml



#13 AR-1232-3


R.T.: 0.000 min
Exp R.T.: 5.683 min
Response: 0
Conc: N.D.

Instrument :
ECD_O
ClientSampleId :




#13 AR-1232-3

R.T.: 5.011 min
Delta R.T.: 0.022 min
Response: 6502
Conc: 15.75 ng/ml




#14 AR-1232-4

R.T.: 0.000 min
Exp R.T.: 5.845 min
Response: 0
Conc: N.D.



#14 AR-1232-4


R.T.: 5.087 min
Delta R.T.: 0.014 min
Response: 18470
Conc: 49.29 ng/ml



#15 AR-1232-5


R.T.: 5.936 min
Delta R.T.: 0.000 min
Response: 15614
Conc: 23.58 ng/ml

Instrument :
ECD_O
ClientSampleId :




#15 AR-1232-5

R.T.: 5.247 min
Delta R.T.: 0.000 min
Response: 37197
Conc: 88.82 ng/ml




#16 AR-1242-1

R.T.: 0.000 min
Exp R.T. : 5.660 min
Response: 0
Conc: N.D.



#16 AR-1242-1


R.T.: 4.772 min
Delta R.T.: -0.020 min
Response: 1252
Conc: 0.95 ng/ml



#17 AR-1242-2


R.T.: 0.000 min
Exp R.T.: 5.683 min
Response: 0
Conc: N.D.

Instrument :
ECD_O
ClientSampleId :




#17 AR-1242-2

R.T.: 4.772 min
Delta R.T.: -0.039 min
Response: 1252
Conc: 0.71 ng/ml




#18 AR-1242-3

R.T.: 0.000 min
Exp R.T.: 5.746 min
Response: 0
Conc: N.D.



#18 AR-1242-3


R.T.: 5.011 min
Delta R.T.: 0.021 min
Response: 6502
Conc: 6.92 ng/ml



#19 AR-1242-4


R.T.: 0.000 min
Exp R.T.: 5.846 min
Response: 0
Conc: N.D.

Instrument :
ECD_O
ClientSampleId :




#19 AR-1242-4

R.T.: 5.087 min
Delta R.T.: 0.013 min
Response: 18470
Conc: 19.58 ng/ml




#20 AR-1242-5

R.T.: 6.587 min
Delta R.T.: 0.000 min
Response: 198167
Conc: 108.26 ng/ml



#20 AR-1242-5


R.T.: 5.608 min
Delta R.T.: 0.007 min
Response: 273064
Conc: 240.11 ng/ml



#21 AR-1248-1


R.T.: 0.000 min
Exp R.T.: 5.660 min
Response: 0
Conc: N.D.

Instrument :
ECD_O
ClientSampleId :




#21 AR-1248-1

R.T.: 4.772 min
Delta R.T.: -0.019 min
Response: 1252
Conc: 1.29 ng/ml




#22 AR-1248-2

R.T.: 5.936 min
Delta R.T.: -0.001 min
Response: 15614
Conc: 5.79 ng/ml



#22 AR-1248-2


R.T.: 5.011 min
Delta R.T.: -0.021 min
Response: 6502
Conc: 4.89 ng/ml



#23 AR-1248-3


R.T.: 6.161 min
Delta R.T.: 0.018 min
Response: 79322
Conc: 26.73 ng/ml

Instrument :
ECD_O
ClientSampleId :




#23 AR-1248-3

R.T.: 5.087 min
Delta R.T.: 0.014 min
Response: 18470
Conc: 13.42 ng/ml




#24 AR-1248-4

R.T.: 6.525 min
Delta R.T.: -0.024 min
Response: 983929
Conc: 305.65 ng/ml



#24 AR-1248-4


R.T.: 5.247 min
Delta R.T.: 0.000 min
Response: 37197
Conc: 23.23 ng/ml



#25 AR-1248-5


R.T.: 6.587 min
Delta R.T.: 0.000 min
Response: 198167
Conc: 63.67 ng/ml

Instrument :
ECD_O
ClientSampleId :




#25 AR-1248-5

R.T.: 5.674 min
Delta R.T.: 0.032 min
Response: 14720
Conc: 9.37 ng/ml




#26 AR-1254-1

R.T.: 6.525 min
Delta R.T.: 0.003 min
Response: 983929
Conc: 292.37 ng/ml



#26 AR-1254-1


R.T.: 5.608 min
Delta R.T.: 0.008 min
Response: 273064
Conc: 108.41 ng/ml



#27 AR-1254-2


R.T.: 6.745 min
Delta R.T.: 0.002 min
Response: 171710
Conc: 34.89 ng/ml

Instrument :
ECD_O
ClientSampleId :




#27 AR-1254-2

R.T.: 5.730 min
Delta R.T.: -0.018 min
Response: 88578
Conc: 40.45 ng/ml




#28 AR-1254-3

R.T.: 7.114 min
Delta R.T.: 0.003 min
Response: 468834
Conc: 92.79 ng/ml



#28 AR-1254-3


R.T.: 6.152 min
Delta R.T.: -0.003 min
Response: 629339
Conc: 178.13 ng/ml



#29 AR-1254-4


R.T.: 7.401 min
Delta R.T.: 0.003 min
Response: 260158
Conc: 69.85 ng/ml

Instrument :
ECD_O
ClientSampleId :




#29 AR-1254-4

R.T.: 6.393 min
Delta R.T.: 0.010 min
Response: 399207
Conc: 180.46 ng/ml




#30 AR-1254-5

R.T.: 7.823 min
Delta R.T.: 0.003 min
Response: 4004653
Conc: 1027.76 ng/ml



#30 AR-1254-5


R.T.: 6.822 min
Delta R.T.: 0.018 min
Response: 1786256
Conc: 603.91 ng/ml



#31 AR-1260-1


R.T.: 7.280 min
Delta R.T.: 0.003 min
Response: 1381084
Conc: 456.34 ng/ml

Instrument :
ECD_O
ClientSampleId :




#31 AR-1260-1

R.T.: 6.266 min
Delta R.T.: -0.022 min
Response: 732595
Conc: 376.40 ng/ml




#32 AR-1260-2

R.T.: 7.538 min
Delta R.T.: 0.003 min
Response: 2767894
Conc: 765.14 ng/ml



#32 AR-1260-2


R.T.: 6.454 min
Delta R.T.: -0.022 min
Response: 1836311
Conc: 781.30 ng/ml



#33 AR-1260-3


R.T.: 7.901 min
Delta R.T.: 0.004 min
Response: 2614665
Conc: 947.34 ng/ml

Instrument :
ECD_O
ClientSampleId :




#33 AR-1260-3

R.T.: 6.609 min
Delta R.T.: -0.022 min
Response: 1045294
Conc: 486.12 ng/ml




#34 AR-1260-4

R.T.: 8.129 min
Delta R.T.: 0.005 min
Response: 2566244
Conc: 760.60 ng/ml



#34 AR-1260-4


R.T.: 7.082 min
Delta R.T.: -0.013 min
Response: 1256347
Conc: 697.72 ng/ml



#35 AR-1260-5


R.T.: 8.457 min
Delta R.T.: 0.004 min
Response: 4937640
Conc: 800.17 ng/ml

Instrument :
ECD_O
ClientSampleId :




#35 AR-1260-5

R.T.: 7.323 min
Delta R.T.: -0.007 min
Response: 3526365
Conc: 814.06 ng/ml




#36 AR-1262-1

R.T.: 7.901 min
Delta R.T.: 0.006 min
Response: 2614665
Conc: 578.12 ng/ml



#36 AR-1262-1


R.T.: 6.822 min
Delta R.T.: -0.020 min
Response: 1786256
Conc: 591.19 ng/ml



#37 AR-1262-2


R.T.: 8.457 min
Delta R.T.: 0.007 min
Response: 4937640
Conc: 630.86 ng/ml

Instrument :
ECD_O
ClientSampleId :




#37 AR-1262-2

R.T.: 7.323 min
Delta R.T.: -0.020 min
Response: 3526365
Conc: 641.95 ng/ml




#38 AR-1262-3

R.T.: 8.791 min
Delta R.T.: 0.018 min
Response: 3856722
Conc: 733.32 ng/ml



#38 AR-1262-3


R.T.: 7.607 min
Delta R.T.: -0.022 min
Response: 1108756
Conc: 525.99 ng/ml



#39 AR-1262-4


R.T.: 8.871 min
Delta R.T.: 0.007 min
Response: 1055657
Conc: 441.13 ng/ml

Instrument :
ECD_O
ClientSampleId :




#39 AR-1262-4

R.T.: 7.670 min
Delta R.T.: -0.022 min
Response: 2941708
Conc: 742.17 ng/ml




#40 AR-1262-5

R.T.: 9.548 min
Delta R.T.: 0.009 min
Response: 1661949
Conc: 602.16 ng/ml



#40 AR-1262-5


R.T.: 8.167 min
Delta R.T.: -0.023 min
Response: 1025935
Conc: 572.69 ng/ml



#41 AR-1268-1


R.T.: 8.791 min
Delta R.T.: 0.021 min
Response: 3856722
Conc: 441.75 ng/ml

Instrument :
ECD_O
ClientSampleId :




#41 AR-1268-1

R.T.: 7.607 min
Delta R.T.: -0.022 min
Response: 1108756
Conc: 181.71 ng/ml




#42 AR-1268-2

R.T.: 8.871 min
Delta R.T.: 0.004 min
Response: 1055657
Conc: 131.98 ng/ml



#42 AR-1268-2


R.T.: 7.716 min
Delta R.T.: 0.023 min
Response: 122651
Conc: 22.34 ng/ml



#43 AR-1268-3


R.T.: 9.108 min
Delta R.T.: 0.005 min
Response: 65431
Conc: 9.86 ng/ml

Instrument :
ECD_O
ClientSampleId :




#43 AR-1268-3

R.T.: 7.923 min
Delta R.T.: 0.020 min
Response: 56418
Conc: 12.41 ng/ml




#44 AR-1268-4

R.T.: 9.548 min
Delta R.T.: 0.007 min
Response: 1661949
Conc: 550.44 ng/ml



#44 AR-1268-4


R.T.: 8.167 min
Delta R.T.: -0.024 min
Response: 1025935
Conc: 525.44 ng/ml



#45 AR-1268-5

R.T.: 9.979 min
Delta R.T.: 0.009 min
Response: 424497
Conc: 19.41 ng/ml

Instrument :
ECD_O
ClientSampleId :



#45 AR-1268-5

R.T.: 8.506 min
Delta R.T.: 0.016 min
Response: 26892
Conc: 1.83 ng/ml