

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_0\Data\P0062025\
 Data File : P0111761.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 20 Jun 2025 15:46
 Operator : YP/AJ
 Sample : Q2126-07
 Misc : AR1254 LOD 40 PPB
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 ECD_0
 ClientSampleId :
 LOD-MDL-WATER-01-QT2-2025

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jun 21 00:05:43 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_0\methods\P0061125.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Thu Jun 12 06:25:26 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.677	3.672	112.7E6	98452616	19.576	17.527
2)	SA Decachlor...	8.712	8.659	101.8E6	35884500	19.389	20.186
Target Compounds							
3)	L1 AR-1016-1	4.765	4.751	1920539	2049100	8.051	10.414 #
4)	L1 AR-1016-2	4.798	4.751	1871107	2049100	5.623	7.193 #
5)	L1 AR-1016-3	4.839	4.943	805120	610038	3.498	4.060
6)	L1 AR-1016-4	4.967	4.984	1354459	4928889	7.303	40.471 #
7)	L1 AR-1016-5	5.217	5.197	4426153	3180106	23.714	19.976
8)	L2 AR-1221-1	3.900	3.888	627954	311218	7.211	4.168 #
9)	L2 AR-1221-2	3.979	3.973	2761078	2248931	43.029	40.196
10)	L2 AR-1221-3	4.060	4.044	390330	239945	2.001	1.396 #
11)	L3 AR-1232-1	4.060	4.044	390330	239945	2.572	1.804 #
12)	L3 AR-1232-2	4.536	4.751	2115250	2049100	24.533	15.548 #
13)	L3 AR-1232-3	4.798	4.943	1871107	610038	11.488	8.826
14)	L3 AR-1232-4	4.967	5.025	1354459	1074779	15.565	17.770
15)	L3 AR-1232-5	5.004	5.197	7662666	3180106	135.429	47.883 #
16)	L4 AR-1242-1	4.765	4.751	1920539	2049100	9.534	12.590 #
17)	L4 AR-1242-2	4.798	4.751	1871107	2049100	6.641	8.680 #
18)	L4 AR-1242-3	4.839	4.943	805120	610038	4.049	4.857
19)	L4 AR-1242-4	4.967	5.025	1354459	1074779	8.562	8.770
20)	L4 AR-1242-5	5.614	5.547	3832170	11955151	22.917	79.760 #
21)	L5 AR-1248-1	4.765	4.751	1920539	2049100	11.909	15.374 #
22)	L5 AR-1248-2	5.004	4.984	7662666	4928889	35.540	27.666
23)	L5 AR-1248-3	5.217	5.025	4426153	1074779	16.409	5.674 #
24)	L5 AR-1248-4	5.571	5.197	19873795	3180106	49.709	13.928 #
25)	L5 AR-1248-5	5.614	5.587	3832170	2266399	13.647	10.408
26)	L6 AR-1254-1	5.571	5.547	19873795	11955151	46.754	37.012
27)	L6 AR-1254-2	5.720	5.695	19955797	11905282	52.581	42.623
28)	L6 AR-1254-3	6.125	6.096	29331724	15177498	51.338	36.219 #
29)	L6 AR-1254-4	6.350	6.322	16934319	5639818	48.539	24.758 #
30)	L6 AR-1254-5	6.774	6.741	31729343	9674063	61.956	29.712 #
31)	L7 AR-1260-1	6.256	6.227	27923607	8458542	78.587	33.711 #
32)	L7 AR-1260-2	6.445	6.414	15784797	6862595	33.409	23.341 #
33)	L7 AR-1260-3	6.845	6.565	3529049	5112378	8.310	19.135 #
34)	L7 AR-1260-4	7.069	7.035	7959207	1177091	25.312	6.192 #
35)	L7 AR-1260-5	7.313	7.279	4675406	2106666	5.676	4.957
36)	L8 AR-1262-1	6.845	6.771	3529049	2118899	5.786	6.275
37)	L8 AR-1262-2	7.313	7.279	4675406	2106666	4.966	4.523
38)	L8 AR-1262-3	7.611	7.567	2397774	589749	6.045	3.547 #
39)	L8 AR-1262-4	7.658	7.621	1336201	1699048	2.034	6.132 #
40)	L8 AR-1262-5	8.135	8.173f	1061174	105162	3.483	1.035 #
41)	L9 AR-1268-1	7.611	7.567	2397774	589749	2.128	1.233 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0062025\
 Data File : P0111761.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 20 Jun 2025 15:46
 Operator : YP/AJ
 Sample : Q2126-07
 Misc : AR1254 LOD 40 PPB
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :
 LOD-MDL-WATER-01-QT2-2025

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jun 21 00:05:43 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0061125.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Thu Jun 12 06:25:26 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42) L9	AR-1268-2	7.658	7.621	1336201	1699048	1.367	4.079 #
43) L9	AR-1268-3	7.905	0.000	36553	0	0.045	N.D. #
44) L9	AR-1268-4	8.135	8.173f	1061174	105162	3.085	0.909 #
45) L9	AR-1268-5	8.455	8.414	751294	156168	0.338	0.216 #


(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\PO062025\
Data File : PO111761.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 20 Jun 2025 15:46
Operator : YP/AJ
Sample : Q2126-07
Misc : AR1254 LOD 40 PPB
ALS Vial : 18 Sample Multiplier: 1

Instrument :
ECD_O
ClientSampleId :
LOD-MDL-WATER-01-QT2-2025

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jun 21 00:05:43 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\PO061125.M
Quant Title : GC EXTRACTABLES
QLast Update : Thu Jun 12 06:25:26 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.677 min
Delta R.T.: 0.000 min
Response: 112749118
Conc: 19.58 ng/ml

Instrument :
ECD_O
ClientSampleId :
LOD-MDL-WATER-01-QT2-2025




#1 Tetrachloro-m-xylene

R.T.: 3.672 min
Delta R.T.: 0.000 min
Response: 98452616
Conc: 17.53 ng/ml




#2 Decachlorobiphenyl

R.T.: 8.712 min
Delta R.T.: 0.000 min
Response: 101780215
Conc: 19.39 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.659 min
Delta R.T.: -0.002 min
Response: 35884500
Conc: 20.19 ng/ml



#3 AR-1016-1


R.T.: 4.765 min
Delta R.T.: 0.000 min
Response: 1920539
Conc: 8.05 ng/ml

Instrument :
ECD_O
ClientSampleId :
LOD-MDL-WATER-01-QT2-2025




#3 AR-1016-1

R.T.: 4.751 min
Delta R.T.: 0.000 min
Response: 2049100
Conc: 10.41 ng/ml




#4 AR-1016-2

R.T.: 4.798 min
Delta R.T.: 0.013 min
Response: 1871107
Conc: 5.62 ng/ml



#4 AR-1016-2


R.T.: 4.751 min
Delta R.T.: -0.019 min
Response: 2049100
Conc: 7.19 ng/ml



#5 AR-1016-3


R.T.: 4.839 min
Delta R.T.: -0.002 min
Response: 805120
Conc: 3.50 ng/ml

Instrument :
ECD_O
ClientSampleId :
LOD-MDL-WATER-01-QT2-2025




#5 AR-1016-3

R.T.: 4.943 min
Delta R.T.: -0.001 min
Response: 610038
Conc: 4.06 ng/ml




#6 AR-1016-4

R.T.: 4.967 min
Delta R.T.: 0.006 min
Response: 1354459
Conc: 7.30 ng/ml



#6 AR-1016-4


R.T.: 4.984 min
Delta R.T.: -0.003 min
Response: 4928889
Conc: 40.47 ng/ml



#7 AR-1016-5


R.T.: 5.217 min
Delta R.T.: 0.000 min
Response: 4426153
Conc: 23.71 ng/ml

Instrument :
ECD_O
ClientSampleId :
LOD-MDL-WATER-01-QT2-2025




#7 AR-1016-5

R.T.: 5.197 min
Delta R.T.: -0.003 min
Response: 3180106
Conc: 19.98 ng/ml




#8 AR-1221-1

R.T.: 3.900 min
Delta R.T.: 0.011 min
Response: 627954
Conc: 7.21 ng/ml



#8 AR-1221-1


R.T.: 3.888 min
Delta R.T.: 0.006 min
Response: 311218
Conc: 4.17 ng/ml



#9 AR-1221-2


R.T.: 3.979 min
Delta R.T.: 0.004 min
Response: 2761078
Conc: 43.03 ng/ml

Instrument :
ECD_O
ClientSampleId :
LOD-MDL-WATER-01-QT2-2025




#9 AR-1221-2

R.T.: 3.973 min
Delta R.T.: 0.005 min
Response: 2248931
Conc: 40.20 ng/ml




#10 AR-1221-3

R.T.: 4.060 min
Delta R.T.: 0.008 min
Response: 390330
Conc: 2.00 ng/ml



#10 AR-1221-3


R.T.: 4.044 min
Delta R.T.: 0.001 min
Response: 239945
Conc: 1.40 ng/ml



#11 AR-1232-1


R.T.: 4.060 min
Delta R.T.: 0.008 min
Response: 390330
Conc: 2.57 ng/ml

Instrument :
ECD_O
ClientSampleId :
LOD-MDL-WATER-01-QT2-2025




#11 AR-1232-1

R.T.: 4.044 min
Delta R.T.: 0.001 min
Response: 239945
Conc: 1.80 ng/ml




#12 AR-1232-2

R.T.: 4.536 min
Delta R.T.: -0.007 min
Response: 2115250
Conc: 24.53 ng/ml



#12 AR-1232-2


R.T.: 4.751 min
Delta R.T.: -0.018 min
Response: 2049100
Conc: 15.55 ng/ml



#13 AR-1232-3


R.T.: 4.798 min
Delta R.T.: 0.013 min
Response: 1871107
Conc: 11.49 ng/ml

Instrument :
ECD_O
ClientSampleId :
LOD-MDL-WATER-01-QT2-2025




#13 AR-1232-3

R.T.: 4.943 min
Delta R.T.: -0.001 min
Response: 610038
Conc: 8.83 ng/ml




#14 AR-1232-4

R.T.: 4.967 min
Delta R.T.: 0.006 min
Response: 1354459
Conc: 15.57 ng/ml



#14 AR-1232-4


R.T.: 5.025 min
Delta R.T.: -0.004 min
Response: 1074779
Conc: 17.77 ng/ml



#15 AR-1232-5


R.T.: 5.004 min
Delta R.T.: 0.000 min
Response: 7662666
Conc: 135.43 ng/ml

Instrument :
ECD_O
ClientSampleId :
LOD-MDL-WATER-01-QT2-2025




#15 AR-1232-5

R.T.: 5.197 min
Delta R.T.: -0.002 min
Response: 3180106
Conc: 47.88 ng/ml




#16 AR-1242-1

R.T.: 4.765 min
Delta R.T.: 0.000 min
Response: 1920539
Conc: 9.53 ng/ml



#16 AR-1242-1


R.T.: 4.751 min
Delta R.T.: 0.000 min
Response: 2049100
Conc: 12.59 ng/ml



#17 AR-1242-2


R.T.: 4.798 min
Delta R.T.: 0.013 min
Response: 1871107
Conc: 6.64 ng/ml

Instrument :
ECD_O
ClientSampleId :
LOD-MDL-WATER-01-QT2-2025




#17 AR-1242-2

R.T.: 4.751 min
Delta R.T.: -0.018 min
Response: 2049100
Conc: 8.68 ng/ml




#18 AR-1242-3

R.T.: 4.839 min
Delta R.T.: -0.002 min
Response: 805120
Conc: 4.05 ng/ml



#18 AR-1242-3


R.T.: 4.943 min
Delta R.T.: -0.001 min
Response: 610038
Conc: 4.86 ng/ml



#19 AR-1242-4


R.T.: 4.967 min
Delta R.T.: 0.006 min
Response: 1354459
Conc: 8.56 ng/ml

Instrument :
ECD_O
ClientSampleId :
LOD-MDL-WATER-01-QT2-2025




#19 AR-1242-4

R.T.: 5.025 min
Delta R.T.: -0.004 min
Response: 1074779
Conc: 8.77 ng/ml




#20 AR-1242-5

R.T.: 5.614 min
Delta R.T.: 0.002 min
Response: 3832170
Conc: 22.92 ng/ml



#20 AR-1242-5


R.T.: 5.547 min
Delta R.T.: -0.002 min
Response: 11955151
Conc: 79.76 ng/ml



#21 AR-1248-1


R.T.: 4.765 min
Delta R.T.: 0.000 min
Response: 1920539
Conc: 11.91 ng/ml

Instrument :
ECD_O
ClientSampleId :
LOD-MDL-WATER-01-QT2-2025




#21 AR-1248-1

R.T.: 4.751 min
Delta R.T.: 0.000 min
Response: 2049100
Conc: 15.37 ng/ml




#22 AR-1248-2

R.T.: 5.004 min
Delta R.T.: 0.002 min
Response: 7662666
Conc: 35.54 ng/ml



#22 AR-1248-2


R.T.: 4.984 min
Delta R.T.: -0.002 min
Response: 4928889
Conc: 27.67 ng/ml



#23 AR-1248-3


R.T.: 5.217 min
Delta R.T.: 0.001 min
Response: 4426153
Conc: 16.41 ng/ml

Instrument :
ECD_O
ClientSampleId :
LOD-MDL-WATER-01-QT2-2025




#23 AR-1248-3

R.T.: 5.025 min
Delta R.T.: -0.003 min
Response: 1074779
Conc: 5.67 ng/ml




#24 AR-1248-4

R.T.: 5.571 min
Delta R.T.: 0.001 min
Response: 19873795
Conc: 49.71 ng/ml



#24 AR-1248-4


R.T.: 5.197 min
Delta R.T.: -0.002 min
Response: 3180106
Conc: 13.93 ng/ml



#25 AR-1248-5


R.T.: 5.614 min
Delta R.T.: 0.003 min
Response: 3832170
Conc: 13.65 ng/ml

Instrument :
ECD_O
ClientSampleId :
LOD-MDL-WATER-01-QT2-2025




#25 AR-1248-5

R.T.: 5.587 min
Delta R.T.: -0.002 min
Response: 2266399
Conc: 10.41 ng/ml




#26 AR-1254-1

R.T.: 5.571 min
Delta R.T.: -0.001 min
Response: 19873795
Conc: 46.75 ng/ml



#26 AR-1254-1


R.T.: 5.547 min
Delta R.T.: -0.001 min
Response: 11955151
Conc: 37.01 ng/ml



#27 AR-1254-2


R.T.: 5.720 min
Delta R.T.: -0.001 min
Response: 19955797
Conc: 52.58 ng/ml

Instrument :
ECD_O
ClientSampleId :
LOD-MDL-WATER-01-QT2-2025




#27 AR-1254-2

R.T.: 5.695 min
Delta R.T.: -0.002 min
Response: 11905282
Conc: 42.62 ng/ml




#28 AR-1254-3

R.T.: 6.125 min
Delta R.T.: 0.000 min
Response: 29331724
Conc: 51.34 ng/ml



#28 AR-1254-3


R.T.: 6.096 min
Delta R.T.: -0.002 min
Response: 15177498
Conc: 36.22 ng/ml



#29 AR-1254-4


R.T.: 6.350 min
Delta R.T.: -0.006 min
Response: 16934319
Conc: 48.54 ng/ml

Instrument :
ECD_O
ClientSampleId :
LOD-MDL-WATER-01-QT2-2025




#29 AR-1254-4

R.T.: 6.322 min
Delta R.T.: -0.003 min
Response: 5639818
Conc: 24.76 ng/ml




#30 AR-1254-5

R.T.: 6.774 min
Delta R.T.: -0.001 min
Response: 31729343
Conc: 61.96 ng/ml



#30 AR-1254-5


R.T.: 6.741 min
Delta R.T.: -0.002 min
Response: 9674063
Conc: 29.71 ng/ml



#31 AR-1260-1


R.T.: 6.256 min
Delta R.T.: -0.001 min
Response: 27923607
Conc: 78.59 ng/ml

Instrument :
ECD_O
ClientSampleId :
LOD-MDL-WATER-01-QT2-2025




#31 AR-1260-1

R.T.: 6.227 min
Delta R.T.: -0.002 min
Response: 8458542
Conc: 33.71 ng/ml




#32 AR-1260-2

R.T.: 6.445 min
Delta R.T.: 0.000 min
Response: 15784797
Conc: 33.41 ng/ml



#32 AR-1260-2


R.T.: 6.414 min
Delta R.T.: -0.002 min
Response: 6862595
Conc: 23.34 ng/ml



#33 AR-1260-3


R.T.: 6.845 min
Delta R.T.: 0.032 min
Response: 3529049
Conc: 8.31 ng/ml

Instrument :
ECD_O
ClientSampleId :
LOD-MDL-WATER-01-QT2-2025




#33 AR-1260-3

R.T.: 6.565 min
Delta R.T.: -0.004 min
Response: 5112378
Conc: 19.13 ng/ml




#34 AR-1260-4

R.T.: 7.069 min
Delta R.T.: -0.004 min
Response: 7959207
Conc: 25.31 ng/ml



#34 AR-1260-4


R.T.: 7.035 min
Delta R.T.: -0.005 min
Response: 1177091
Conc: 6.19 ng/ml



#35 AR-1260-5


R.T.: 7.313 min
Delta R.T.: -0.003 min
Response: 4675406
Conc: 5.68 ng/ml

Instrument :
ECD_O
ClientSampleId :
LOD-MDL-WATER-01-QT2-2025




#35 AR-1260-5

R.T.: 7.279 min
Delta R.T.: -0.001 min
Response: 2106666
Conc: 4.96 ng/ml




#36 AR-1262-1

R.T.: 6.845 min
Delta R.T.: 0.030 min
Response: 3529049
Conc: 5.79 ng/ml



#36 AR-1262-1


R.T.: 6.771 min
Delta R.T.: -0.011 min
Response: 2118899
Conc: 6.28 ng/ml



#37 AR-1262-2


R.T.: 7.313 min
Delta R.T.: -0.004 min
Response: 4675406
Conc: 4.97 ng/ml

Instrument :
ECD_O
ClientSampleId :
LOD-MDL-WATER-01-QT2-2025




#37 AR-1262-2

R.T.: 7.279 min
Delta R.T.: -0.002 min
Response: 2106666
Conc: 4.52 ng/ml




#38 AR-1262-3

R.T.: 7.611 min
Delta R.T.: 0.010 min
Response: 2397774
Conc: 6.05 ng/ml



#38 AR-1262-3


R.T.: 7.567 min
Delta R.T.: 0.003 min
Response: 589749
Conc: 3.55 ng/ml



#39 AR-1262-4


R.T.: 7.658 min
Delta R.T.: -0.006 min
Response: 1336201
Conc: 2.03 ng/ml

Instrument :
ECD_O
ClientSampleId :
LOD-MDL-WATER-01-QT2-2025




#39 AR-1262-4

R.T.: 7.621 min
Delta R.T.: -0.007 min
Response: 1699048
Conc: 6.13 ng/ml




#40 AR-1262-5

R.T.: 8.135 min
Delta R.T.: -0.025 min
Response: 1061174
Conc: 3.48 ng/ml



#40 AR-1262-5


R.T.: 8.173 min
Delta R.T.: 0.053 min
Response: 105162
Conc: 1.03 ng/ml



#41 AR-1268-1


R.T.: 7.611 min
Delta R.T.: 0.010 min
Response: 2397774
Conc: 2.13 ng/ml

Instrument :
ECD_O
ClientSampleId :
LOD-MDL-WATER-01-QT2-2025




#41 AR-1268-1

R.T.: 7.567 min
Delta R.T.: 0.003 min
Response: 589749
Conc: 1.23 ng/ml




#42 AR-1268-2

R.T.: 7.658 min
Delta R.T.: -0.008 min
Response: 1336201
Conc: 1.37 ng/ml



#42 AR-1268-2


R.T.: 7.621 min
Delta R.T.: -0.009 min
Response: 1699048
Conc: 4.08 ng/ml



#43 AR-1268-3


R.T.: 7.905 min
Delta R.T.: 0.033 min
Response: 36553
Conc: 0.04 ng/ml

Instrument :
ECD_O
ClientSampleId :
LOD-MDL-WATER-01-QT2-2025




#43 AR-1268-3

R.T.: 0.000 min
Exp R.T. : 7.834 min
Response: 0
Conc: N.D.




#44 AR-1268-4

R.T.: 8.135 min
Delta R.T.: -0.025 min
Response: 1061174
Conc: 3.08 ng/ml



#44 AR-1268-4


R.T.: 8.173 min
Delta R.T.: 0.053 min
Response: 105162
Conc: 0.91 ng/ml



#45 AR-1268-5

R.T.: 8.455 min
Delta R.T.: 0.000 min
Response: 751294
Conc: 0.34 ng/ml

Instrument :
ECD_O
ClientSampleId :
LOD-MDL-WATER-01-QT2-2025



#45 AR-1268-5

R.T.: 8.414 min
Delta R.T.: 0.003 min
Response: 156168
Conc: 0.22 ng/ml