

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_0\Data\P0062322\
 Data File : P0087310.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 23 Jun 2022 08:50
 Operator : YP/AJ
 Sample : HEXANE
 Misc :
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 ECD_0
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jun 23 15:11:49 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_0\methods\P0060922.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Fri Jun 10 04:33:49 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.499	3.636	51447	48351	0.022	0.043 #
2)	SA Decachlor...	10.357	8.663	113197	16296	0.062	0.021 #
Target Compounds							
3)	L1 AR-1016-1	5.681	4.731	22379	19965	0.267	0.593 #
4)	L1 AR-1016-2	5.706	4.743	193532	55810	1.646	1.200 #
5)	L1 AR-1016-3	5.763	4.923	66076	83409	0.878	3.256 #
6)	L1 AR-1016-4	5.864	4.992	68619	370312	1.145	18.165 #
7)	L1 AR-1016-5	6.155	5.187	47228	243907	0.804	9.544 #
8)	L2 AR-1221-1	4.699	3.862	81019	17873	2.894	1.350 #
9)	L2 AR-1221-2	4.789	3.944	34714	4364	1.644	0.440 #
10)	L2 AR-1221-3	4.873	4.018	23509	7773	0.364	0.267 #
11)	L3 AR-1232-1	4.873	4.018	23509	7773	0.400	0.291 #
12)	L3 AR-1232-2	5.219	4.743	196163	55810	6.777	2.574 #
13)	L3 AR-1232-3	5.706	4.923	193532	83409	3.604	7.347 #
14)	L3 AR-1232-4	5.864	5.014	68619	254000	2.555	24.846 #
15)	L3 AR-1232-5	5.951	5.187	129991	243907	5.848	21.640 #
16)	L4 AR-1242-1	5.681	4.731	22379	19965	0.348	0.754 #
17)	L4 AR-1242-2	5.706	4.743	193532	55810	2.118	1.549 #
18)	L4 AR-1242-3	5.763	4.923	66076	83409	1.126	4.174 #
19)	L4 AR-1242-4	5.864	5.014	68619	254000	1.473	12.995 #
20)	L4 AR-1242-5	6.604	5.527	595033	365942	12.541	15.675
21)	L5 AR-1248-1	5.681	4.731	22379	19965	0.461	1.009 #
22)	L5 AR-1248-2	5.951	4.992	129991	370312	1.825	13.629 #
23)	L5 AR-1248-3	6.155	5.014	47228	254000	0.619	8.888 #
24)	L5 AR-1248-4	6.573	5.187	521079	243907	6.259	7.413
25)	L5 AR-1248-5	6.604	5.585	595033	171023	7.415	5.350 #
26)	L6 AR-1254-1	6.550	5.527	2893019	365942	33.182	7.561 #
27)	L6 AR-1254-2	6.756	5.682	165449	218090	1.267	5.113 #
28)	L6 AR-1254-3	7.138	6.079	2205122	328821	16.901	4.811 #
29)	L6 AR-1254-4	7.416	6.304	11344	388380	0.119	9.206 #
30)	L6 AR-1254-5	7.837	6.727	14526	814702	0.139	13.415 #
31)	L7 AR-1260-1	7.304	6.219	346456	252157	3.438	5.383 #
32)	L7 AR-1260-2	7.554	6.417	528953	117090	4.488	2.090 #
33)	L7 AR-1260-3	7.921	6.562	94477	254142	1.114	4.776 #
34)	L7 AR-1260-4	8.153	7.029	179335	69026	1.761	1.713
35)	L7 AR-1260-5	8.476	7.276	203638	59024	1.120	0.629 #
36)	L8 AR-1262-1	7.921	6.821	94477	115246	0.768	4.764 #
37)	L8 AR-1262-2	8.476	7.266	203638	49628	0.992	0.491 #
38)	L8 AR-1262-3	8.800	7.547	39968	35773	0.277	0.883 #
39)	L8 AR-1262-4	8.883	7.612	19906	24282	0.282	0.324
40)	L8 AR-1262-5	9.568	8.107	71495	17160	0.925	0.499 #
41)	L9 AR-1268-1	8.788	7.547	23077	35773	0.090	0.299 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0062322\
Data File : P0087310.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 23 Jun 2022 08:50
Operator : YP/AJ
Sample : HEXANE
Misc :
ALS Vial : 1 Sample Multiplier: 1

Instrument :
ECD_O
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jun 23 15:11:49 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0060922.M
Quant Title : GC EXTRACTABLES
QLast Update : Fri Jun 10 04:33:49 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42)	L9 AR-1268-2	8.883	7.612	19906	24282	0.084	0.223 #
43)	L9 AR-1268-3	9.132	7.823	53497	24749	0.267	0.269
44)	L9 AR-1268-4	9.563	8.107	65835	17160	0.730	0.432 #
45)	L9 AR-1268-5	9.997	8.398	54714	8428	0.086	0.029 #


(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\PO062322\
Data File : PO087310.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 23 Jun 2022 08:50
Operator : YP/AJ
Sample : HEXANE
Misc :
ALS Vial : 1 Sample Multiplier: 1

Instrument :
ECD_O
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jun 23 15:11:49 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\PO060922.M
Quant Title : GC EXTRACTABLES
QLast Update : Fri Jun 10 04:33:49 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.499 min
Delta R.T.: 0.006 min
Response: 51447
Conc: 0.02 ng/ml

Instrument :
ECD_O
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 3.636 min
Delta R.T.: -0.005 min
Response: 48351
Conc: 0.04 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.357 min
Delta R.T.: 0.000 min
Response: 113197
Conc: 0.06 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.663 min
Delta R.T.: 0.005 min
Response: 16296
Conc: 0.02 ng/ml



#3 AR-1016-1


R.T.: 5.681 min
Delta R.T.: 0.003 min
Response: 22379
Conc: 0.27 ng/ml

Instrument :
ECD_O
ClientSampleId :




#3 AR-1016-1

R.T.: 4.731 min
Delta R.T.: -0.001 min
Response: 19965
Conc: 0.59 ng/ml




#4 AR-1016-2

R.T.: 5.706 min
Delta R.T.: 0.006 min
Response: 193532
Conc: 1.65 ng/ml



#4 AR-1016-2


R.T.: 4.743 min
Delta R.T.: -0.008 min
Response: 55810
Conc: 1.20 ng/ml



#5 AR-1016-3


R.T.: 5.763 min
Delta R.T.: 0.000 min
Response: 66076
Conc: 0.88 ng/ml

Instrument :
ECD_O
ClientSampleId :




#5 AR-1016-3

R.T.: 4.923 min
Delta R.T.: -0.004 min
Response: 83409
Conc: 3.26 ng/ml




#6 AR-1016-4

R.T.: 5.864 min
Delta R.T.: 0.000 min
Response: 68619
Conc: 1.15 ng/ml



#6 AR-1016-4


R.T.: 4.992 min
Delta R.T.: 0.022 min
Response: 370312
Conc: 18.16 ng/ml



#7 AR-1016-5


R.T.: 6.155 min
Delta R.T.: -0.006 min
Response: 47228
Conc: 0.80 ng/ml

Instrument :
ECD_O
ClientSampleId :




#7 AR-1016-5

R.T.: 5.187 min
Delta R.T.: 0.004 min
Response: 243907
Conc: 9.54 ng/ml




#8 AR-1221-1

R.T.: 4.699 min
Delta R.T.: -0.005 min
Response: 81019
Conc: 2.89 ng/ml



#8 AR-1221-1


R.T.: 3.862 min
Delta R.T.: 0.004 min
Response: 17873
Conc: 1.35 ng/ml



#9 AR-1221-2


R.T.: 4.789 min
Delta R.T.: -0.003 min
Response: 34714
Conc: 1.64 ng/ml

Instrument :
ECD_O
ClientSampleId :




#9 AR-1221-2

R.T.: 3.944 min
Delta R.T.: 0.000 min
Response: 4364
Conc: 0.44 ng/ml




#10 AR-1221-3

R.T.: 4.873 min
Delta R.T.: 0.004 min
Response: 23509
Conc: 0.36 ng/ml



#10 AR-1221-3


R.T.: 4.018 min
Delta R.T.: -0.002 min
Response: 7773
Conc: 0.27 ng/ml



#11 AR-1232-1


R.T.: 4.873 min
Delta R.T.: 0.004 min
Response: 23509
Conc: 0.40 ng/ml

Instrument :
ECD_O
ClientSampleId :




#11 AR-1232-1

R.T.: 4.018 min
Delta R.T.: -0.002 min
Response: 7773
Conc: 0.29 ng/ml




#12 AR-1232-2

R.T.: 5.219 min
Delta R.T.: 0.008 min
Response: 196163
Conc: 6.78 ng/ml



#12 AR-1232-2


R.T.: 4.743 min
Delta R.T.: -0.008 min
Response: 55810
Conc: 2.57 ng/ml



#13 AR-1232-3


R.T.: 5.706 min
Delta R.T.: 0.005 min
Response: 193532
Conc: 3.60 ng/ml

Instrument :
ECD_O
ClientSampleId :




#13 AR-1232-3

R.T.: 4.923 min
Delta R.T.: -0.004 min
Response: 83409
Conc: 7.35 ng/ml




#14 AR-1232-4

R.T.: 5.864 min
Delta R.T.: 0.000 min
Response: 68619
Conc: 2.55 ng/ml



#14 AR-1232-4


R.T.: 5.014 min
Delta R.T.: 0.002 min
Response: 254000
Conc: 24.85 ng/ml



#15 AR-1232-5


R.T.: 5.951 min
Delta R.T.: -0.004 min
Response: 129991
Conc: 5.85 ng/ml

Instrument :
ECD_O
ClientSampleId :




#15 AR-1232-5

R.T.: 5.187 min
Delta R.T.: 0.004 min
Response: 243907
Conc: 21.64 ng/ml




#16 AR-1242-1

R.T.: 5.681 min
Delta R.T.: 0.004 min
Response: 22379
Conc: 0.35 ng/ml



#16 AR-1242-1


R.T.: 4.731 min
Delta R.T.: 0.000 min
Response: 19965
Conc: 0.75 ng/ml



#17 AR-1242-2


R.T.: 5.706 min
Delta R.T.: 0.006 min
Response: 193532
Conc: 2.12 ng/ml

Instrument :
ECD_O
ClientSampleId :




#17 AR-1242-2

R.T.: 4.743 min
Delta R.T.: -0.007 min
Response: 55810
Conc: 1.55 ng/ml




#18 AR-1242-3

R.T.: 5.763 min
Delta R.T.: 0.001 min
Response: 66076
Conc: 1.13 ng/ml



#18 AR-1242-3


R.T.: 4.923 min
Delta R.T.: -0.004 min
Response: 83409
Conc: 4.17 ng/ml



#19 AR-1242-4


R.T.: 5.864 min
Delta R.T.: 0.002 min
Response: 68619
Conc: 1.47 ng/ml

Instrument :
ECD_O
ClientSampleId :




#19 AR-1242-4

R.T.: 5.014 min
Delta R.T.: 0.003 min
Response: 254000
Conc: 12.99 ng/ml




#20 AR-1242-5

R.T.: 6.604 min
Delta R.T.: -0.001 min
Response: 595033
Conc: 12.54 ng/ml



#20 AR-1242-5


R.T.: 5.527 min
Delta R.T.: -0.006 min
Response: 365942
Conc: 15.68 ng/ml



#21 AR-1248-1


R.T.: 5.681 min
Delta R.T.: 0.004 min
Response: 22379
Conc: 0.46 ng/ml

Instrument :
ECD_O
ClientSampleId :




#21 AR-1248-1

R.T.: 4.731 min
Delta R.T.: 0.000 min
Response: 19965
Conc: 1.01 ng/ml




#22 AR-1248-2

R.T.: 5.951 min
Delta R.T.: -0.003 min
Response: 129991
Conc: 1.82 ng/ml



#22 AR-1248-2


R.T.: 4.992 min
Delta R.T.: 0.022 min
Response: 370312
Conc: 13.63 ng/ml



#23 AR-1248-3


R.T.: 6.155 min
Delta R.T.: -0.005 min
Response: 47228
Conc: 0.62 ng/ml

Instrument :
ECD_O
ClientSampleId :




#23 AR-1248-3

R.T.: 5.014 min
Delta R.T.: 0.003 min
Response: 254000
Conc: 8.89 ng/ml




#24 AR-1248-4

R.T.: 6.573 min
Delta R.T.: 0.006 min
Response: 521079
Conc: 6.26 ng/ml



#24 AR-1248-4


R.T.: 5.187 min
Delta R.T.: 0.005 min
Response: 243907
Conc: 7.41 ng/ml



#25 AR-1248-5


R.T.: 6.604 min
Delta R.T.: -0.003 min
Response: 595033
Conc: 7.41 ng/ml

Instrument :
ECD_O
ClientSampleId :




#25 AR-1248-5

R.T.: 5.585 min
Delta R.T.: 0.010 min
Response: 171023
Conc: 5.35 ng/ml




#26 AR-1254-1

R.T.: 6.550 min
Delta R.T.: 0.010 min
Response: 2893019
Conc: 33.18 ng/ml



#26 AR-1254-1


R.T.: 5.527 min
Delta R.T.: -0.007 min
Response: 365942
Conc: 7.56 ng/ml



#27 AR-1254-2


R.T.: 6.756 min
Delta R.T.: -0.005 min
Response: 165449
Conc: 1.27 ng/ml

Instrument :
ECD_O
ClientSampleId :




#27 AR-1254-2

R.T.: 5.682 min
Delta R.T.: 0.000 min
Response: 218090
Conc: 5.11 ng/ml




#28 AR-1254-3

R.T.: 7.138 min
Delta R.T.: 0.008 min
Response: 2205122
Conc: 16.90 ng/ml



#28 AR-1254-3


R.T.: 6.079 min
Delta R.T.: -0.007 min
Response: 328821
Conc: 4.81 ng/ml



#29 AR-1254-4


R.T.: 7.416 min
Delta R.T.: 0.000 min
Response: 11344
Conc: 0.12 ng/ml

Instrument :
ECD_O
ClientSampleId :




#29 AR-1254-4

R.T.: 6.304 min
Delta R.T.: -0.009 min
Response: 388380
Conc: 9.21 ng/ml




#30 AR-1254-5

R.T.: 7.837 min
Delta R.T.: -0.002 min
Response: 14526
Conc: 0.14 ng/ml



#30 AR-1254-5


R.T.: 6.727 min
Delta R.T.: -0.004 min
Response: 814702
Conc: 13.42 ng/ml



#31 AR-1260-1


R.T.: 7.304 min
Delta R.T.: 0.007 min
Response: 346456
Conc: 3.44 ng/ml

Instrument :
ECD_O
ClientSampleId :




#31 AR-1260-1

R.T.: 6.219 min
Delta R.T.: 0.002 min
Response: 252157
Conc: 5.38 ng/ml




#32 AR-1260-2

R.T.: 7.554 min
Delta R.T.: -0.001 min
Response: 528953
Conc: 4.49 ng/ml



#32 AR-1260-2


R.T.: 6.417 min
Delta R.T.: 0.013 min
Response: 117090
Conc: 2.09 ng/ml



#33 AR-1260-3


R.T.: 7.921 min
Delta R.T.: 0.003 min
Response: 94477
Conc: 1.11 ng/ml

Instrument :
ECD_O
ClientSampleId :




#33 AR-1260-3

R.T.: 6.562 min
Delta R.T.: 0.004 min
Response: 254142
Conc: 4.78 ng/ml




#34 AR-1260-4

R.T.: 8.153 min
Delta R.T.: 0.007 min
Response: 179335
Conc: 1.76 ng/ml



#34 AR-1260-4


R.T.: 7.029 min
Delta R.T.: 0.000 min
Response: 69026
Conc: 1.71 ng/ml



#35 AR-1260-5


R.T.: 8.476 min
Delta R.T.: 0.000 min
Response: 203638
Conc: 1.12 ng/ml

Instrument :
ECD_O
ClientSampleId :




#35 AR-1260-5

R.T.: 7.276 min
Delta R.T.: 0.004 min
Response: 59024
Conc: 0.63 ng/ml




#36 AR-1262-1

R.T.: 7.921 min
Delta R.T.: 0.006 min
Response: 94477
Conc: 0.77 ng/ml



#36 AR-1262-1


R.T.: 6.821 min
Delta R.T.: 0.000 min
Response: 115246
Conc: 4.76 ng/ml



#37 AR-1262-2


R.T.: 8.476 min
Delta R.T.: 0.004 min
Response: 203638
Conc: 0.99 ng/ml

Instrument :
ECD_O
ClientSampleId :




#37 AR-1262-2

R.T.: 7.266 min
Delta R.T.: -0.002 min
Response: 49628
Conc: 0.49 ng/ml




#38 AR-1262-3

R.T.: 8.800 min
Delta R.T.: 0.004 min
Response: 39968
Conc: 0.28 ng/ml



#38 AR-1262-3


R.T.: 7.547 min
Delta R.T.: -0.006 min
Response: 35773
Conc: 0.88 ng/ml



#39 AR-1262-4


R.T.: 8.883 min
Delta R.T.: -0.005 min
Response: 19906
Conc: 0.28 ng/ml

Instrument :
ECD_O
ClientSampleId :




#39 AR-1262-4

R.T.: 7.612 min
Delta R.T.: -0.003 min
Response: 24282
Conc: 0.32 ng/ml




#40 AR-1262-5

R.T.: 9.568 min
Delta R.T.: 0.000 min
Response: 71495
Conc: 0.93 ng/ml



#40 AR-1262-5


R.T.: 8.107 min
Delta R.T.: -0.002 min
Response: 17160
Conc: 0.50 ng/ml



#41 AR-1268-1


R.T.: 8.788 min
Delta R.T.: -0.004 min
Response: 23077
Conc: 0.09 ng/ml

Instrument :
ECD_O
ClientSampleId :




#41 AR-1268-1

R.T.: 7.547 min
Delta R.T.: -0.006 min
Response: 35773
Conc: 0.30 ng/ml




#42 AR-1268-2

R.T.: 8.883 min
Delta R.T.: -0.007 min
Response: 19906
Conc: 0.08 ng/ml



#42 AR-1268-2


R.T.: 7.612 min
Delta R.T.: -0.004 min
Response: 24282
Conc: 0.22 ng/ml



#43 AR-1268-3


R.T.: 9.132 min
Delta R.T.: 0.006 min
Response: 53497
Conc: 0.27 ng/ml

Instrument :
ECD_O
ClientSampleId :




#43 AR-1268-3

R.T.: 7.823 min
Delta R.T.: -0.002 min
Response: 24749
Conc: 0.27 ng/ml




#44 AR-1268-4

R.T.: 9.563 min
Delta R.T.: -0.002 min
Response: 65835
Conc: 0.73 ng/ml



#44 AR-1268-4


R.T.: 8.107 min
Delta R.T.: -0.002 min
Response: 17160
Conc: 0.43 ng/ml



#45 AR-1268-5

R.T.: 9.997 min
Delta R.T.: -0.002 min
Response: 54714
Conc: 0.09 ng/ml

Instrument :
ECD_O
ClientSampleId :



#45 AR-1268-5

R.T.: 8.398 min
Delta R.T.: -0.002 min
Response: 8428
Conc: 0.03 ng/ml