

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_0\Data\P0062323\
 Data File : P0095927.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 23 Jun 2023 17:50
 Operator : YP/AJ
 Sample : I.BLK
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 ECD_0
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jun 23 22:42:48 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_0\methods\P0062023.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Wed Jun 21 13:08:39 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.416	3.635	67256387	30310256	23.116	22.333
2)	SA Decachlor...	10.240	8.670	49515316	28475087	23.901	23.222
Target Compounds							
3)	L1 AR-1016-1	5.594	4.786f	53468	154806	0.648	3.387 #
4)	L1 AR-1016-2	5.630	4.786f	89485	154806	0.751	2.484 #
5)	L1 AR-1016-3	5.685	4.984f	439542	280949	5.697	8.339 #
6)	L1 AR-1016-4	5.778	4.984	63732	280949	1.063	8.527 #
7)	L1 AR-1016-5	6.060	5.187	21549	1122978	0.347	30.814 #
8)	L2 AR-1221-1	4.621	0.000	98027	0	2.741	N.D. #
9)	L2 AR-1221-2	4.725	3.936	894258	462484	33.622	35.068
10)	L2 AR-1221-3	4.795	0.000	105911	0	1.327	N.D. #
11)	L3 AR-1232-1	4.795	0.000	105911	0	1.801	N.D. #
12)	L3 AR-1232-2	5.329	4.786f	29265	154806	0.841	5.208 #
13)	L3 AR-1232-3	5.630	4.984f	89485	280949	1.574	17.589 #
14)	L3 AR-1232-4	5.778	4.998	63732	120897	2.226	7.698 #
15)	L3 AR-1232-5	5.880	5.187	143482	1122978	5.777	62.405 #
16)	L4 AR-1242-1	5.594	4.786f	53468	154806	0.809	4.282 #
17)	L4 AR-1242-2	5.630	4.786f	89485	154806	0.938	3.156 #
18)	L4 AR-1242-3	5.685	4.984f	439542	280949	6.928	10.477 #
19)	L4 AR-1242-4	5.778	4.998	63732	120897	1.302	4.089 #
20)	L4 AR-1242-5	6.536	5.556	294968	1779904	5.965	50.138 #
21)	L5 AR-1248-1	5.594	4.786f	53468	154806	1.056	5.708 #
22)	L5 AR-1248-2	5.880	4.984	143482	280949	1.743	7.026 #
23)	L5 AR-1248-3	6.060	4.998	21549	120897	0.250	2.810 #
24)	L5 AR-1248-4	6.483	5.187	6221	1122978	0.075	21.590 #
25)	L5 AR-1248-5	6.536	5.556	294968	1779904	3.509	35.479 #
26)	L6 AR-1254-1	6.458	5.556	356420	1779904	3.743	24.032 #
27)	L6 AR-1254-2	6.681	5.687	64479	1388716	0.464	20.350 #
28)	L6 AR-1254-3	7.048	6.083	750071	587132	5.552	5.896
29)	L6 AR-1254-4	7.320	0.000	321520	0	3.586	N.D. #
30)	L6 AR-1254-5	7.732	6.770f	38292	115502	0.372	1.295 #
31)	L7 AR-1260-1	7.243f	6.219	1274691	144377	11.211	2.012 #
32)	L7 AR-1260-2	7.466	6.388	-59671	222561	N.D.	2.672 #
33)	L7 AR-1260-3	7.732	0.000	38292	0	0.276	N.D. #
34)	L7 AR-1260-4	8.072	0.000	328898	0	3.440	N.D. #
35)	L7 AR-1260-5	8.374	7.283	93450	128590	0.560	1.002 #
36)	L8 AR-1262-1	7.865	6.818	382807	481020	2.852	12.576 #
37)	L8 AR-1262-2	8.374	0.000	93450	0	0.451	N.D. #
38)	L8 AR-1262-3	8.709	7.555	276483	356858	1.827	5.758 #
39)	L8 AR-1262-4	8.812	0.000	8116	0	0.067	N.D. #
40)	L8 AR-1262-5	9.458	8.071f	30107	59229	0.399	1.166 #
41)	L9 AR-1268-1	8.709	7.555	276483	356858	1.011	2.019 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0062323\
 Data File : P0095927.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 23 Jun 2023 17:50
 Operator : YP/AJ
 Sample : I.BLK
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jun 23 22:42:48 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0062023.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Wed Jun 21 13:08:39 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42) L9	AR-1268-2	8.812	0.000	8116	0	0.033	N.D. #
43) L9	AR-1268-3	9.032	7.835	171749	282896	0.756	2.030 #
44) L9	AR-1268-4	9.458	8.071f	30107	59229	0.364	1.066 #
45) L9	AR-1268-5	9.891	8.414	96879	198220	0.130	0.474 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\PO062323\
Data File : PO095927.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 23 Jun 2023 17:50
Operator : YP/AJ
Sample : I.BLK
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
ECD_O
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jun 23 22:42:48 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\PO062023.M
Quant Title : GC EXTRACTABLES
QLast Update : Wed Jun 21 13:08:39 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.416 min
Delta R.T.: 0.000 min
Response: 67256387
Conc: 23.12 ng/ml

Instrument :
ECD_O
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 3.635 min
Delta R.T.: 0.000 min
Response: 30310256
Conc: 22.33 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.240 min
Delta R.T.: 0.012 min
Response: 49515316
Conc: 23.90 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.670 min
Delta R.T.: 0.000 min
Response: 28475087
Conc: 23.22 ng/ml



#3 AR-1016-1


R.T.: 5.594 min
Delta R.T.: 0.001 min
Response: 53468
Conc: 0.65 ng/ml

Instrument :
ECD_O
ClientSampleId :




#3 AR-1016-1

R.T.: 4.786 min
Delta R.T.: 0.062 min
Response: 154806
Conc: 3.39 ng/ml




#4 AR-1016-2

R.T.: 5.630 min
Delta R.T.: 0.015 min
Response: 89485
Conc: 0.75 ng/ml



#4 AR-1016-2


R.T.: 4.786 min
Delta R.T.: 0.043 min
Response: 154806
Conc: 2.48 ng/ml



#5 AR-1016-3


R.T.: 5.685 min
Delta R.T.: 0.007 min
Response: 439542
Conc: 5.70 ng/ml

Instrument :
ECD_O
ClientSampleId :




#5 AR-1016-3

R.T.: 4.984 min
Delta R.T.: 0.064 min
Response: 280949
Conc: 8.34 ng/ml




#6 AR-1016-4

R.T.: 5.778 min
Delta R.T.: 0.002 min
Response: 63732
Conc: 1.06 ng/ml



#6 AR-1016-4


R.T.: 4.984 min
Delta R.T.: 0.022 min
Response: 280949
Conc: 8.53 ng/ml



#7 AR-1016-5


R.T.: 6.060 min
Delta R.T.: -0.014 min
Response: 21549
Conc: 0.35 ng/ml

Instrument :
ECD_O
ClientSampleId :




#7 AR-1016-5

R.T.: 5.187 min
Delta R.T.: 0.011 min
Response: 1122978
Conc: 30.81 ng/ml




#8 AR-1221-1

R.T.: 4.621 min
Delta R.T.: -0.002 min
Response: 98027
Conc: 2.74 ng/ml



#8 AR-1221-1


R.T.: 0.000 min
Exp R.T. : 3.850 min
Response: 0
Conc: N.D.



#9 AR-1221-2


R.T.: 4.725 min
Delta R.T.: 0.014 min
Response: 894258
Conc: 33.62 ng/ml

Instrument :
ECD_O
ClientSampleId :




#9 AR-1221-2

R.T.: 3.936 min
Delta R.T.: 0.000 min
Response: 462484
Conc: 35.07 ng/ml




#10 AR-1221-3

R.T.: 4.795 min
Delta R.T.: 0.008 min
Response: 105911
Conc: 1.33 ng/ml



#10 AR-1221-3


R.T.: 0.000 min
Exp R.T. : 4.011 min
Response: 0
Conc: N.D.



#11 AR-1232-1


R.T.: 4.795 min
Delta R.T.: 0.008 min
Response: 105911
Conc: 1.80 ng/ml

Instrument :
ECD_O
ClientSampleId :




#11 AR-1232-1

R.T.: 0.000 min
Exp R.T. : 4.011 min
Response: 0
Conc: N.D.




#12 AR-1232-2

R.T.: 5.329 min
Delta R.T.: 0.008 min
Response: 29265
Conc: 0.84 ng/ml



#12 AR-1232-2


R.T.: 4.786 min
Delta R.T.: 0.044 min
Response: 154806
Conc: 5.21 ng/ml



#13 AR-1232-3


R.T.: 5.630 min
Delta R.T.: 0.016 min
Response: 89485
Conc: 1.57 ng/ml

Instrument :
ECD_O
ClientSampleId :




#13 AR-1232-3

R.T.: 4.984 min
Delta R.T.: 0.065 min
Response: 280949
Conc: 17.59 ng/ml




#14 AR-1232-4

R.T.: 5.778 min
Delta R.T.: 0.003 min
Response: 63732
Conc: 2.23 ng/ml



#14 AR-1232-4


R.T.: 4.998 min
Delta R.T.: -0.005 min
Response: 120897
Conc: 7.70 ng/ml



#15 AR-1232-5


R.T.: 5.880 min
Delta R.T.: 0.012 min
Response: 143482
Conc: 5.78 ng/ml

Instrument :
ECD_O
ClientSampleId :




#15 AR-1232-5

R.T.: 5.187 min
Delta R.T.: 0.011 min
Response: 1122978
Conc: 62.40 ng/ml




#16 AR-1242-1

R.T.: 5.594 min
Delta R.T.: 0.002 min
Response: 53468
Conc: 0.81 ng/ml



#16 AR-1242-1


R.T.: 4.786 min
Delta R.T.: 0.062 min
Response: 154806
Conc: 4.28 ng/ml



#17 AR-1242-2


R.T.: 5.630 min
Delta R.T.: 0.016 min
Response: 89485
Conc: 0.94 ng/ml

Instrument :
ECD_O
ClientSampleId :




#17 AR-1242-2

R.T.: 4.786 min
Delta R.T.: 0.044 min
Response: 154806
Conc: 3.16 ng/ml




#18 AR-1242-3

R.T.: 5.685 min
Delta R.T.: 0.008 min
Response: 439542
Conc: 6.93 ng/ml



#18 AR-1242-3


R.T.: 4.984 min
Delta R.T.: 0.065 min
Response: 280949
Conc: 10.48 ng/ml



#19 AR-1242-4


R.T.: 5.778 min
Delta R.T.: 0.002 min
Response: 63732
Conc: 1.30 ng/ml

Instrument :
ECD_O
ClientSampleId :




#19 AR-1242-4

R.T.: 4.998 min
Delta R.T.: -0.007 min
Response: 120897
Conc: 4.09 ng/ml




#20 AR-1242-5

R.T.: 6.536 min
Delta R.T.: 0.019 min
Response: 294968
Conc: 5.97 ng/ml



#20 AR-1242-5


R.T.: 5.556 min
Delta R.T.: 0.027 min
Response: 1779904
Conc: 50.14 ng/ml



#21 AR-1248-1


R.T.: 5.594 min
Delta R.T.: 0.002 min
Response: 53468
Conc: 1.06 ng/ml

Instrument :
ECD_O
ClientSampleId :




#21 AR-1248-1

R.T.: 4.786 min
Delta R.T.: 0.062 min
Response: 154806
Conc: 5.71 ng/ml




#22 AR-1248-2

R.T.: 5.880 min
Delta R.T.: 0.012 min
Response: 143482
Conc: 1.74 ng/ml



#22 AR-1248-2


R.T.: 4.984 min
Delta R.T.: 0.022 min
Response: 280949
Conc: 7.03 ng/ml



#23 AR-1248-3


R.T.: 6.060 min
Delta R.T.: -0.013 min
Response: 21549
Conc: 0.25 ng/ml

Instrument :
ECD_O
ClientSampleId :




#23 AR-1248-3

R.T.: 4.998 min
Delta R.T.: -0.006 min
Response: 120897
Conc: 2.81 ng/ml




#24 AR-1248-4

R.T.: 6.483 min
Delta R.T.: 0.004 min
Response: 6221
Conc: 0.07 ng/ml



#24 AR-1248-4


R.T.: 5.187 min
Delta R.T.: 0.012 min
Response: 1122978
Conc: 21.59 ng/ml



#25 AR-1248-5


R.T.: 6.536 min
Delta R.T.: 0.018 min
Response: 294968
Conc: 3.51 ng/ml

Instrument :
ECD_O
ClientSampleId :




#25 AR-1248-5

R.T.: 5.556 min
Delta R.T.: -0.015 min
Response: 1779904
Conc: 35.48 ng/ml




#26 AR-1254-1

R.T.: 6.458 min
Delta R.T.: 0.004 min
Response: 356420
Conc: 3.74 ng/ml



#26 AR-1254-1


R.T.: 5.556 min
Delta R.T.: 0.025 min
Response: 1779904
Conc: 24.03 ng/ml



#27 AR-1254-2


R.T.: 6.681 min
Delta R.T.: 0.006 min
Response: 64479
Conc: 0.46 ng/ml

Instrument :
ECD_O
ClientSampleId :




#27 AR-1254-2

R.T.: 5.687 min
Delta R.T.: 0.009 min
Response: 1388716
Conc: 20.35 ng/ml




#28 AR-1254-3

R.T.: 7.048 min
Delta R.T.: 0.005 min
Response: 750071
Conc: 5.55 ng/ml



#28 AR-1254-3


R.T.: 6.083 min
Delta R.T.: 0.000 min
Response: 587132
Conc: 5.90 ng/ml



#29 AR-1254-4


R.T.: 7.320 min
Delta R.T.: -0.009 min
Response: 321520
Conc: 3.59 ng/ml

Instrument :
ECD_O
ClientSampleId :




#29 AR-1254-4

R.T.: 0.000 min
Exp R.T. : 6.313 min
Response: 0
Conc: N.D.




#30 AR-1254-5

R.T.: 7.732 min
Delta R.T.: -0.019 min
Response: 38292
Conc: 0.37 ng/ml



#30 AR-1254-5


R.T.: 6.770 min
Delta R.T.: 0.036 min
Response: 115502
Conc: 1.30 ng/ml



#31 AR-1260-1


R.T.: 7.243 min
Delta R.T.: 0.035 min
Response: 1274691
Conc: 11.21 ng/ml

Instrument :
ECD_O
ClientSampleId :




#31 AR-1260-1

R.T.: 6.219 min
Delta R.T.: 0.003 min
Response: 144377
Conc: 2.01 ng/ml




#32 AR-1260-2

R.T.: 7.466 min
Delta R.T.: 0.000 min
Response: -59671
Conc: N.D.



#32 AR-1260-2


R.T.: 6.388 min
Delta R.T.: -0.016 min
Response: 222561
Conc: 2.67 ng/ml



#33 AR-1260-3


R.T.: 7.732 min
Delta R.T.: -0.017 min
Response: 38292
Conc: 0.28 ng/ml

Instrument :
ECD_O
ClientSampleId :




#33 AR-1260-3

R.T.: 0.000 min
Exp R.T. : 6.558 min
Response: 0
Conc: N.D.




#34 AR-1260-4

R.T.: 8.072 min
Delta R.T.: 0.018 min
Response: 328898
Conc: 3.44 ng/ml



#34 AR-1260-4


R.T.: 0.000 min
Exp R.T. : 7.033 min
Response: 0
Conc: N.D.



#35 AR-1260-5


R.T.: 8.374 min
Delta R.T.: -0.004 min
Response: 93450
Conc: 0.56 ng/ml

Instrument :
ECD_O
ClientSampleId :




#35 AR-1260-5

R.T.: 7.283 min
Delta R.T.: 0.008 min
Response: 128590
Conc: 1.00 ng/ml




#36 AR-1262-1

R.T.: 7.865 min
Delta R.T.: 0.035 min
Response: 382807
Conc: 2.85 ng/ml



#36 AR-1262-1


R.T.: 6.818 min
Delta R.T.: -0.010 min
Response: 481020
Conc: 12.58 ng/ml



#37 AR-1262-2


R.T.: 8.374 min
Delta R.T.: -0.007 min
Response: 93450
Conc: 0.45 ng/ml

Instrument :
ECD_O
ClientSampleId :




#37 AR-1262-2

R.T.: 0.000 min
Exp R.T. : 7.034 min
Response: 0
Conc: N.D.




#38 AR-1262-3

R.T.: 8.709 min
Delta R.T.: 0.008 min
Response: 276483
Conc: 1.83 ng/ml



#38 AR-1262-3


R.T.: 7.555 min
Delta R.T.: -0.007 min
Response: 356858
Conc: 5.76 ng/ml



#39 AR-1262-4


R.T.: 8.812 min
Delta R.T.: 0.022 min
Response: 8116
Conc: 0.07 ng/ml

Instrument :
ECD_O
ClientSampleId :




#39 AR-1262-4

R.T.: 0.000 min
Exp R.T. : 7.626 min
Response: 0
Conc: N.D.




#40 AR-1262-5

R.T.: 9.458 min
Delta R.T.: -0.001 min
Response: 30107
Conc: 0.40 ng/ml



#40 AR-1262-5


R.T.: 8.071 min
Delta R.T.: -0.051 min
Response: 59229
Conc: 1.17 ng/ml



#41 AR-1268-1


R.T.: 8.709 min
Delta R.T.: 0.011 min
Response: 276483
Conc: 1.01 ng/ml

Instrument :
ECD_O
ClientSampleId :




#41 AR-1268-1

R.T.: 7.555 min
Delta R.T.: -0.007 min
Response: 356858
Conc: 2.02 ng/ml




#42 AR-1268-2

R.T.: 8.812 min
Delta R.T.: 0.019 min
Response: 8116
Conc: 0.03 ng/ml



#42 AR-1268-2


R.T.: 0.000 min
Exp R.T. : 7.627 min
Response: 0
Conc: N.D.



#43 AR-1268-3


R.T.: 9.032 min
Delta R.T.: 0.004 min
Response: 171749
Conc: 0.76 ng/ml

Instrument :
ECD_O
ClientSampleId :




#43 AR-1268-3

R.T.: 7.835 min
Delta R.T.: 0.000 min
Response: 282896
Conc: 2.03 ng/ml




#44 AR-1268-4

R.T.: 9.458 min
Delta R.T.: -0.002 min
Response: 30107
Conc: 0.36 ng/ml



#44 AR-1268-4


R.T.: 8.071 min
Delta R.T.: -0.052 min
Response: 59229
Conc: 1.07 ng/ml



#45 AR-1268-5

R.T.: 9.891 min
Delta R.T.: 0.004 min
Response: 96879
Conc: 0.13 ng/ml

Instrument :
ECD_O
ClientSampleId :



#45 AR-1268-5

R.T.: 8.414 min
Delta R.T.: -0.002 min
Response: 198220
Conc: 0.47 ng/ml