

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_0\Data\P0062323\
 Data File : P0095928.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 23 Jun 2023 18:07
 Operator : YP/AJ
 Sample : PB153739BL
 Misc :
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 ECD_0
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jun 23 22:44:10 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_0\methods\P0062023.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Wed Jun 21 13:08:39 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.416	3.634	55418472	25009630	19.047	18.428
2)	SA Decachlor...	10.239	8.669	41382790	24152737	19.975	19.697
Target Compounds							
3)	L1 AR-1016-1	5.588	0.000	77598	0	0.940	N.D. #
4)	L1 AR-1016-2	5.611	0.000	37154	0	0.312	N.D. #
5)	L1 AR-1016-3	5.680	0.000	248061	0	3.215	N.D. #
6)	L1 AR-1016-4	5.777	0.000	153188	0	2.556	N.D. #
7)	L1 AR-1016-5	6.070	0.000	59005	0	0.950	N.D. #
8)	L2 AR-1221-1	4.635	0.000	22356	0	0.625	N.D. #
9)	L2 AR-1221-2	4.726	3.936	925751	330007	34.806	25.023 #
10)	L2 AR-1221-3	4.790	0.000	58551	0	0.734	N.D. #
11)	L3 AR-1232-1	4.790	0.000	58551	0	0.996	N.D. #
12)	L3 AR-1232-2	5.331	0.000	45526	0	1.309	N.D. #
13)	L3 AR-1232-3	5.611	0.000	37154	0	0.653	N.D. #
14)	L3 AR-1232-4	5.777	0.000	153188	0	5.351	N.D. #
15)	L3 AR-1232-5	5.875	0.000	176035	0	7.087	N.D. #
16)	L4 AR-1242-1	5.588	0.000	77598	0	1.174	N.D. #
17)	L4 AR-1242-2	5.611	0.000	37154	0	0.390	N.D. #
18)	L4 AR-1242-3	5.680	0.000	248061	0	3.910	N.D. #
19)	L4 AR-1242-4	5.777	0.000	153188	0	3.130	N.D. #
20)	L4 AR-1242-5	6.522	5.535	80896	79424	1.636	2.237 #
21)	L5 AR-1248-1	5.588	0.000	77598	0	1.533	N.D. #
22)	L5 AR-1248-2	5.875	0.000	176035	0	2.138	N.D. #
23)	L5 AR-1248-3	6.070	0.000	59005	0	0.686	N.D. #
24)	L5 AR-1248-4	6.454	0.000	22815	0	0.275	N.D. #
25)	L5 AR-1248-5	6.522	5.535f	80896	79424	0.962	1.583 #
26)	L6 AR-1254-1	6.454	5.535	22815	79424	0.240	1.072 #
27)	L6 AR-1254-2	6.669	5.679	54799	346610	0.395	5.079 #
28)	L6 AR-1254-3	7.048	6.070	568879	75307	4.211	0.756 #
29)	L6 AR-1254-4	7.331	0.000	144789	0	1.615	N.D. #
30)	L6 AR-1254-5	7.742	6.710	340091	101140	3.306	1.134 #
31)	L7 AR-1260-1	7.188	0.000	38054	0	0.335	N.D. #
32)	L7 AR-1260-2	7.489	6.388	329550	230928	2.714	2.772
33)	L7 AR-1260-3	7.742	0.000	340091	0	2.453	N.D. #
34)	L7 AR-1260-4	8.038	0.000	28637	0	0.300	N.D. #
35)	L7 AR-1260-5	8.382	7.263	46472	248027	0.278	1.932 #
36)	L8 AR-1262-1	7.846	6.818	519292	545576	3.869	14.264 #
37)	L8 AR-1262-2	8.382	0.000	46472	0	0.224	N.D. #
38)	L8 AR-1262-3	8.727	7.556	490770	301211	3.242	4.860 #
39)	L8 AR-1262-4	8.785	7.556f	19753	301211	0.164	2.771 #
40)	L8 AR-1262-5	9.472	8.079f	17124	46177	0.227	0.909 #
41)	L9 AR-1268-1	8.672	7.556	15979	301211	0.058	1.704 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0062323\
 Data File : P0095928.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 23 Jun 2023 18:07
 Operator : YP/AJ
 Sample : PB153739BL
 Misc :
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jun 23 22:44:10 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0062023.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Wed Jun 21 13:08:39 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42) L9	AR-1268-2	8.785	0.000	19753	0	0.080	N.D. #
43) L9	AR-1268-3	9.030	7.839	186293	113994	0.820	0.818
44) L9	AR-1268-4	9.472	8.079f	17124	46177	0.207	0.831 #
45) L9	AR-1268-5	9.884	8.414	104909	204972	0.141	0.490 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0062323\
Data File : P0095928.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 23 Jun 2023 18:07
Operator : YP/AJ
Sample : PB153739BL
Misc :
ALS Vial : 17 Sample Multiplier: 1

Instrument :
ECD_O
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jun 23 22:44:10 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0062023.M
Quant Title : GC EXTRACTABLES
QLast Update : Wed Jun 21 13:08:39 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.416 min
Delta R.T.: 0.001 min
Response: 55418472
Conc: 19.05 ng/ml

Instrument :
ECD_O
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 3.634 min
Delta R.T.: 0.000 min
Response: 25009630
Conc: 18.43 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.239 min
Delta R.T.: 0.011 min
Response: 41382790
Conc: 19.98 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.669 min
Delta R.T.: -0.001 min
Response: 24152737
Conc: 19.70 ng/ml



#3 AR-1016-1


R.T.: 5.588 min
Delta R.T.: -0.005 min
Response: 77598
Conc: 0.94 ng/ml

Instrument :
ECD_O
ClientSampleId :




#3 AR-1016-1

R.T.: 0.000 min
Exp R.T. : 4.725 min
Response: 0
Conc: N.D.




#4 AR-1016-2

R.T.: 5.611 min
Delta R.T.: -0.004 min
Response: 37154
Conc: 0.31 ng/ml



#4 AR-1016-2


R.T.: 0.000 min
Exp R.T. : 4.744 min
Response: 0
Conc: N.D.



#5 AR-1016-3


R.T.: 5.680 min
Delta R.T.: 0.003 min
Response: 248061
Conc: 3.22 ng/ml

Instrument :
ECD_O
ClientSampleId :




#5 AR-1016-3

R.T.: 0.000 min
Exp R.T. : 4.920 min
Response: 0
Conc: N.D.




#6 AR-1016-4

R.T.: 5.777 min
Delta R.T.: 0.000 min
Response: 153188
Conc: 2.56 ng/ml



#6 AR-1016-4


R.T.: 0.000 min
Exp R.T. : 4.963 min
Response: 0
Conc: N.D.



#7 AR-1016-5


R.T.: 6.070 min
Delta R.T.: -0.004 min
Response: 59005
Conc: 0.95 ng/ml

Instrument :
ECD_O
ClientSampleId :




#7 AR-1016-5

R.T.: 0.000 min
Exp R.T. : 5.177 min
Response: 0
Conc: N.D.




#8 AR-1221-1

R.T.: 4.635 min
Delta R.T.: 0.011 min
Response: 22356
Conc: 0.63 ng/ml



#8 AR-1221-1


R.T.: 0.000 min
Exp R.T. : 3.850 min
Response: 0
Conc: N.D.



#9 AR-1221-2


R.T.: 4.726 min
Delta R.T.: 0.015 min
Response: 925751
Conc: 34.81 ng/ml

Instrument :
ECD_O
ClientSampleId :




#9 AR-1221-2

R.T.: 3.936 min
Delta R.T.: 0.001 min
Response: 330007
Conc: 25.02 ng/ml




#10 AR-1221-3

R.T.: 4.790 min
Delta R.T.: 0.003 min
Response: 58551
Conc: 0.73 ng/ml



#10 AR-1221-3


R.T.: 0.000 min
Exp R.T. : 4.011 min
Response: 0
Conc: N.D.



#11 AR-1232-1


R.T.: 4.790 min
Delta R.T.: 0.003 min
Response: 58551
Conc: 1.00 ng/ml

Instrument :
ECD_O
ClientSampleId :




#11 AR-1232-1

R.T.: 0.000 min
Exp R.T. : 4.011 min
Response: 0
Conc: N.D.




#12 AR-1232-2

R.T.: 5.331 min
Delta R.T.: 0.010 min
Response: 45526
Conc: 1.31 ng/ml



#12 AR-1232-2


R.T.: 0.000 min
Exp R.T. : 4.742 min
Response: 0
Conc: N.D.



#13 AR-1232-3


R.T.: 5.611 min
Delta R.T.: -0.002 min
Response: 37154
Conc: 0.65 ng/ml

Instrument :
ECD_O
ClientSampleId :




#13 AR-1232-3

R.T.: 0.000 min
Exp R.T. : 4.919 min
Response: 0
Conc: N.D.




#14 AR-1232-4

R.T.: 5.777 min
Delta R.T.: 0.002 min
Response: 153188
Conc: 5.35 ng/ml



#14 AR-1232-4


R.T.: 0.000 min
Exp R.T. : 5.003 min
Response: 0
Conc: N.D.



#15 AR-1232-5


R.T.: 5.875 min
Delta R.T.: 0.008 min
Response: 176035
Conc: 7.09 ng/ml

Instrument :
ECD_O
ClientSampleId :




#15 AR-1232-5

R.T.: 0.000 min
Exp R.T. : 5.176 min
Response: 0
Conc: N.D.




#16 AR-1242-1

R.T.: 5.588 min
Delta R.T.: -0.004 min
Response: 77598
Conc: 1.17 ng/ml



#16 AR-1242-1


R.T.: 0.000 min
Exp R.T. : 4.724 min
Response: 0
Conc: N.D.



#17 AR-1242-2


R.T.: 5.611 min
Delta R.T.: -0.002 min
Response: 37154
Conc: 0.39 ng/ml

Instrument :
ECD_O
ClientSampleId :




#17 AR-1242-2

R.T.: 0.000 min
Exp R.T. : 4.743 min
Response: 0
Conc: N.D.




#18 AR-1242-3

R.T.: 5.680 min
Delta R.T.: 0.003 min
Response: 248061
Conc: 3.91 ng/ml



#18 AR-1242-3


R.T.: 0.000 min
Exp R.T. : 4.919 min
Response: 0
Conc: N.D.



#19 AR-1242-4


R.T.: 5.777 min
Delta R.T.: 0.001 min
Response: 153188
Conc: 3.13 ng/ml

Instrument :
ECD_O
ClientSampleId :




#19 AR-1242-4

R.T.: 0.000 min
Exp R.T. : 5.004 min
Response: 0
Conc: N.D.




#20 AR-1242-5

R.T.: 6.522 min
Delta R.T.: 0.004 min
Response: 80896
Conc: 1.64 ng/ml



#20 AR-1242-5


R.T.: 5.535 min
Delta R.T.: 0.006 min
Response: 79424
Conc: 2.24 ng/ml



#21 AR-1248-1


R.T.: 5.588 min
Delta R.T.: -0.004 min
Response: 77598
Conc: 1.53 ng/ml

Instrument :
ECD_O
ClientSampleId :




#21 AR-1248-1

R.T.: 0.000 min
Exp R.T. : 4.724 min
Response: 0
Conc: N.D.




#22 AR-1248-2

R.T.: 5.875 min
Delta R.T.: 0.007 min
Response: 176035
Conc: 2.14 ng/ml



#22 AR-1248-2


R.T.: 0.000 min
Exp R.T. : 4.962 min
Response: 0
Conc: N.D.



#23 AR-1248-3


R.T.: 6.070 min
Delta R.T.: -0.003 min
Response: 59005
Conc: 0.69 ng/ml

Instrument :
ECD_O
ClientSampleId :




#23 AR-1248-3

R.T.: 0.000 min
Exp R.T. : 5.004 min
Response: 0
Conc: N.D.




#24 AR-1248-4

R.T.: 6.454 min
Delta R.T.: -0.025 min
Response: 22815
Conc: 0.27 ng/ml



#24 AR-1248-4


R.T.: 0.000 min
Exp R.T. : 5.175 min
Response: 0
Conc: N.D.



#25 AR-1248-5


R.T.: 6.522 min
Delta R.T.: 0.004 min
Response: 80896
Conc: 0.96 ng/ml

Instrument :
ECD_O
ClientSampleId :




#25 AR-1248-5

R.T.: 5.535 min
Delta R.T.: -0.036 min
Response: 79424
Conc: 1.58 ng/ml




#26 AR-1254-1

R.T.: 6.454 min
Delta R.T.: 0.000 min
Response: 22815
Conc: 0.24 ng/ml



#26 AR-1254-1


R.T.: 5.535 min
Delta R.T.: 0.004 min
Response: 79424
Conc: 1.07 ng/ml



#27 AR-1254-2


R.T.: 6.669 min
Delta R.T.: -0.005 min
Response: 54799
Conc: 0.39 ng/ml

Instrument :
ECD_O
ClientSampleId :




#27 AR-1254-2

R.T.: 5.679 min
Delta R.T.: 0.000 min
Response: 346610
Conc: 5.08 ng/ml




#28 AR-1254-3

R.T.: 7.048 min
Delta R.T.: 0.006 min
Response: 568879
Conc: 4.21 ng/ml



#28 AR-1254-3


R.T.: 6.070 min
Delta R.T.: -0.014 min
Response: 75307
Conc: 0.76 ng/ml



#29 AR-1254-4


R.T.: 7.331 min
Delta R.T.: 0.002 min
Response: 144789
Conc: 1.61 ng/ml

Instrument :
ECD_O
ClientSampleId :




#29 AR-1254-4

R.T.: 0.000 min
Exp R.T. : 6.313 min
Response: 0
Conc: N.D.




#30 AR-1254-5

R.T.: 7.742 min
Delta R.T.: -0.009 min
Response: 340091
Conc: 3.31 ng/ml



#30 AR-1254-5


R.T.: 6.710 min
Delta R.T.: -0.024 min
Response: 101140
Conc: 1.13 ng/ml



#31 AR-1260-1


R.T.: 7.188 min
Delta R.T.: -0.019 min
Response: 38054
Conc: 0.33 ng/ml

Instrument :
ECD_O
ClientSampleId :




#31 AR-1260-1

R.T.: 0.000 min
Exp R.T. : 6.215 min
Response: 0
Conc: N.D.




#32 AR-1260-2

R.T.: 7.489 min
Delta R.T.: 0.023 min
Response: 329550
Conc: 2.71 ng/ml



#32 AR-1260-2


R.T.: 6.388 min
Delta R.T.: -0.017 min
Response: 230928
Conc: 2.77 ng/ml



#33 AR-1260-3


R.T.: 7.742 min
Delta R.T.: -0.007 min
Response: 340091
Conc: 2.45 ng/ml

Instrument :
ECD_O
ClientSampleId :




#33 AR-1260-3

R.T.: 0.000 min
Exp R.T. : 6.558 min
Response: 0
Conc: N.D.




#34 AR-1260-4

R.T.: 8.038 min
Delta R.T.: -0.016 min
Response: 28637
Conc: 0.30 ng/ml



#34 AR-1260-4


R.T.: 0.000 min
Exp R.T. : 7.033 min
Response: 0
Conc: N.D.



#35 AR-1260-5


R.T.: 8.382 min
Delta R.T.: 0.004 min
Response: 46472
Conc: 0.28 ng/ml

Instrument :
ECD_O
ClientSampleId :




#35 AR-1260-5

R.T.: 7.263 min
Delta R.T.: -0.012 min
Response: 248027
Conc: 1.93 ng/ml




#36 AR-1262-1

R.T.: 7.846 min
Delta R.T.: 0.015 min
Response: 519292
Conc: 3.87 ng/ml



#36 AR-1262-1


R.T.: 6.818 min
Delta R.T.: -0.009 min
Response: 545576
Conc: 14.26 ng/ml



#37 AR-1262-2


R.T.: 8.382 min
Delta R.T.: 0.000 min
Response: 46472
Conc: 0.22 ng/ml

Instrument :
ECD_O
ClientSampleId :




#37 AR-1262-2

R.T.: 0.000 min
Exp R.T. : 7.034 min
Response: 0
Conc: N.D.




#38 AR-1262-3

R.T.: 8.727 min
Delta R.T.: 0.027 min
Response: 490770
Conc: 3.24 ng/ml



#38 AR-1262-3


R.T.: 7.556 min
Delta R.T.: -0.006 min
Response: 301211
Conc: 4.86 ng/ml



#39 AR-1262-4


R.T.: 8.785 min
Delta R.T.: -0.006 min
Response: 19753
Conc: 0.16 ng/ml

Instrument :
ECD_O
ClientSampleId :




#39 AR-1262-4

R.T.: 7.556 min
Delta R.T.: -0.070 min
Response: 301211
Conc: 2.77 ng/ml




#40 AR-1262-5

R.T.: 9.472 min
Delta R.T.: 0.012 min
Response: 17124
Conc: 0.23 ng/ml



#40 AR-1262-5


R.T.: 8.079 min
Delta R.T.: -0.044 min
Response: 46177
Conc: 0.91 ng/ml



#41 AR-1268-1


R.T.: 8.672 min
Delta R.T.: -0.026 min
Response: 15979
Conc: 0.06 ng/ml

Instrument :
ECD_O
ClientSampleId :




#41 AR-1268-1

R.T.: 7.556 min
Delta R.T.: -0.006 min
Response: 301211
Conc: 1.70 ng/ml




#42 AR-1268-2

R.T.: 8.785 min
Delta R.T.: -0.008 min
Response: 19753
Conc: 0.08 ng/ml



#42 AR-1268-2


R.T.: 0.000 min
Exp R.T.: 7.627 min
Response: 0
Conc: N.D.



#43 AR-1268-3


R.T.: 9.030 min
Delta R.T.: 0.003 min
Response: 186293
Conc: 0.82 ng/ml

Instrument :
ECD_O
ClientSampleId :




#43 AR-1268-3

R.T.: 7.839 min
Delta R.T.: 0.004 min
Response: 113994
Conc: 0.82 ng/ml




#44 AR-1268-4

R.T.: 9.472 min
Delta R.T.: 0.012 min
Response: 17124
Conc: 0.21 ng/ml



#44 AR-1268-4


R.T.: 8.079 min
Delta R.T.: -0.045 min
Response: 46177
Conc: 0.83 ng/ml



#45 AR-1268-5

R.T.: 9.884 min
Delta R.T.: -0.003 min
Response: 104909
Conc: 0.14 ng/ml

Instrument :
ECD_O
ClientSampleId :



#45 AR-1268-5

R.T.: 8.414 min
Delta R.T.: -0.003 min
Response: 204972
Conc: 0.49 ng/ml