

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0062722\
 Data File : P0087464.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 28 Jun 2022 03:17
 Operator : YP/AJ
 Sample : N3488-15
 Misc :
 ALS Vial : 49 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :
 SB-14-0-2-20220623

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jun 28 06:00:27 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0062722.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Tue Jun 28 02:46:21 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.449	3.609	55345582	21725148	21.383	22.079
2)	SA Decachlor...	10.301	8.615	41322676	13176806	20.230	16.254
Target Compounds							
3)	L1 AR-1016-1	5.613	4.717	64888	547817	0.723	13.699 #
4)	L1 AR-1016-2	5.654	4.717	4770451	547817	37.957	9.826 #
5)	L1 AR-1016-3	5.699	4.880	1780361	-331138	22.875	N.D. #
6)	L1 AR-1016-4	5.790	4.930	13429363	186873	219.706	7.776 #
8)	L2 AR-1221-1	4.662	0.000	1212411	0	39.414	N.D. #
9)	L2 AR-1221-2	4.757	3.907	791302	454044	34.910	51.069 #
10)	L2 AR-1221-3	4.839	3.962	132494	475780	1.894	17.008 #
11)	L3 AR-1232-1	4.839	3.962	132494	475780	2.024	18.328 #
12)	L3 AR-1232-2	5.161	4.717	270915	547817	8.390	22.466 #
13)	L3 AR-1232-3	5.654	4.880	4770451	-331138	79.104	N.D. #
14)	L3 AR-1232-4	5.790	4.989	13429363	722244	458.661	63.700 #
15)	L3 AR-1232-5	5.907	5.144	1915618	-125223	77.684	N.D. #
16)	L4 AR-1242-1	5.613	4.717	64888	547817	0.895	19.194 #
17)	L4 AR-1242-2	5.654	4.717	4770451	547817	46.722	14.043 #
18)	L4 AR-1242-3	5.699	4.880	1780361	-331138	27.721	N.D. #
19)	L4 AR-1242-4	5.790	4.989	13429363	722244	263.795	34.186 #
20)	L4 AR-1242-5	6.525	5.498	57928363	4446171	1091.067	170.091 #
21)	L5 AR-1248-1	5.613	4.717	64888	547817	1.130	23.606 #
22)	L5 AR-1248-2	5.907	4.930	1915618	186873	22.977	5.946 #
23)	L5 AR-1248-3	6.072f	4.989	120714	722244	1.347	22.252 #
24)	L5 AR-1248-4	6.525	5.144	57928363	-125223	588.914	N.D. #
25)	L5 AR-1248-5	6.525	5.522	57928363	2814452	602.637	77.210 #
26)	L6 AR-1254-1	6.478	5.498	102.1E6	4446171	1018.469	80.431 #
27)	L6 AR-1254-2	6.719	5.639	17233608	2698583	112.931	55.162 #
28)	L6 AR-1254-3	7.054	6.040	3794825	2023743	24.915	26.669
29)	L6 AR-1254-4	7.368	6.285	11400228	1188854	103.568	26.187 #
30)	L6 AR-1254-5	7.784	6.687	19814037	4027545	165.076	63.000 #
31)	L7 AR-1260-1	7.244	6.193	11520383	20987701	102.766	371.759 #
32)	L7 AR-1260-2	7.497	6.360	157.1E6	1232587	1152.528	18.218 #
33)	L7 AR-1260-3	7.838	6.514	16474857	1330197	175.886	21.058 #
34)	L7 AR-1260-4	8.094	6.990	6326465	2706529	60.478	58.199
35)	L7 AR-1260-5	8.414	7.228	5954164	2494309	30.184	23.140
36)	L8 AR-1262-1	7.838	6.789	16474857	4845081	115.112	184.584 #
37)	L8 AR-1262-2	8.414	7.228	5954164	2494309	23.688	23.498
38)	L8 AR-1262-3	8.752	7.513	3648893	1132455	20.174	27.609 #
39)	L8 AR-1262-4	8.833	7.575	2094250	2082438	24.236	27.836
40)	L8 AR-1262-5	9.512	8.071	3453367	3206789	36.048	95.600 #
41)	L9 AR-1268-1	8.752	7.513	3648893	1132455	12.439	9.838
42)	L9 AR-1268-2	8.833	7.575	2094250	2082438	7.783	20.285 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0062722\
Data File : P0087464.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 28 Jun 2022 03:17
Operator : YP/AJ
Sample : N3488-15
Misc :
ALS Vial : 49 Sample Multiplier: 1

Instrument :
ECD_O
ClientSampleId :
SB-14-0-2-20220623

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jun 28 06:00:27 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0062722.M
Quant Title : GC EXTRACTABLES
QLast Update : Tue Jun 28 02:46:21 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
43)	L9 AR-1268-3	9.073	7.784	674316	904853	2.885	10.689 #
44)	L9 AR-1268-4	9.512	8.071	3453367	3206789	33.781	90.397 #
45)	L9 AR-1268-5	9.947	8.360	1752677	1262674	2.321	5.042 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_0\Data\PO062722\
Data File : PO087464.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 28 Jun 2022 03:17
Operator : YP/AJ
Sample : N3488-15
Misc :
ALS Vial : 49 Sample Multiplier: 1

Instrument :
ECD_0
ClientSampleId :
SB-14-0-2-20220623

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jun 28 06:00:27 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_0\methods\PO062722.M
Quant Title : GC EXTRACTABLES
QLast Update : Tue Jun 28 02:46:21 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.449 min
Delta R.T.: -0.002 min
Response: 55345582
Conc: 21.38 ng/ml

Instrument :
ECD_O
ClientSampleId :
SB-14-0-2-20220623




#1 Tetrachloro-m-xylene

R.T.: 3.609 min
Delta R.T.: -0.002 min
Response: 21725148
Conc: 22.08 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.301 min
Delta R.T.: -0.005 min
Response: 41322676
Conc: 20.23 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.615 min
Delta R.T.: 0.000 min
Response: 13176806
Conc: 16.25 ng/ml



#3 AR-1016-1


R.T.: 5.613 min
Delta R.T.: -0.015 min
Response: 64888
Conc: 0.72 ng/ml

Instrument :
ECD_O
ClientSampleId :
SB-14-0-2-20220623




#3 AR-1016-1

R.T.: 4.717 min
Delta R.T.: 0.027 min
Response: 547817
Conc: 13.70 ng/ml




#4 AR-1016-2

R.T.: 5.654 min
Delta R.T.: 0.004 min
Response: 4770451
Conc: 37.96 ng/ml



#4 AR-1016-2


R.T.: 4.717 min
Delta R.T.: 0.008 min
Response: 547817
Conc: 9.83 ng/ml



#5 AR-1016-3


R.T.: 5.699 min
Delta R.T.: -0.014 min
Response: 1780361
Conc: 22.87 ng/ml

Instrument :
ECD_O
ClientSampleId :
SB-14-0-2-20220623




#5 AR-1016-3

R.T.: 4.880 min
Delta R.T.: -0.005 min
Response: -331138
Conc: N.D.




#6 AR-1016-4

R.T.: 5.790 min
Delta R.T.: -0.023 min
Response: 13429363
Conc: 219.71 ng/ml



#6 AR-1016-4


R.T.: 4.930 min
Delta R.T.: 0.004 min
Response: 186873
Conc: 7.78 ng/ml



#7 AR-1016-5


R.T.: 6.072 min
Delta R.T.: -0.038 min
Response: 120714
Conc: 2.01 ng/ml

Instrument :
ECD_O
ClientSampleId :
SB-14-0-2-20220623




#7 AR-1016-5

R.T.: 5.144 min
Delta R.T.: 0.005 min
Response: -125223
Conc: N.D.




#8 AR-1221-1

R.T.: 4.662 min
Delta R.T.: 0.003 min
Response: 1212411
Conc: 39.41 ng/ml



#8 AR-1221-1


R.T.: 0.000 min
Exp R.T. : 3.824 min
Response: 0
Conc: N.D.



#9 AR-1221-2


R.T.: 4.757 min
Delta R.T.: 0.011 min
Response: 791302
Conc: 34.91 ng/ml

Instrument :
ECD_O
ClientSampleId :
SB-14-0-2-20220623




#9 AR-1221-2

R.T.: 3.907 min
Delta R.T.: -0.001 min
Response: 454044
Conc: 51.07 ng/ml




#10 AR-1221-3

R.T.: 4.839 min
Delta R.T.: 0.015 min
Response: 132494
Conc: 1.89 ng/ml



#10 AR-1221-3


R.T.: 3.962 min
Delta R.T.: -0.021 min
Response: 475780
Conc: 17.01 ng/ml



#11 AR-1232-1


R.T.: 4.839 min
Delta R.T.: 0.015 min
Response: 132494
Conc: 2.02 ng/ml

Instrument :
ECD_O
ClientSampleId :
SB-14-0-2-20220623




#11 AR-1232-1

R.T.: 3.962 min
Delta R.T.: -0.022 min
Response: 475780
Conc: 18.33 ng/ml




#12 AR-1232-2

R.T.: 5.161 min
Delta R.T.: -0.001 min
Response: 270915
Conc: 8.39 ng/ml



#12 AR-1232-2


R.T.: 4.717 min
Delta R.T.: 0.008 min
Response: 547817
Conc: 22.47 ng/ml



#13 AR-1232-3


R.T.: 5.654 min
Delta R.T.: 0.004 min
Response: 4770451
Conc: 79.10 ng/ml

Instrument :
ECD_O
ClientSampleId :
SB-14-0-2-20220623




#13 AR-1232-3

R.T.: 4.880 min
Delta R.T.: -0.005 min
Response: -331138
Conc: N.D.




#14 AR-1232-4

R.T.: 5.790 min
Delta R.T.: -0.023 min
Response: 13429363
Conc: 458.66 ng/ml



#14 AR-1232-4


R.T.: 4.989 min
Delta R.T.: 0.021 min
Response: 722244
Conc: 63.70 ng/ml



#15 AR-1232-5


R.T.: 5.907 min
Delta R.T.: 0.003 min
Response: 1915618
Conc: 77.68 ng/ml

Instrument :
ECD_O
ClientSampleId :
SB-14-0-2-20220623




#15 AR-1232-5

R.T.: 5.144 min
Delta R.T.: 0.005 min
Response: -125223
Conc: N.D.




#16 AR-1242-1

R.T.: 5.613 min
Delta R.T.: -0.015 min
Response: 64888
Conc: 0.89 ng/ml



#16 AR-1242-1


R.T.: 4.717 min
Delta R.T.: 0.026 min
Response: 547817
Conc: 19.19 ng/ml



#17 AR-1242-2


R.T.: 5.654 min
Delta R.T.: 0.003 min
Response: 4770451
Conc: 46.72 ng/ml

Instrument :
ECD_O
ClientSampleId :
SB-14-0-2-20220623




#17 AR-1242-2

R.T.: 4.717 min
Delta R.T.: 0.008 min
Response: 547817
Conc: 14.04 ng/ml




#18 AR-1242-3

R.T.: 5.699 min
Delta R.T.: -0.015 min
Response: 1780361
Conc: 27.72 ng/ml



#18 AR-1242-3


R.T.: 4.880 min
Delta R.T.: -0.005 min
Response: -331138
Conc: N.D.



#19 AR-1242-4


R.T.: 5.790 min
Delta R.T.: -0.024 min
Response: 13429363
Conc: 263.80 ng/ml

Instrument :
ECD_O
ClientSampleId :
SB-14-0-2-20220623




#19 AR-1242-4

R.T.: 4.989 min
Delta R.T.: 0.021 min
Response: 722244
Conc: 34.19 ng/ml




#20 AR-1242-5

R.T.: 6.525 min
Delta R.T.: -0.030 min
Response: 57928363
Conc: 1091.07 ng/ml



#20 AR-1242-5


R.T.: 5.498 min
Delta R.T.: 0.007 min
Response: 4446171
Conc: 170.09 ng/ml



#21 AR-1248-1


R.T.: 5.613 min
Delta R.T.: -0.015 min
Response: 64888
Conc: 1.13 ng/ml

Instrument :
ECD_O
ClientSampleId :
SB-14-0-2-20220623




#21 AR-1248-1

R.T.: 4.717 min
Delta R.T.: 0.026 min
Response: 547817
Conc: 23.61 ng/ml




#22 AR-1248-2

R.T.: 5.907 min
Delta R.T.: 0.003 min
Response: 1915618
Conc: 22.98 ng/ml



#22 AR-1248-2


R.T.: 4.930 min
Delta R.T.: 0.003 min
Response: 186873
Conc: 5.95 ng/ml



#23 AR-1248-3


R.T.: 6.072 min
Delta R.T.: -0.038 min
Response: 120714
Conc: 1.35 ng/ml

Instrument :
ECD_O
ClientSampleId :
SB-14-0-2-20220623




#23 AR-1248-3

R.T.: 4.989 min
Delta R.T.: 0.021 min
Response: 722244
Conc: 22.25 ng/ml




#24 AR-1248-4

R.T.: 6.525 min
Delta R.T.: 0.010 min
Response: 57928363
Conc: 588.91 ng/ml



#24 AR-1248-4


R.T.: 5.144 min
Delta R.T.: 0.004 min
Response: -125223
Conc: N.D.



#25 AR-1248-5


R.T.: 6.525 min
Delta R.T.: -0.030 min
Response: 57928363
Conc: 602.64 ng/ml

Instrument :
ECD_O
ClientSampleId :
SB-14-0-2-20220623




#25 AR-1248-5

R.T.: 5.522 min
Delta R.T.: -0.011 min
Response: 2814452
Conc: 77.21 ng/ml




#26 AR-1254-1

R.T.: 6.478 min
Delta R.T.: -0.011 min
Response: 102089437
Conc: 1018.47 ng/ml



#26 AR-1254-1


R.T.: 5.498 min
Delta R.T.: 0.006 min
Response: 4446171
Conc: 80.43 ng/ml



#27 AR-1254-2


R.T.: 6.719 min
Delta R.T.: 0.010 min
Response: 17233608
Conc: 112.93 ng/ml

Instrument :
ECD_O
ClientSampleId :
SB-14-0-2-20220623




#27 AR-1254-2

R.T.: 5.639 min
Delta R.T.: 0.000 min
Response: 2698583
Conc: 55.16 ng/ml




#28 AR-1254-3

R.T.: 7.054 min
Delta R.T.: -0.023 min
Response: 3794825
Conc: 24.92 ng/ml



#28 AR-1254-3


R.T.: 6.040 min
Delta R.T.: -0.003 min
Response: 2023743
Conc: 26.67 ng/ml



#29 AR-1254-4


R.T.: 7.368 min
Delta R.T.: 0.005 min
Response: 11400228
Conc: 103.57 ng/ml

Instrument :
ECD_O
ClientSampleId :
SB-14-0-2-20220623




#29 AR-1254-4

R.T.: 6.285 min
Delta R.T.: 0.013 min
Response: 1188854
Conc: 26.19 ng/ml




#30 AR-1254-5

R.T.: 7.784 min
Delta R.T.: 0.000 min
Response: 19814037
Conc: 165.08 ng/ml



#30 AR-1254-5


R.T.: 6.687 min
Delta R.T.: -0.002 min
Response: 4027545
Conc: 63.00 ng/ml



#31 AR-1260-1


R.T.: 7.244 min
Delta R.T.: 0.000 min
Response: 11520383
Conc: 102.77 ng/ml

Instrument :
ECD_O
ClientSampleId :
SB-14-0-2-20220623




#31 AR-1260-1

R.T.: 6.193 min
Delta R.T.: 0.020 min
Response: 20987701
Conc: 371.76 ng/ml




#32 AR-1260-2

R.T.: 7.497 min
Delta R.T.: -0.003 min
Response: 157061949
Conc: 1152.53 ng/ml



#32 AR-1260-2


R.T.: 6.360 min
Delta R.T.: 0.000 min
Response: 1232587
Conc: 18.22 ng/ml



#33 AR-1260-3


R.T.: 7.838 min
Delta R.T.: -0.024 min
Response: 16474857
Conc: 175.89 ng/ml

Instrument :
ECD_O
ClientSampleId :
SB-14-0-2-20220623




#33 AR-1260-3

R.T.: 6.514 min
Delta R.T.: 0.000 min
Response: 1330197
Conc: 21.06 ng/ml




#34 AR-1260-4

R.T.: 8.094 min
Delta R.T.: 0.005 min
Response: 6326465
Conc: 60.48 ng/ml



#34 AR-1260-4


R.T.: 6.990 min
Delta R.T.: 0.004 min
Response: 2706529
Conc: 58.20 ng/ml



#35 AR-1260-5


R.T.: 8.414 min
Delta R.T.: -0.003 min
Response: 5954164
Conc: 30.18 ng/ml

Instrument :
ECD_O
ClientSampleId :
SB-14-0-2-20220623




#35 AR-1260-5

R.T.: 7.228 min
Delta R.T.: 0.000 min
Response: 2494309
Conc: 23.14 ng/ml




#36 AR-1262-1

R.T.: 7.838 min
Delta R.T.: -0.023 min
Response: 16474857
Conc: 115.11 ng/ml



#36 AR-1262-1


R.T.: 6.789 min
Delta R.T.: 0.009 min
Response: 4845081
Conc: 184.58 ng/ml



#37 AR-1262-2


R.T.: 8.414 min
Delta R.T.: 0.000 min
Response: 5954164
Conc: 23.69 ng/ml

Instrument :
ECD_O
ClientSampleId :
SB-14-0-2-20220623




#37 AR-1262-2

R.T.: 7.228 min
Delta R.T.: 0.000 min
Response: 2494309
Conc: 23.50 ng/ml




#38 AR-1262-3

R.T.: 8.752 min
Delta R.T.: 0.013 min
Response: 3648893
Conc: 20.17 ng/ml



#38 AR-1262-3


R.T.: 7.513 min
Delta R.T.: 0.000 min
Response: 1132455
Conc: 27.61 ng/ml



#39 AR-1262-4


R.T.: 8.833 min
Delta R.T.: 0.002 min
Response: 2094250
Conc: 24.24 ng/ml

Instrument :
ECD_O
ClientSampleId :
SB-14-0-2-20220623




#39 AR-1262-4

R.T.: 7.575 min
Delta R.T.: 0.000 min
Response: 2082438
Conc: 27.84 ng/ml




#40 AR-1262-5

R.T.: 9.512 min
Delta R.T.: 0.000 min
Response: 3453367
Conc: 36.05 ng/ml



#40 AR-1262-5


R.T.: 8.071 min
Delta R.T.: 0.001 min
Response: 3206789
Conc: 95.60 ng/ml



#41 AR-1268-1


R.T.: 8.752 min
Delta R.T.: 0.015 min
Response: 3648893
Conc: 12.44 ng/ml

Instrument :
ECD_O
ClientSampleId :
SB-14-0-2-20220623




#41 AR-1268-1

R.T.: 7.513 min
Delta R.T.: 0.002 min
Response: 1132455
Conc: 9.84 ng/ml




#42 AR-1268-2

R.T.: 8.833 min
Delta R.T.: -0.001 min
Response: 2094250
Conc: 7.78 ng/ml



#42 AR-1268-2


R.T.: 7.575 min
Delta R.T.: 0.000 min
Response: 2082438
Conc: 20.28 ng/ml



#43 AR-1268-3


R.T.: 9.073 min
Delta R.T.: 0.002 min
Response: 674316
Conc: 2.88 ng/ml

Instrument :
ECD_O
ClientSampleId :
SB-14-0-2-20220623




#43 AR-1268-3

R.T.: 7.784 min
Delta R.T.: 0.000 min
Response: 904853
Conc: 10.69 ng/ml




#44 AR-1268-4

R.T.: 9.512 min
Delta R.T.: 0.000 min
Response: 3453367
Conc: 33.78 ng/ml



#44 AR-1268-4


R.T.: 8.071 min
Delta R.T.: 0.002 min
Response: 3206789
Conc: 90.40 ng/ml



#45 AR-1268-5

R.T.: 9.947 min
Delta R.T.: 0.002 min
Response: 1752677
Conc: 2.32 ng/ml

Instrument :
ECD_O
ClientSampleId :
SB-14-0-2-20220623



#45 AR-1268-5

R.T.: 8.360 min
Delta R.T.: 0.000 min
Response: 1262674
Conc: 5.04 ng/ml