

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_0\Data\P0062923\
 Data File : P0096066.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 29 Jun 2023 14:28
 Operator : YP/AJ
 Sample : PB153878BL
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 ECD_0
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jun 29 20:45:58 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_0\methods\P0062023.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Wed Jun 21 13:08:39 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.419	3.635	56160344	26288060	19.302	19.370
2)	SA Decachlor...	10.248	8.672	46346851	25948920	22.371	21.162
Target Compounds							
3)	L1 AR-1016-1	5.589	4.789f	19699	105996	0.239	2.319 #
4)	L1 AR-1016-2	5.632	4.789f	164196	105996	1.378	1.701
5)	L1 AR-1016-3	5.679	0.000	266529	0	3.455	N.D. #
6)	L1 AR-1016-4	5.773	0.000	127568	0	2.128	N.D. #
7)	L1 AR-1016-5	6.082	0.000	33456	0	0.538	N.D. #
8)	L2 AR-1221-1	4.626	0.000	77067	0	2.155	N.D. #
9)	L2 AR-1221-2	4.730	3.935	862773	262847	32.438	19.930 #
10)	L2 AR-1221-3	4.782	0.000	14812	0	0.186	N.D. #
11)	L3 AR-1232-1	4.782	0.000	14812	0	0.252	N.D. #
12)	L3 AR-1232-2	5.329	4.789f	76039	105996	2.186	3.566 #
13)	L3 AR-1232-3	5.632	0.000	164196	0	2.888	N.D. #
14)	L3 AR-1232-4	5.773	0.000	127568	0	4.456	N.D. #
15)	L3 AR-1232-5	5.861	0.000	50316	0	2.026	N.D. #
16)	L4 AR-1242-1	5.589	4.789f	19699	105996	0.298	2.932 #
17)	L4 AR-1242-2	5.632	4.789f	164196	105996	1.722	2.161 #
18)	L4 AR-1242-3	5.679	0.000	266529	0	4.201	N.D. #
19)	L4 AR-1242-4	5.773	0.000	127568	0	2.607	N.D. #
20)	L4 AR-1242-5	6.519	0.000	26265	0	0.531	N.D. #
21)	L5 AR-1248-1	5.589	4.789f	19699	105996	0.389	3.908 #
22)	L5 AR-1248-2	5.861	0.000	50316	0	0.611	N.D. #
23)	L5 AR-1248-3	6.082	0.000	33456	0	0.389	N.D. #
24)	L5 AR-1248-4	6.482	0.000	25724	0	0.310	N.D. #
25)	L5 AR-1248-5	6.519	5.612f	26265	1743566	0.312	34.755 #
26)	L6 AR-1254-1	6.463	0.000	107438	0	1.128	N.D. #
27)	L6 AR-1254-2	6.683	5.676	99564	200295	0.717	2.935 #
28)	L6 AR-1254-3	7.052	6.069	1317290	235254	9.750	2.362 #
29)	L6 AR-1254-4	7.338	6.335	55091	115974	0.614	1.965 #
30)	L6 AR-1254-5	7.760	0.000	397997	0	3.869	N.D. #
31)	L7 AR-1260-1	7.209	6.269f	226245	183175	1.990	2.552 #
32)	L7 AR-1260-2	7.420f	6.388	121939	688481	1.004	8.265 #
33)	L7 AR-1260-3	7.760	0.000	397997	0	2.871	N.D. #
34)	L7 AR-1260-4	8.041	0.000	63817	0	0.667	N.D. #
35)	L7 AR-1260-5	8.388	7.273	137080	135422	0.821	1.055 #
36)	L8 AR-1262-1	7.855	6.817	770321	476012	5.739	12.445 #
37)	L8 AR-1262-2	8.388	0.000	137080	0	0.662	N.D. #
38)	L8 AR-1262-3	8.709	7.557	312013	162100	2.061	2.616 #
39)	L8 AR-1262-4	8.790	7.557f	39179	162100	0.325	1.491 #
40)	L8 AR-1262-5	9.456	8.078f	17741	33940	0.235	0.668 #
41)	L9 AR-1268-1	8.709	7.557	312013	162100	1.141	0.917

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0062923\
 Data File : P0096066.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 29 Jun 2023 14:28
 Operator : YP/AJ
 Sample : PB153878BL
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jun 29 20:45:58 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0062023.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Wed Jun 21 13:08:39 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42) L9	AR-1268-2	8.790	7.557f	39179	162100	0.159	1.035 #
43) L9	AR-1268-3	9.024	7.837	82723	81457	0.364	0.585 #
44) L9	AR-1268-4	9.456	8.078f	17741	33940	0.214	0.611 #
45) L9	AR-1268-5	9.886	8.420	182960	193416	0.245	0.462 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\PO062923\
Data File : PO096066.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 29 Jun 2023 14:28
Operator : YP/AJ
Sample : PB153878BL
Misc :
ALS Vial : 13 Sample Multiplier: 1

Instrument :
ECD_O
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jun 29 20:45:58 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\PO062023.M
Quant Title : GC EXTRACTABLES
QLast Update : Wed Jun 21 13:08:39 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.419 min
Delta R.T.: 0.004 min
Response: 56160344
Conc: 19.30 ng/ml

Instrument :
ECD_O
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 3.635 min
Delta R.T.: 0.000 min
Response: 26288060
Conc: 19.37 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.248 min
Delta R.T.: 0.020 min
Response: 46346851
Conc: 22.37 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.672 min
Delta R.T.: 0.001 min
Response: 25948920
Conc: 21.16 ng/ml



#3 AR-1016-1


R.T.: 5.589 min
Delta R.T.: -0.004 min
Response: 19699
Conc: 0.24 ng/ml

Instrument :
ECD_O
ClientSampleId :




#3 AR-1016-1

R.T.: 4.789 min
Delta R.T.: 0.064 min
Response: 105996
Conc: 2.32 ng/ml




#4 AR-1016-2

R.T.: 5.632 min
Delta R.T.: 0.016 min
Response: 164196
Conc: 1.38 ng/ml



#4 AR-1016-2


R.T.: 4.789 min
Delta R.T.: 0.045 min
Response: 105996
Conc: 1.70 ng/ml



#5 AR-1016-3


R.T.: 5.679 min
Delta R.T.: 0.002 min
Response: 266529
Conc: 3.45 ng/ml

Instrument :
ECD_O
ClientSampleId :




#5 AR-1016-3

R.T.: 0.000 min
Exp R.T. : 4.920 min
Response: 0
Conc: N.D.




#6 AR-1016-4

R.T.: 5.773 min
Delta R.T.: -0.003 min
Response: 127568
Conc: 2.13 ng/ml



#6 AR-1016-4


R.T.: 0.000 min
Exp R.T. : 4.963 min
Response: 0
Conc: N.D.



#7 AR-1016-5


R.T.: 6.082 min
Delta R.T.: 0.008 min
Response: 33456
Conc: 0.54 ng/ml

Instrument :
ECD_O
ClientSampleId :




#7 AR-1016-5

R.T.: 0.000 min
Exp R.T. : 5.177 min
Response: 0
Conc: N.D.




#8 AR-1221-1

R.T.: 4.626 min
Delta R.T.: 0.003 min
Response: 77067
Conc: 2.15 ng/ml



#8 AR-1221-1


R.T.: 0.000 min
Exp R.T. : 3.850 min
Response: 0
Conc: N.D.



#9 AR-1221-2


R.T.: 4.730 min
Delta R.T.: 0.020 min
Response: 862773
Conc: 32.44 ng/ml

Instrument :
ECD_O
ClientSampleId :




#9 AR-1221-2

R.T.: 3.935 min
Delta R.T.: 0.000 min
Response: 262847
Conc: 19.93 ng/ml




#10 AR-1221-3

R.T.: 4.782 min
Delta R.T.: -0.005 min
Response: 14812
Conc: 0.19 ng/ml



#10 AR-1221-3


R.T.: 0.000 min
Exp R.T. : 4.011 min
Response: 0
Conc: N.D.



#11 AR-1232-1


R.T.: 4.782 min
Delta R.T.: -0.005 min
Response: 14812
Conc: 0.25 ng/ml

Instrument :
ECD_O
ClientSampleId :




#11 AR-1232-1

R.T.: 0.000 min
Exp R.T. : 4.011 min
Response: 0
Conc: N.D.




#12 AR-1232-2

R.T.: 5.329 min
Delta R.T.: 0.008 min
Response: 76039
Conc: 2.19 ng/ml



#12 AR-1232-2


R.T.: 4.789 min
Delta R.T.: 0.046 min
Response: 105996
Conc: 3.57 ng/ml



#13 AR-1232-3


R.T.: 5.632 min
Delta R.T.: 0.018 min
Response: 164196
Conc: 2.89 ng/ml

Instrument :
ECD_O
ClientSampleId :




#13 AR-1232-3

R.T.: 0.000 min
Exp R.T. : 4.919 min
Response: 0
Conc: N.D.




#14 AR-1232-4

R.T.: 5.773 min
Delta R.T.: -0.002 min
Response: 127568
Conc: 4.46 ng/ml



#14 AR-1232-4


R.T.: 0.000 min
Exp R.T. : 5.003 min
Response: 0
Conc: N.D.



#15 AR-1232-5


R.T.: 5.861 min
Delta R.T.: -0.007 min
Response: 50316
Conc: 2.03 ng/ml

Instrument :
ECD_O
ClientSampleId :




#15 AR-1232-5

R.T.: 0.000 min
Exp R.T. : 5.176 min
Response: 0
Conc: N.D.




#16 AR-1242-1

R.T.: 5.589 min
Delta R.T.: -0.003 min
Response: 19699
Conc: 0.30 ng/ml



#16 AR-1242-1


R.T.: 4.789 min
Delta R.T.: 0.065 min
Response: 105996
Conc: 2.93 ng/ml



#17 AR-1242-2


R.T.: 5.632 min
Delta R.T.: 0.018 min
Response: 164196
Conc: 1.72 ng/ml

Instrument :
ECD_O
ClientSampleId :




#17 AR-1242-2

R.T.: 4.789 min
Delta R.T.: 0.046 min
Response: 105996
Conc: 2.16 ng/ml




#18 AR-1242-3

R.T.: 5.679 min
Delta R.T.: 0.002 min
Response: 266529
Conc: 4.20 ng/ml



#18 AR-1242-3


R.T.: 0.000 min
Exp R.T. : 4.919 min
Response: 0
Conc: N.D.



#19 AR-1242-4


R.T.: 5.773 min
Delta R.T.: -0.002 min
Response: 127568
Conc: 2.61 ng/ml

Instrument :
ECD_O
ClientSampleId :




#19 AR-1242-4

R.T.: 0.000 min
Exp R.T. : 5.004 min
Response: 0
Conc: N.D.




#20 AR-1242-5

R.T.: 6.519 min
Delta R.T.: 0.002 min
Response: 26265
Conc: 0.53 ng/ml



#20 AR-1242-5


R.T.: 0.000 min
Exp R.T. : 5.529 min
Response: 0
Conc: N.D.



#21 AR-1248-1


R.T.: 5.589 min
Delta R.T.: -0.003 min
Response: 19699
Conc: 0.39 ng/ml

Instrument :
ECD_O
ClientSampleId :




#21 AR-1248-1

R.T.: 4.789 min
Delta R.T.: 0.065 min
Response: 105996
Conc: 3.91 ng/ml




#22 AR-1248-2

R.T.: 5.861 min
Delta R.T.: -0.008 min
Response: 50316
Conc: 0.61 ng/ml



#22 AR-1248-2


R.T.: 0.000 min
Exp R.T.: 4.962 min
Response: 0
Conc: N.D.



#23 AR-1248-3


R.T.: 6.082 min
Delta R.T.: 0.008 min
Response: 33456
Conc: 0.39 ng/ml

Instrument :
ECD_O
ClientSampleId :




#23 AR-1248-3

R.T.: 0.000 min
Exp R.T. : 5.004 min
Response: 0
Conc: N.D.




#24 AR-1248-4

R.T.: 6.482 min
Delta R.T.: 0.003 min
Response: 25724
Conc: 0.31 ng/ml



#24 AR-1248-4


R.T.: 0.000 min
Exp R.T. : 5.175 min
Response: 0
Conc: N.D.



#25 AR-1248-5


R.T.: 6.519 min
Delta R.T.: 0.001 min
Response: 26265
Conc: 0.31 ng/ml

Instrument :
ECD_O
ClientSampleId :




#25 AR-1248-5

R.T.: 5.612 min
Delta R.T.: 0.042 min
Response: 1743566
Conc: 34.76 ng/ml




#26 AR-1254-1

R.T.: 6.463 min
Delta R.T.: 0.009 min
Response: 107438
Conc: 1.13 ng/ml



#26 AR-1254-1


R.T.: 0.000 min
Exp R.T.: 5.530 min
Response: 0
Conc: N.D.



#27 AR-1254-2


R.T.: 6.683 min
Delta R.T.: 0.009 min
Response: 99564
Conc: 0.72 ng/ml

Instrument :
ECD_O
ClientSampleId :




#27 AR-1254-2

R.T.: 5.676 min
Delta R.T.: -0.002 min
Response: 200295
Conc: 2.94 ng/ml




#28 AR-1254-3

R.T.: 7.052 min
Delta R.T.: 0.009 min
Response: 1317290
Conc: 9.75 ng/ml



#28 AR-1254-3


R.T.: 6.069 min
Delta R.T.: -0.015 min
Response: 235254
Conc: 2.36 ng/ml



#29 AR-1254-4


R.T.: 7.338 min
Delta R.T.: 0.009 min
Response: 55091
Conc: 0.61 ng/ml

Instrument :
ECD_O
ClientSampleId :




#29 AR-1254-4

R.T.: 6.335 min
Delta R.T.: 0.022 min
Response: 115974
Conc: 1.96 ng/ml




#30 AR-1254-5

R.T.: 7.760 min
Delta R.T.: 0.009 min
Response: 397997
Conc: 3.87 ng/ml



#30 AR-1254-5


R.T.: 0.000 min
Exp R.T.: 6.734 min
Response: 0
Conc: N.D.



#31 AR-1260-1


R.T.: 7.209 min
Delta R.T.: 0.001 min
Response: 226245
Conc: 1.99 ng/ml

Instrument :
ECD_O
ClientSampleId :




#31 AR-1260-1

R.T.: 6.269 min
Delta R.T.: 0.054 min
Response: 183175
Conc: 2.55 ng/ml




#32 AR-1260-2

R.T.: 7.420 min
Delta R.T.: -0.046 min
Response: 121939
Conc: 1.00 ng/ml



#32 AR-1260-2


R.T.: 6.388 min
Delta R.T.: -0.016 min
Response: 688481
Conc: 8.26 ng/ml



#33 AR-1260-3


R.T.: 7.760 min
Delta R.T.: 0.011 min
Response: 397997
Conc: 2.87 ng/ml

Instrument :
ECD_O
ClientSampleId :




#33 AR-1260-3

R.T.: 0.000 min
Exp R.T. : 6.558 min
Response: 0
Conc: N.D.




#34 AR-1260-4

R.T.: 8.041 min
Delta R.T.: -0.013 min
Response: 63817
Conc: 0.67 ng/ml



#34 AR-1260-4


R.T.: 0.000 min
Exp R.T. : 7.033 min
Response: 0
Conc: N.D.



#35 AR-1260-5


R.T.: 8.388 min
Delta R.T.: 0.010 min
Response: 137080
Conc: 0.82 ng/ml

Instrument :
ECD_O
ClientSampleId :




#35 AR-1260-5

R.T.: 7.273 min
Delta R.T.: -0.002 min
Response: 135422
Conc: 1.05 ng/ml




#36 AR-1262-1

R.T.: 7.855 min
Delta R.T.: 0.024 min
Response: 770321
Conc: 5.74 ng/ml



#36 AR-1262-1


R.T.: 6.817 min
Delta R.T.: -0.010 min
Response: 476012
Conc: 12.44 ng/ml



#37 AR-1262-2


R.T.: 8.388 min
Delta R.T.: 0.007 min
Response: 137080
Conc: 0.66 ng/ml

Instrument :
ECD_O
ClientSampleId :




#37 AR-1262-2

R.T.: 0.000 min
Exp R.T. : 7.034 min
Response: 0
Conc: N.D.




#38 AR-1262-3

R.T.: 8.709 min
Delta R.T.: 0.008 min
Response: 312013
Conc: 2.06 ng/ml



#38 AR-1262-3


R.T.: 7.557 min
Delta R.T.: -0.004 min
Response: 162100
Conc: 2.62 ng/ml



#39 AR-1262-4


R.T.: 8.790 min
Delta R.T.: 0.000 min
Response: 39179
Conc: 0.32 ng/ml

Instrument :
ECD_O
ClientSampleId :




#39 AR-1262-4

R.T.: 7.557 min
Delta R.T.: -0.068 min
Response: 162100
Conc: 1.49 ng/ml




#40 AR-1262-5

R.T.: 9.456 min
Delta R.T.: -0.003 min
Response: 17741
Conc: 0.23 ng/ml



#40 AR-1262-5


R.T.: 8.078 min
Delta R.T.: -0.044 min
Response: 33940
Conc: 0.67 ng/ml



#41 AR-1268-1


R.T.: 8.709 min
Delta R.T.: 0.011 min
Response: 312013
Conc: 1.14 ng/ml

Instrument :
ECD_O
ClientSampleId :




#41 AR-1268-1

R.T.: 7.557 min
Delta R.T.: -0.005 min
Response: 162100
Conc: 0.92 ng/ml




#42 AR-1268-2

R.T.: 8.790 min
Delta R.T.: -0.003 min
Response: 39179
Conc: 0.16 ng/ml



#42 AR-1268-2


R.T.: 7.557 min
Delta R.T.: -0.070 min
Response: 162100
Conc: 1.04 ng/ml



#43 AR-1268-3


R.T.: 9.024 min
Delta R.T.: -0.004 min
Response: 82723
Conc: 0.36 ng/ml

Instrument :
ECD_O
ClientSampleId :




#43 AR-1268-3

R.T.: 7.837 min
Delta R.T.: 0.002 min
Response: 81457
Conc: 0.58 ng/ml




#44 AR-1268-4

R.T.: 9.456 min
Delta R.T.: -0.004 min
Response: 17741
Conc: 0.21 ng/ml



#44 AR-1268-4


R.T.: 8.078 min
Delta R.T.: -0.045 min
Response: 33940
Conc: 0.61 ng/ml



#45 AR-1268-5

R.T.: 9.886 min
Delta R.T.: 0.000 min
Response: 182960
Conc: 0.25 ng/ml

Instrument :
ECD_O
ClientSampleId :



#45 AR-1268-5

R.T.: 8.420 min
Delta R.T.: 0.003 min
Response: 193416
Conc: 0.46 ng/ml