

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_0\Data\P0062923\
 Data File : P0096090.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 29 Jun 2023 22:12
 Operator : YP/AJ
 Sample : 03470-04 10X
 Misc :
 ALS Vial : 32 Sample Multiplier: 1

Instrument :
 ECD_0
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jun 30 04:58:44 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_0\methods\P0062023.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Wed Jun 21 13:08:39 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.417	3.634	4511653	2069102	1.551	1.525
2)	SA Decachlor...	10.242	8.667	4509404	2445504	2.177	1.994
Target Compounds							
3)	L1 AR-1016-1	5.587	4.733	41891	255280	0.508	5.586 #
4)	L1 AR-1016-2	5.627	4.733	87086	255280	0.731	4.096 #
5)	L1 AR-1016-3	5.670	4.970f	298647	255392	3.871	7.581 #
6)	L1 AR-1016-4	5.772	4.970	128634	255392	2.146	7.751 #
7)	L1 AR-1016-5	6.082	0.000	106336	0	1.711	N.D. #
8)	L2 AR-1221-1	4.603	0.000	134801	0	3.769	N.D. #
9)	L2 AR-1221-2	4.703	3.983f	67086	166116	2.522	12.596 #
10)	L2 AR-1221-3	4.767	3.983	29825	166116	0.374	4.189 #
11)	L3 AR-1232-1	4.767	3.983	29825	166116	0.507	5.525 #
12)	L3 AR-1232-2	5.327	4.733	84651	255280	2.434	8.588 #
13)	L3 AR-1232-3	5.627	4.970f	87086	255392	1.532	15.989 #
14)	L3 AR-1232-4	5.772	4.970	128634	255392	4.493	16.261 #
15)	L3 AR-1232-5	5.878	0.000	454222	0	18.288	N.D. #
16)	L4 AR-1242-1	5.587	4.733	41891	255280	0.634	7.061 #
17)	L4 AR-1242-2	5.627	4.733	87086	255280	0.913	5.204 #
18)	L4 AR-1242-3	5.670	4.970f	298647	255392	4.707	9.524 #
19)	L4 AR-1242-4	5.772	4.970	128634	255392	2.629	8.638 #
20)	L4 AR-1242-5	6.485	5.528	125712	405629	2.542	11.426 #
21)	L5 AR-1248-1	5.587	4.733	41891	255280	0.828	9.412 #
22)	L5 AR-1248-2	5.878	4.970	454222	255392	5.517	6.387
23)	L5 AR-1248-3	6.082	4.970	106336	255392	1.235	5.936 #
24)	L5 AR-1248-4	6.485	0.000	125712	0	1.513	N.D. #
25)	L5 AR-1248-5	6.485	5.528f	125712	405629	1.496	8.086 #
26)	L6 AR-1254-1	6.460	5.528	279543	405629	2.936	5.477 #
27)	L6 AR-1254-2	6.680	5.678	739547	478509	5.325	7.012 #
28)	L6 AR-1254-3	7.047	6.082	1458826	537166	10.798	5.394 #
29)	L6 AR-1254-4	7.338	6.312	796653	334898	8.885	5.674 #
30)	L6 AR-1254-5	7.758	6.732	2014900	556058	19.587	6.236 #
31)	L7 AR-1260-1	7.220	6.212	631706	314928	5.556	4.388
32)	L7 AR-1260-2	7.473	6.401	632668	418008	5.210	5.018
33)	L7 AR-1260-3	7.758	6.556	2014900	316151	14.534	4.104 #
34)	L7 AR-1260-4	8.073	7.071f	1102967	128300	11.536	2.249 #
35)	L7 AR-1260-5	8.386	7.274	736317	377255	4.410	2.939 #
36)	L8 AR-1262-1	7.839	6.825	1395052	423248	10.393	11.065
37)	L8 AR-1262-2	8.386	7.071f	736317	128300	3.554	1.627 #
38)	L8 AR-1262-3	8.723	7.556	624622	148814	4.127	2.401 #
39)	L8 AR-1262-4	8.789	7.622	54168	216784	0.449	1.995 #
40)	L8 AR-1262-5	9.471	8.078f	39300	31756	0.520	0.625
41)	L9 AR-1268-1	8.723	7.556	624622	148814	2.284	0.842 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0062923\
 Data File : P0096090.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 29 Jun 2023 22:12
 Operator : YP/AJ
 Sample : 03470-04 10X
 Misc :
 ALS Vial : 32 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jun 30 04:58:44 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0062023.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Wed Jun 21 13:08:39 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42) L9	AR-1268-2	8.789	7.622	54168	216784	0.219	1.384 #
44) L9	AR-1268-4	9.471	8.078f	39300	31756	0.475	0.572
45) L9	AR-1268-5	9.881	0.000	40694	0	0.055	N.D. #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\PO062923\
Data File : PO096090.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 29 Jun 2023 22:12
Operator : YP/AJ
Sample : 03470-04 10X
Misc :
ALS Vial : 32 Sample Multiplier: 1

Instrument :
ECD_O
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jun 30 04:58:44 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\PO062023.M
Quant Title : GC EXTRACTABLES
QLast Update : Wed Jun 21 13:08:39 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.417 min
Delta R.T.: 0.002 min
Response: 4511653
Conc: 1.55 ng/ml

Instrument :
ECD_O
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 3.634 min
Delta R.T.: -0.001 min
Response: 2069102
Conc: 1.52 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.242 min
Delta R.T.: 0.014 min
Response: 4509404
Conc: 2.18 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.667 min
Delta R.T.: -0.003 min
Response: 2445504
Conc: 1.99 ng/ml



#3 AR-1016-1


R.T.: 5.587 min
Delta R.T.: -0.005 min
Response: 41891
Conc: 0.51 ng/ml

Instrument :
ECD_O
ClientSampleId :




#3 AR-1016-1

R.T.: 4.733 min
Delta R.T.: 0.009 min
Response: 255280
Conc: 5.59 ng/ml




#4 AR-1016-2

R.T.: 5.627 min
Delta R.T.: 0.012 min
Response: 87086
Conc: 0.73 ng/ml



#4 AR-1016-2


R.T.: 4.733 min
Delta R.T.: -0.010 min
Response: 255280
Conc: 4.10 ng/ml



#5 AR-1016-3


R.T.: 5.670 min
Delta R.T.: -0.007 min
Response: 298647
Conc: 3.87 ng/ml

Instrument :
ECD_O
ClientSampleId :




#5 AR-1016-3

R.T.: 4.970 min
Delta R.T.: 0.050 min
Response: 255392
Conc: 7.58 ng/ml




#6 AR-1016-4

R.T.: 5.772 min
Delta R.T.: -0.005 min
Response: 128634
Conc: 2.15 ng/ml



#6 AR-1016-4


R.T.: 4.970 min
Delta R.T.: 0.007 min
Response: 255392
Conc: 7.75 ng/ml



#7 AR-1016-5


R.T.: 6.082 min
Delta R.T.: 0.008 min
Response: 106336
Conc: 1.71 ng/ml

Instrument :
ECD_O
ClientSampleId :




#7 AR-1016-5

R.T.: 0.000 min
Exp R.T. : 5.177 min
Response: 0
Conc: N.D.




#8 AR-1221-1

R.T.: 4.603 min
Delta R.T.: -0.020 min
Response: 134801
Conc: 3.77 ng/ml



#8 AR-1221-1


R.T.: 0.000 min
Exp R.T. : 3.850 min
Response: 0
Conc: N.D.



#9 AR-1221-2


R.T.: 4.703 min
Delta R.T.: -0.008 min
Response: 67086
Conc: 2.52 ng/ml

Instrument :
ECD_O
ClientSampleId :




#9 AR-1221-2

R.T.: 3.983 min
Delta R.T.: 0.048 min
Response: 166116
Conc: 12.60 ng/ml




#10 AR-1221-3

R.T.: 4.767 min
Delta R.T.: -0.020 min
Response: 29825
Conc: 0.37 ng/ml



#10 AR-1221-3


R.T.: 3.983 min
Delta R.T.: -0.028 min
Response: 166116
Conc: 4.19 ng/ml



#11 AR-1232-1


R.T.: 4.767 min
Delta R.T.: -0.020 min
Response: 29825
Conc: 0.51 ng/ml

Instrument :
ECD_O
ClientSampleId :




#11 AR-1232-1

R.T.: 3.983 min
Delta R.T.: -0.028 min
Response: 166116
Conc: 5.53 ng/ml




#12 AR-1232-2

R.T.: 5.327 min
Delta R.T.: 0.006 min
Response: 84651
Conc: 2.43 ng/ml



#12 AR-1232-2


R.T.: 4.733 min
Delta R.T.: -0.009 min
Response: 255280
Conc: 8.59 ng/ml



#13 AR-1232-3


R.T.: 5.627 min
Delta R.T.: 0.013 min
Response: 87086
Conc: 1.53 ng/ml

Instrument :
ECD_O
ClientSampleId :




#13 AR-1232-3

R.T.: 4.970 min
Delta R.T.: 0.051 min
Response: 255392
Conc: 15.99 ng/ml




#14 AR-1232-4

R.T.: 5.772 min
Delta R.T.: -0.004 min
Response: 128634
Conc: 4.49 ng/ml



#14 AR-1232-4


R.T.: 4.970 min
Delta R.T.: -0.033 min
Response: 255392
Conc: 16.26 ng/ml



#15 AR-1232-5


R.T.: 5.878 min
Delta R.T.: 0.010 min
Response: 454222
Conc: 18.29 ng/ml

Instrument :
ECD_O
ClientSampleId :




#15 AR-1232-5

R.T.: 0.000 min
Exp R.T. : 5.176 min
Response: 0
Conc: N.D.




#16 AR-1242-1

R.T.: 5.587 min
Delta R.T.: -0.005 min
Response: 41891
Conc: 0.63 ng/ml



#16 AR-1242-1

R.T.: 4.733 min
Delta R.T.: 0.009 min
Response: 255280
Conc: 7.06 ng/ml



#17 AR-1242-2

R.T.: 5.627 min
Delta R.T.: 0.013 min
Response: 87086
Conc: 0.91 ng/ml

Instrument :
ECD_O
ClientSampleId :

#17 AR-1242-2


R.T.: 4.733 min
Delta R.T.: -0.009 min
Response: 255280
Conc: 5.20 ng/ml

#18 AR-1242-3

R.T.: 5.670 min
Delta R.T.: -0.006 min
Response: 298647
Conc: 4.71 ng/ml

#18 AR-1242-3


R.T.: 4.970 min
Delta R.T.: 0.051 min
Response: 255392
Conc: 9.52 ng/ml



#19 AR-1242-4


R.T.: 5.772 min
Delta R.T.: -0.004 min
Response: 128634
Conc: 2.63 ng/ml

Instrument :
ECD_O
ClientSampleId :




#19 AR-1242-4

R.T.: 4.970 min
Delta R.T.: -0.034 min
Response: 255392
Conc: 8.64 ng/ml




#20 AR-1242-5

R.T.: 6.485 min
Delta R.T.: -0.032 min
Response: 125712
Conc: 2.54 ng/ml



#20 AR-1242-5


R.T.: 5.528 min
Delta R.T.: 0.000 min
Response: 405629
Conc: 11.43 ng/ml



#21 AR-1248-1


R.T.: 5.587 min
Delta R.T.: -0.004 min
Response: 41891
Conc: 0.83 ng/ml

Instrument :
ECD_O
ClientSampleId :




#21 AR-1248-1

R.T.: 4.733 min
Delta R.T.: 0.010 min
Response: 255280
Conc: 9.41 ng/ml




#22 AR-1248-2

R.T.: 5.878 min
Delta R.T.: 0.010 min
Response: 454222
Conc: 5.52 ng/ml



#22 AR-1248-2


R.T.: 4.970 min
Delta R.T.: 0.008 min
Response: 255392
Conc: 6.39 ng/ml



#23 AR-1248-3


R.T.: 6.082 min
Delta R.T.: 0.008 min
Response: 106336
Conc: 1.24 ng/ml

Instrument :
ECD_O
ClientSampleId :




#23 AR-1248-3

R.T.: 4.970 min
Delta R.T.: -0.034 min
Response: 255392
Conc: 5.94 ng/ml




#24 AR-1248-4

R.T.: 6.485 min
Delta R.T.: 0.006 min
Response: 125712
Conc: 1.51 ng/ml



#24 AR-1248-4


R.T.: 0.000 min
Exp R.T. : 5.175 min
Response: 0
Conc: N.D.



#25 AR-1248-5


R.T.: 6.485 min
Delta R.T.: -0.033 min
Response: 125712
Conc: 1.50 ng/ml

Instrument :
ECD_O
ClientSampleId :




#25 AR-1248-5

R.T.: 5.528 min
Delta R.T.: -0.042 min
Response: 405629
Conc: 8.09 ng/ml




#26 AR-1254-1

R.T.: 6.460 min
Delta R.T.: 0.006 min
Response: 279543
Conc: 2.94 ng/ml



#26 AR-1254-1


R.T.: 5.528 min
Delta R.T.: -0.002 min
Response: 405629
Conc: 5.48 ng/ml



#27 AR-1254-2


R.T.: 6.680 min
Delta R.T.: 0.006 min
Response: 739547
Conc: 5.33 ng/ml

Instrument :
ECD_O
ClientSampleId :




#27 AR-1254-2

R.T.: 5.678 min
Delta R.T.: 0.000 min
Response: 478509
Conc: 7.01 ng/ml




#28 AR-1254-3

R.T.: 7.047 min
Delta R.T.: 0.005 min
Response: 1458826
Conc: 10.80 ng/ml



#28 AR-1254-3


R.T.: 6.082 min
Delta R.T.: -0.002 min
Response: 537166
Conc: 5.39 ng/ml



#29 AR-1254-4


R.T.: 7.338 min
Delta R.T.: 0.009 min
Response: 796653
Conc: 8.88 ng/ml

Instrument :
ECD_O
ClientSampleId :




#29 AR-1254-4

R.T.: 6.312 min
Delta R.T.: -0.002 min
Response: 334898
Conc: 5.67 ng/ml




#30 AR-1254-5

R.T.: 7.758 min
Delta R.T.: 0.007 min
Response: 2014900
Conc: 19.59 ng/ml



#30 AR-1254-5


R.T.: 6.732 min
Delta R.T.: -0.002 min
Response: 556058
Conc: 6.24 ng/ml



#31 AR-1260-1


R.T.: 7.220 min
Delta R.T.: 0.013 min
Response: 631706
Conc: 5.56 ng/ml

Instrument :
ECD_O
ClientSampleId :




#31 AR-1260-1

R.T.: 6.212 min
Delta R.T.: -0.003 min
Response: 314928
Conc: 4.39 ng/ml




#32 AR-1260-2

R.T.: 7.473 min
Delta R.T.: 0.007 min
Response: 632668
Conc: 5.21 ng/ml



#32 AR-1260-2


R.T.: 6.401 min
Delta R.T.: -0.003 min
Response: 418008
Conc: 5.02 ng/ml



#33 AR-1260-3


R.T.: 7.758 min
Delta R.T.: 0.008 min
Response: 2014900
Conc: 14.53 ng/ml

Instrument :
ECD_O
ClientSampleId :




#33 AR-1260-3

R.T.: 6.556 min
Delta R.T.: -0.002 min
Response: 316151
Conc: 4.10 ng/ml




#34 AR-1260-4

R.T.: 8.073 min
Delta R.T.: 0.019 min
Response: 1102967
Conc: 11.54 ng/ml



#34 AR-1260-4


R.T.: 7.071 min
Delta R.T.: 0.039 min
Response: 128300
Conc: 2.25 ng/ml



#35 AR-1260-5


R.T.: 8.386 min
Delta R.T.: 0.008 min
Response: 736317
Conc: 4.41 ng/ml

Instrument :
ECD_O
ClientSampleId :




#35 AR-1260-5

R.T.: 7.274 min
Delta R.T.: -0.001 min
Response: 377255
Conc: 2.94 ng/ml




#36 AR-1262-1

R.T.: 7.839 min
Delta R.T.: 0.008 min
Response: 1395052
Conc: 10.39 ng/ml



#36 AR-1262-1


R.T.: 6.825 min
Delta R.T.: -0.003 min
Response: 423248
Conc: 11.07 ng/ml



#37 AR-1262-2


R.T.: 8.386 min
Delta R.T.: 0.005 min
Response: 736317
Conc: 3.55 ng/ml

Instrument :
ECD_O
ClientSampleId :




#37 AR-1262-2

R.T.: 7.071 min
Delta R.T.: 0.038 min
Response: 128300
Conc: 1.63 ng/ml




#38 AR-1262-3

R.T.: 8.723 min
Delta R.T.: 0.022 min
Response: 624622
Conc: 4.13 ng/ml



#38 AR-1262-3


R.T.: 7.556 min
Delta R.T.: -0.006 min
Response: 148814
Conc: 2.40 ng/ml



#39 AR-1262-4


R.T.: 8.789 min
Delta R.T.: 0.000 min
Response: 54168
Conc: 0.45 ng/ml

Instrument :
ECD_O
ClientSampleId :




#39 AR-1262-4

R.T.: 7.622 min
Delta R.T.: -0.004 min
Response: 216784
Conc: 1.99 ng/ml




#40 AR-1262-5

R.T.: 9.471 min
Delta R.T.: 0.011 min
Response: 39300
Conc: 0.52 ng/ml



#40 AR-1262-5


R.T.: 8.078 min
Delta R.T.: -0.045 min
Response: 31756
Conc: 0.63 ng/ml



#41 AR-1268-1


R.T.: 8.723 min
Delta R.T.: 0.025 min
Response: 624622
Conc: 2.28 ng/ml

Instrument :
ECD_O
ClientSampleId :




#41 AR-1268-1

R.T.: 7.556 min
Delta R.T.: -0.007 min
Response: 148814
Conc: 0.84 ng/ml




#42 AR-1268-2

R.T.: 8.789 min
Delta R.T.: -0.004 min
Response: 54168
Conc: 0.22 ng/ml



#42 AR-1268-2


R.T.: 7.622 min
Delta R.T.: -0.005 min
Response: 216784
Conc: 1.38 ng/ml



#43 AR-1268-3


R.T.: 9.033 min
Delta R.T.: 0.005 min
Response: 162231
Conc: 0.71 ng/ml

Instrument :
ECD_O
ClientSampleId :




#43 AR-1268-3

R.T.: 7.863 min
Delta R.T.: 0.028 min
Response: -141406
Conc: N.D.




#44 AR-1268-4

R.T.: 9.471 min
Delta R.T.: 0.011 min
Response: 39300
Conc: 0.47 ng/ml



#44 AR-1268-4


R.T.: 8.078 min
Delta R.T.: -0.046 min
Response: 31756
Conc: 0.57 ng/ml



#45 AR-1268-5

R.T.: 9.881 min
Delta R.T.: -0.005 min
Response: 40694
Conc: 0.05 ng/ml

Instrument :
ECD_O
ClientSampleId :



#45 AR-1268-5

R.T.: 0.000 min
Exp R.T. : 8.417 min
Response: 0
Conc: N.D.