

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0072019\
 Data File : P0058208.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 20 Jul 2019 7:08
 Operator : SM/AJ
 Sample : K3688-07
 Misc :
 ALS Vial : 42 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :
 TP-2

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jul 22 06:44:19 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0071719.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Wed Jul 17 11:13:08 2019
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.194	3.539	1118068	937236	32.994	29.221
2)	SA Decachlor...	9.702	8.439	1099709	650296	21.496	18.973
Target Compounds							
3)	L1 AR-1016-1	5.369	0.000	79338	0	51.410	N.D. #
4)	L1 AR-1016-2	5.369	0.000	79338	0	35.125	N.D. #
5)	L1 AR-1016-3	5.468	4.726	85907	25541	60.700	27.208 #
6)	L1 AR-1016-4	5.468	4.899	85907	31646	75.429	40.651 #
7)	L1 AR-1016-5	5.822	5.073	43319	51692	37.765	50.421 #
9)	L2 AR-1221-2	4.498	0.000	15275	0	49.386	N.D. #
10)	L2 AR-1221-3	4.578	3.902	161899	99625	162.996	117.601 #
11)	L3 AR-1232-1	4.578	3.902	161899	99625	197.062	141.324 #
12)	L3 AR-1232-2	5.026	0.000	127520	0	275.728	N.D. #
13)	L3 AR-1232-3	5.369	4.726	79338	25541	79.659	62.061
14)	L3 AR-1232-4	5.468	4.899	85907	31646	172.276	86.226 #
15)	L3 AR-1232-5	5.617	5.073	25226	51692	66.901	124.883 #
16)	L4 AR-1242-1	5.369	0.000	79338	0	64.778	N.D. #
17)	L4 AR-1242-2	5.369	0.000	79338	0	43.211	N.D. #
18)	L4 AR-1242-3	5.468	4.726	85907	25541	73.986	33.313 #
19)	L4 AR-1242-4	5.468	4.899	85907	31646	91.118	41.694 #
20)	L4 AR-1242-5	6.256	5.385	17850	47598	15.414	49.952 #
21)	L5 AR-1248-1	5.369	0.000	79338	0	84.868	N.D. #
22)	L5 AR-1248-2	5.617	4.899	25226	31646	18.722	31.056 #
23)	L5 AR-1248-3	5.822	4.899	43319	31646	27.943	30.105
24)	L5 AR-1248-4	6.217	5.073	33867	51692	17.298	40.145 #
25)	L5 AR-1248-5	6.256	5.443	17850	234441	9.366	185.447 #
26)	L6 AR-1254-1	6.190	5.385	37385	47598	19.023	23.361
27)	L6 AR-1254-2	6.423	5.530	473491	66180	144.841	36.521 #
28)	L6 AR-1254-3	6.769	5.929	332403	177400	94.224	60.578 #
29)	L6 AR-1254-4	7.053	6.156	254899	95508	86.149	51.692 #
30)	L6 AR-1254-5	7.468	6.566	423297	325250	144.212	119.644
31)	L7 AR-1260-1	6.930	6.055	205771	130380	82.271	64.379
32)	L7 AR-1260-2	7.185	6.243	476441	204089	135.512	79.362 #
33)	L7 AR-1260-3	7.537	6.393	259355	131724	88.330	57.755 #
34)	L7 AR-1260-4	7.764	6.857	289970	53952	106.148	27.864 #
35)	L7 AR-1260-5	8.070	7.077	269154	675140	46.395	146.689 #
36)	L8 AR-1262-1	7.537	6.600	259355	89272	46.944	22.475 #
37)	L8 AR-1262-2	8.070	7.077	269154	675140	31.651	104.524 #
38)	L8 AR-1262-3	8.374	7.379	102562	94190	18.220	34.172 #
39)	L8 AR-1262-4	8.416	7.441	42806	169510	9.382	35.502 #
40)	L8 AR-1262-5	9.036	7.935	101405	73886	36.495	37.149
41)	L9 AR-1268-1	8.374	7.379	102562	94190	9.974	12.065
42)	L9 AR-1268-2	8.416	7.441	42806	169510	4.674	23.791 #
43)	L9 AR-1268-3	8.584	7.674	61150	45658	7.657	7.580

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0072019\
 Data File : P0058208.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 20 Jul 2019 7:08
 Operator : SM/AJ
 Sample : K3688-07
 Misc :
 ALS Vial : 42 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :
 TP-2

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jul 22 06:44:19 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0071719.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Wed Jul 17 11:13:08 2019
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
44) L9	AR-1268-4	9.036	7.935	101405	73886	34.221	35.321
45) L9	AR-1268-5	9.401	8.205	112128	125484	5.147	7.525 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\PO072019\
Data File : PO058208.D
Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
Acq On : 20 Jul 2019 7:08
Operator : SM/AJ
Sample : K3688-07
Misc :
ALS Vial : 42 Sample Multiplier: 1

Instrument :
ECD_O
ClientSampled :
TP-2

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jul 22 06:44:19 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\PO071719.M
Quant Title : GC EXTRACTABLES
QLast Update : Wed Jul 17 11:13:08 2019
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.194 min
Delta R.T.: -0.006 min
Response: 1118068
Conc: 32.99 ng/ml

Instrument :
ECD_O
ClientSampleId :
TP-2




#1 Tetrachloro-m-xylene

R.T.: 3.539 min
Delta R.T.: 0.000 min
Response: 937236
Conc: 29.22 ng/ml




#2 Decachlorobiphenyl

R.T.: 9.702 min
Delta R.T.: -0.016 min
Response: 1099709
Conc: 21.50 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.439 min
Delta R.T.: -0.007 min
Response: 650296
Conc: 18.97 ng/ml



#3 AR-1016-1


R.T.: 5.369 min
Delta R.T.: 0.012 min
Response: 79338
Conc: 51.41 ng/ml

Instrument :
ECD_O
ClientSampleId :
TP-2




#3 AR-1016-1

R.T.: 0.000 min
Exp R.T. : 4.601 min
Response: 0
Conc: N.D.




#4 AR-1016-2

R.T.: 5.369 min
Delta R.T.: -0.010 min
Response: 79338
Conc: 35.13 ng/ml



#4 AR-1016-2


R.T.: 0.000 min
Exp R.T. : 4.619 min
Response: 0
Conc: N.D.



#5 AR-1016-3


R.T.: 5.468 min
Delta R.T.: 0.029 min
Response: 85907
Conc: 60.70 ng/ml

Instrument :
ECD_O
ClientSampleId :
TP-2




#5 AR-1016-3

R.T.: 4.726 min
Delta R.T.: -0.067 min
Response: 25541
Conc: 27.21 ng/ml




#6 AR-1016-4

R.T.: 5.468 min
Delta R.T.: -0.070 min
Response: 85907
Conc: 75.43 ng/ml



#6 AR-1016-4


R.T.: 4.899 min
Delta R.T.: 0.066 min
Response: 31646
Conc: 40.65 ng/ml



#7 AR-1016-5


R.T.: 5.822 min
Delta R.T.: -0.004 min
Response: 43319
Conc: 37.76 ng/ml

Instrument :
ECD_O
ClientSampleId :
TP-2




#7 AR-1016-5

R.T.: 5.073 min
Delta R.T.: 0.030 min
Response: 51692
Conc: 50.42 ng/ml




#9 AR-1221-2

R.T.: 4.498 min
Delta R.T.: 0.001 min
Response: 15275
Conc: 49.39 ng/ml



#9 AR-1221-2


R.T.: 0.000 min
Exp R.T. : 3.832 min
Response: 0
Conc: N.D.



#10 AR-1221-3


R.T.: 4.578 min
Delta R.T.: 0.006 min
Response: 161899
Conc: 163.00 ng/ml

Instrument :
ECD_O
ClientSampleId :
TP-2




#10 AR-1221-3

R.T.: 3.902 min
Delta R.T.: -0.004 min
Response: 99625
Conc: 117.60 ng/ml




#11 AR-1232-1

R.T.: 4.578 min
Delta R.T.: 0.006 min
Response: 161899
Conc: 197.06 ng/ml



#11 AR-1232-1


R.T.: 3.902 min
Delta R.T.: -0.003 min
Response: 99625
Conc: 141.32 ng/ml



#12 AR-1232-2


R.T.: 5.026 min
Delta R.T.: -0.065 min
Response: 127520
Conc: 275.73 ng/ml

Instrument :
ECD_O
ClientSampleId :
TP-2




#12 AR-1232-2

R.T.: 0.000 min
Exp R.T. : 4.619 min
Response: 0
Conc: N.D.




#13 AR-1232-3

R.T.: 5.369 min
Delta R.T.: -0.008 min
Response: 79338
Conc: 79.66 ng/ml



#13 AR-1232-3


R.T.: 4.726 min
Delta R.T.: -0.066 min
Response: 25541
Conc: 62.06 ng/ml



#14 AR-1232-4


R.T.: 5.468 min
Delta R.T.: -0.069 min
Response: 85907
Conc: 172.28 ng/ml

Instrument :
ECD_O
ClientSampleId :
TP-2




#14 AR-1232-4

R.T.: 4.899 min
Delta R.T.: 0.026 min
Response: 31646
Conc: 86.23 ng/ml




#15 AR-1232-5

R.T.: 5.617 min
Delta R.T.: -0.007 min
Response: 25226
Conc: 66.90 ng/ml



#15 AR-1232-5


R.T.: 5.073 min
Delta R.T.: 0.030 min
Response: 51692
Conc: 124.88 ng/ml



#16 AR-1242-1


R.T.: 5.369 min
Delta R.T.: 0.013 min
Response: 79338
Conc: 64.78 ng/ml

Instrument :
ECD_O
ClientSampleId :
TP-2




#16 AR-1242-1

R.T.: 0.000 min
Exp R.T. : 4.601 min
Response: 0
Conc: N.D.




#17 AR-1242-2

R.T.: 5.369 min
Delta R.T.: -0.008 min
Response: 79338
Conc: 43.21 ng/ml



#17 AR-1242-2


R.T.: 0.000 min
Exp R.T. : 4.619 min
Response: 0
Conc: N.D.



#18 AR-1242-3


R.T.: 5.468 min
Delta R.T.: 0.030 min
Response: 85907
Conc: 73.99 ng/ml

Instrument :
ECD_O
ClientSampleId :
TP-2




#18 AR-1242-3

R.T.: 4.726 min
Delta R.T.: -0.066 min
Response: 25541
Conc: 33.31 ng/ml




#19 AR-1242-4

R.T.: 5.468 min
Delta R.T.: -0.068 min
Response: 85907
Conc: 91.12 ng/ml



#19 AR-1242-4


R.T.: 4.899 min
Delta R.T.: 0.025 min
Response: 31646
Conc: 41.69 ng/ml



#20 AR-1242-5


R.T.: 6.256 min
Delta R.T.: -0.006 min
Response: 17850
Conc: 15.41 ng/ml

Instrument :
ECD_O
ClientSampleId :
TP-2




#20 AR-1242-5

R.T.: 5.385 min
Delta R.T.: -0.004 min
Response: 47598
Conc: 49.95 ng/ml




#21 AR-1248-1

R.T.: 5.369 min
Delta R.T.: 0.013 min
Response: 79338
Conc: 84.87 ng/ml



#21 AR-1248-1


R.T.: 0.000 min
Exp R.T. : 4.601 min
Response: 0
Conc: N.D.



#22 AR-1248-2


R.T.: 5.617 min
Delta R.T.: -0.007 min
Response: 25226
Conc: 18.72 ng/ml

Instrument :
ECD_O
ClientSampleId :
TP-2




#22 AR-1248-2

R.T.: 4.899 min
Delta R.T.: 0.066 min
Response: 31646
Conc: 31.06 ng/ml




#23 AR-1248-3

R.T.: 5.822 min
Delta R.T.: -0.003 min
Response: 43319
Conc: 27.94 ng/ml



#23 AR-1248-3


R.T.: 4.899 min
Delta R.T.: 0.026 min
Response: 31646
Conc: 30.10 ng/ml



#24 AR-1248-4


R.T.: 6.217 min
Delta R.T.: -0.008 min
Response: 33867
Conc: 17.30 ng/ml

Instrument :
ECD_O
ClientSampleId :
TP-2




#24 AR-1248-4

R.T.: 5.073 min
Delta R.T.: 0.031 min
Response: 51692
Conc: 40.15 ng/ml




#25 AR-1248-5

R.T.: 6.256 min
Delta R.T.: -0.006 min
Response: 17850
Conc: 9.37 ng/ml



#25 AR-1248-5


R.T.: 5.443 min
Delta R.T.: 0.014 min
Response: 234441
Conc: 185.45 ng/ml



#26 AR-1254-1


R.T.: 6.190 min
Delta R.T.: -0.006 min
Response: 37385
Conc: 19.02 ng/ml

Instrument :
ECD_O
ClientSampleId :
TP-2




#26 AR-1254-1

R.T.: 5.385 min
Delta R.T.: -0.003 min
Response: 47598
Conc: 23.36 ng/ml




#27 AR-1254-2

R.T.: 6.423 min
Delta R.T.: 0.010 min
Response: 473491
Conc: 144.84 ng/ml



#27 AR-1254-2


R.T.: 5.530 min
Delta R.T.: -0.004 min
Response: 66180
Conc: 36.52 ng/ml



#28 AR-1254-3


R.T.: 6.769 min
Delta R.T.: -0.008 min
Response: 332403
Conc: 94.22 ng/ml

Instrument :
ECD_O
ClientSampleId :
TP-2




#28 AR-1254-3

R.T.: 5.929 min
Delta R.T.: -0.003 min
Response: 177400
Conc: 60.58 ng/ml




#29 AR-1254-4

R.T.: 7.053 min
Delta R.T.: -0.008 min
Response: 254899
Conc: 86.15 ng/ml



#29 AR-1254-4


R.T.: 6.156 min
Delta R.T.: -0.004 min
Response: 95508
Conc: 51.69 ng/ml



#30 AR-1254-5


R.T.: 7.468 min
Delta R.T.: -0.007 min
Response: 423297
Conc: 144.21 ng/ml

Instrument :
ECD_O
ClientSampleId :
TP-2




#30 AR-1254-5

R.T.: 6.566 min
Delta R.T.: -0.004 min
Response: 325250
Conc: 119.64 ng/ml




#31 AR-1260-1

R.T.: 6.930 min
Delta R.T.: -0.008 min
Response: 205771
Conc: 82.27 ng/ml



#31 AR-1260-1


R.T.: 6.055 min
Delta R.T.: -0.004 min
Response: 130380
Conc: 64.38 ng/ml



#32 AR-1260-2


R.T.: 7.185 min
Delta R.T.: -0.008 min
Response: 476441
Conc: 135.51 ng/ml

Instrument :
ECD_O
ClientSampleId :
TP-2




#32 AR-1260-2

R.T.: 6.243 min
Delta R.T.: -0.004 min
Response: 204089
Conc: 79.36 ng/ml




#33 AR-1260-3

R.T.: 7.537 min
Delta R.T.: -0.011 min
Response: 259355
Conc: 88.33 ng/ml



#33 AR-1260-3


R.T.: 6.393 min
Delta R.T.: -0.004 min
Response: 131724
Conc: 57.76 ng/ml



#34 AR-1260-4


R.T.: 7.764 min
Delta R.T.: -0.009 min
Response: 289970
Conc: 106.15 ng/ml

Instrument :
ECD_O
ClientSampleId :
TP-2




#34 AR-1260-4

R.T.: 6.857 min
Delta R.T.: -0.005 min
Response: 53952
Conc: 27.86 ng/ml




#35 AR-1260-5

R.T.: 8.070 min
Delta R.T.: -0.009 min
Response: 269154
Conc: 46.39 ng/ml



#35 AR-1260-5


R.T.: 7.077 min
Delta R.T.: -0.028 min
Response: 675140
Conc: 146.69 ng/ml



#36 AR-1262-1


R.T.: 7.537 min
Delta R.T.: -0.011 min
Response: 259355
Conc: 46.94 ng/ml

Instrument :
ECD_O
ClientSampleId :
TP-2




#36 AR-1262-1

R.T.: 6.600 min
Delta R.T.: -0.007 min
Response: 89272
Conc: 22.47 ng/ml




#37 AR-1262-2

R.T.: 8.070 min
Delta R.T.: -0.009 min
Response: 269154
Conc: 31.65 ng/ml



#37 AR-1262-2


R.T.: 7.077 min
Delta R.T.: -0.028 min
Response: 675140
Conc: 104.52 ng/ml



#38 AR-1262-3


R.T.: 8.374 min
Delta R.T.: 0.011 min
Response: 102562
Conc: 18.22 ng/ml

Instrument :
ECD_O
ClientSampleId :
TP-2




#38 AR-1262-3

R.T.: 7.379 min
Delta R.T.: -0.003 min
Response: 94190
Conc: 34.17 ng/ml




#39 AR-1262-4

R.T.: 8.416 min
Delta R.T.: -0.031 min
Response: 42806
Conc: 9.38 ng/ml



#39 AR-1262-4


R.T.: 7.441 min
Delta R.T.: -0.006 min
Response: 169510
Conc: 35.50 ng/ml



#40 AR-1262-5


R.T.: 9.036 min
Delta R.T.: -0.016 min
Response: 101405
Conc: 36.50 ng/ml

Instrument :
ECD_O
ClientSampleId :
TP-2




#40 AR-1262-5

R.T.: 7.935 min
Delta R.T.: -0.005 min
Response: 73886
Conc: 37.15 ng/ml




#41 AR-1268-1

R.T.: 8.374 min
Delta R.T.: 0.013 min
Response: 102562
Conc: 9.97 ng/ml



#41 AR-1268-1


R.T.: 7.379 min
Delta R.T.: -0.002 min
Response: 94190
Conc: 12.06 ng/ml



#42 AR-1268-2


R.T.: 8.416 min
Delta R.T.: -0.033 min
Response: 42806
Conc: 4.67 ng/ml

Instrument :
ECD_O
ClientSampleId :
TP-2




#42 AR-1268-2

R.T.: 7.441 min
Delta R.T.: -0.006 min
Response: 169510
Conc: 23.79 ng/ml




#43 AR-1268-3

R.T.: 8.584 min
Delta R.T.: -0.069 min
Response: 61150
Conc: 7.66 ng/ml



#43 AR-1268-3


R.T.: 7.674 min
Delta R.T.: 0.029 min
Response: 45658
Conc: 7.58 ng/ml



#44 AR-1268-4


R.T.: 9.036 min
Delta R.T.: -0.014 min
Response: 101405
Conc: 34.22 ng/ml

Instrument :
ECD_O
ClientSampleId :
TP-2




#44 AR-1268-4

R.T.: 7.935 min
Delta R.T.: -0.004 min
Response: 73886
Conc: 35.32 ng/ml



#45 AR-1268-5

R.T.: 9.401 min
Delta R.T.: -0.019 min
Response: 112128
Conc: 5.15 ng/ml



#45 AR-1268-5

R.T.: 8.205 min
Delta R.T.: -0.006 min
Response: 125484
Conc: 7.52 ng/ml