

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0072423\
 Data File : P0096312.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 25 Jul 2023 03:08
 Operator : YP/AJ
 Sample : 03715-09
 Misc :
 ALS Vial : 46 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jul 25 06:16:02 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0072123.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Sat Jul 22 12:20:47 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.410	3.626	61276336	24884280	19.462	18.960
2)	SA Decachlor...	10.233	8.655	40760793	23961033	20.714	21.994
Target Compounds							
3)	L1 AR-1016-1	5.587	0.000	44740	0	0.538	N.D. #
4)	L1 AR-1016-2	5.616	0.000	38054	0	0.325	N.D. #
5)	L1 AR-1016-3	5.696	0.000	155740	0	2.079	N.D. #
6)	L1 AR-1016-4	5.783	0.000	44683	0	0.740	N.D. #
7)	L1 AR-1016-5	6.071	0.000	8262	0	0.128	N.D. #
8)	L2 AR-1221-1	4.618	3.908f	13277366	6050300	360.351	351.589
9)	L2 AR-1221-2	4.717	3.908	1074294	6050300	38.623	469.319 #
10)	L2 AR-1221-3	4.781	0.000	29088	0	0.360	N.D. #
11)	L3 AR-1232-1	4.781	0.000	29088	0	0.447	N.D. #
12)	L3 AR-1232-2	5.345	0.000	172029	0	4.638	N.D. #
13)	L3 AR-1232-3	5.616	0.000	38054	0	0.707	N.D. #
14)	L3 AR-1232-4	5.783	0.000	44683	0	1.627	N.D. #
15)	L3 AR-1232-5	5.882	0.000	176232	0	6.971	N.D. #
16)	L4 AR-1242-1	5.587	0.000	44740	0	0.594	N.D. #
17)	L4 AR-1242-2	5.616	0.000	38054	0	0.359	N.D. #
18)	L4 AR-1242-3	5.696	0.000	155740	0	2.343	N.D. #
19)	L4 AR-1242-4	5.783	0.000	44683	0	0.821	N.D. #
20)	L4 AR-1242-5	6.566f	5.590f	2119173	238546	37.002	6.952 #
21)	L5 AR-1248-1	5.587	0.000	44740	0	0.836	N.D. #
22)	L5 AR-1248-2	5.882	0.000	176232	0	2.003	N.D. #
23)	L5 AR-1248-3	6.071	0.000	8262	0	0.089	N.D. #
24)	L5 AR-1248-4	6.462	0.000	332654	0	3.871	N.D. #
25)	L5 AR-1248-5	6.566f	5.590	2119173	238546	23.431	5.440 #
26)	L6 AR-1254-1	6.462	5.590f	332654	238546	3.329	3.466
27)	L6 AR-1254-2	6.675	5.699	164480	185643	1.137	3.057 #
28)	L6 AR-1254-3	7.042	0.000	868334	0	6.031	N.D. #
29)	L6 AR-1254-4	7.354	6.342f	240227	202360	2.591	3.622 #
30)	L6 AR-1254-5	7.756	0.000	472000	0	4.592	N.D. #
31)	L7 AR-1260-1	7.218	6.247f	540318	233310	4.092	3.467
32)	L7 AR-1260-2	7.422f	6.379	410208	161031	3.339	2.080 #
33)	L7 AR-1260-3	7.756	6.557	472000	368703	3.510	4.535 #
34)	L7 AR-1260-4	8.039	7.006	1448444	378307	13.687	6.311 #
35)	L7 AR-1260-5	8.421f	7.237	400813	428421	2.059	3.277 #
36)	L8 AR-1262-1	7.852	6.804	878254	186584	6.181	5.194
37)	L8 AR-1262-2	8.421f	7.006	400813	378307	1.863	4.989 #
38)	L8 AR-1262-3	8.703	7.545	408349	135257	2.610	2.321
39)	L8 AR-1262-4	8.799	7.584	903144	2188334	7.301	20.929 #
40)	L8 AR-1262-5	9.438	8.078f	242294	77165	3.071	1.567 #
41)	L9 AR-1268-1	8.703	7.545	408349	135257	1.391	0.784 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0072423\
 Data File : P0096312.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 25 Jul 2023 03:08
 Operator : YP/AJ
 Sample : 03715-09
 Misc :
 ALS Vial : 46 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jul 25 06:16:02 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0072123.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Sat Jul 22 12:20:47 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42) L9	AR-1268-2	8.799	7.584	903144	2188334	3.370	14.115 #
43) L9	AR-1268-3	9.021	7.875f	262480	94852	1.081	0.691 #
44) L9	AR-1268-4	9.438	8.078f	242294	77165	2.766	1.388 #
45) L9	AR-1268-5	9.889	0.000	89891	0	0.120	N.D. #


(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0072423\
Data File : P0096312.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 25 Jul 2023 03:08
Operator : YP/AJ
Sample : 03715-09
Misc :
ALS Vial : 46 Sample Multiplier: 1

Instrument :
ECD_O
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jul 25 06:16:02 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0072123.M
Quant Title : GC EXTRACTABLES
QLast Update : Sat Jul 22 12:20:47 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.410 min
Delta R.T.: 0.000 min
Response: 61276336
Conc: 19.46 ng/ml

Instrument :
ECD_O
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 3.626 min
Delta R.T.: -0.003 min
Response: 24884280
Conc: 18.96 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.233 min
Delta R.T.: -0.004 min
Response: 40760793
Conc: 20.71 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.655 min
Delta R.T.: -0.009 min
Response: 23961033
Conc: 21.99 ng/ml



#3 AR-1016-1


R.T.: 5.587 min
Delta R.T.: -0.003 min
Response: 44740
Conc: 0.54 ng/ml

Instrument :
ECD_O
ClientSampleId :




#3 AR-1016-1

R.T.: 0.000 min
Exp R.T. : 4.719 min
Response: 0
Conc: N.D.




#4 AR-1016-2

R.T.: 5.616 min
Delta R.T.: 0.003 min
Response: 38054
Conc: 0.32 ng/ml



#4 AR-1016-2


R.T.: 0.000 min
Exp R.T. : 4.737 min
Response: 0
Conc: N.D.



#5 AR-1016-3


R.T.: 5.696 min
Delta R.T.: 0.021 min
Response: 155740
Conc: 2.08 ng/ml

Instrument :
ECD_O
ClientSampleId :




#5 AR-1016-3

R.T.: 0.000 min
Exp R.T. : 4.914 min
Response: 0
Conc: N.D.




#6 AR-1016-4

R.T.: 5.783 min
Delta R.T.: 0.008 min
Response: 44683
Conc: 0.74 ng/ml



#6 AR-1016-4


R.T.: 0.000 min
Exp R.T. : 4.957 min
Response: 0
Conc: N.D.



#7 AR-1016-5


R.T.: 6.071 min
Delta R.T.: -0.003 min
Response: 8262
Conc: 0.13 ng/ml

Instrument :
ECD_O
ClientSampleId :




#7 AR-1016-5

R.T.: 0.000 min
Exp R.T. : 5.171 min
Response: 0
Conc: N.D.




#8 AR-1221-1

R.T.: 4.618 min
Delta R.T.: -0.001 min
Response: 13277366
Conc: 360.35 ng/ml



#8 AR-1221-1


R.T.: 3.908 min
Delta R.T.: 0.064 min
Response: 6050300
Conc: 351.59 ng/ml



#9 AR-1221-2


R.T.: 4.717 min
Delta R.T.: 0.011 min
Response: 1074294
Conc: 38.62 ng/ml

Instrument :
ECD_O
ClientSampleId :




#9 AR-1221-2

R.T.: 3.908 min
Delta R.T.: -0.021 min
Response: 6050300
Conc: 469.32 ng/ml




#10 AR-1221-3

R.T.: 4.781 min
Delta R.T.: -0.003 min
Response: 29088
Conc: 0.36 ng/ml



#10 AR-1221-3


R.T.: 0.000 min
Exp R.T. : 4.006 min
Response: 0
Conc: N.D.



#11 AR-1232-1


R.T.: 4.781 min
Delta R.T.: -0.003 min
Response: 29088
Conc: 0.45 ng/ml

Instrument :
ECD_O
ClientSampleId :




#11 AR-1232-1

R.T.: 0.000 min
Exp R.T. : 4.005 min
Response: 0
Conc: N.D.




#12 AR-1232-2

R.T.: 5.345 min
Delta R.T.: 0.026 min
Response: 172029
Conc: 4.64 ng/ml



#12 AR-1232-2


R.T.: 0.000 min
Exp R.T. : 4.736 min
Response: 0
Conc: N.D.



#13 AR-1232-3


R.T.: 5.616 min
Delta R.T.: 0.003 min
Response: 38054
Conc: 0.71 ng/ml

Instrument :
ECD_O
ClientSampleId :




#13 AR-1232-3

R.T.: 0.000 min
Exp R.T. : 4.913 min
Response: 0
Conc: N.D.




#14 AR-1232-4

R.T.: 5.783 min
Delta R.T.: 0.009 min
Response: 44683
Conc: 1.63 ng/ml



#14 AR-1232-4


R.T.: 0.000 min
Exp R.T. : 4.998 min
Response: 0
Conc: N.D.



#15 AR-1232-5


R.T.: 5.882 min
Delta R.T.: 0.016 min
Response: 176232
Conc: 6.97 ng/ml

Instrument :
ECD_O
ClientSampleId :




#15 AR-1232-5

R.T.: 0.000 min
Exp R.T. : 5.170 min
Response: 0
Conc: N.D.




#16 AR-1242-1

R.T.: 5.587 min
Delta R.T.: -0.004 min
Response: 44740
Conc: 0.59 ng/ml



#16 AR-1242-1


R.T.: 0.000 min
Exp R.T. : 4.718 min
Response: 0
Conc: N.D.



#17 AR-1242-2


R.T.: 5.616 min
Delta R.T.: 0.003 min
Response: 38054
Conc: 0.36 ng/ml

Instrument :
ECD_O
ClientSampleId :




#17 AR-1242-2

R.T.: 0.000 min
Exp R.T. : 4.736 min
Response: 0
Conc: N.D.




#18 AR-1242-3

R.T.: 5.696 min
Delta R.T.: 0.021 min
Response: 155740
Conc: 2.34 ng/ml



#18 AR-1242-3


R.T.: 0.000 min
Exp R.T. : 4.913 min
Response: 0
Conc: N.D.



#19 AR-1242-4


R.T.: 5.783 min
Delta R.T.: 0.008 min
Response: 44683
Conc: 0.82 ng/ml

Instrument :
ECD_O
ClientSampleId :




#19 AR-1242-4

R.T.: 0.000 min
Exp R.T. : 4.998 min
Response: 0
Conc: N.D.




#20 AR-1242-5

R.T.: 6.566 min
Delta R.T.: 0.046 min
Response: 2119173
Conc: 37.00 ng/ml



#20 AR-1242-5


R.T.: 5.590 min
Delta R.T.: 0.067 min
Response: 238546
Conc: 6.95 ng/ml



#21 AR-1248-1


R.T.: 5.587 min
Delta R.T.: -0.004 min
Response: 44740
Conc: 0.84 ng/ml

Instrument :
ECD_O
ClientSampleId :




#21 AR-1248-1

R.T.: 0.000 min
Exp R.T. : 4.718 min
Response: 0
Conc: N.D.




#22 AR-1248-2

R.T.: 5.882 min
Delta R.T.: 0.014 min
Response: 176232
Conc: 2.00 ng/ml



#22 AR-1248-2


R.T.: 0.000 min
Exp R.T. : 4.956 min
Response: 0
Conc: N.D.



#23 AR-1248-3


R.T.: 6.071 min
Delta R.T.: -0.002 min
Response: 8262
Conc: 0.09 ng/ml

Instrument :
ECD_O
ClientSampleId :




#23 AR-1248-3

R.T.: 0.000 min
Exp R.T. : 4.998 min
Response: 0
Conc: N.D.




#24 AR-1248-4

R.T.: 6.462 min
Delta R.T.: -0.018 min
Response: 332654
Conc: 3.87 ng/ml



#24 AR-1248-4


R.T.: 0.000 min
Exp R.T. : 5.170 min
Response: 0
Conc: N.D.



#25 AR-1248-5


R.T.: 6.566 min
Delta R.T.: 0.047 min
Response: 2119173
Conc: 23.43 ng/ml

Instrument :
ECD_O
ClientSampleId :




#25 AR-1248-5

R.T.: 5.590 min
Delta R.T.: 0.026 min
Response: 238546
Conc: 5.44 ng/ml




#26 AR-1254-1

R.T.: 6.462 min
Delta R.T.: 0.008 min
Response: 332654
Conc: 3.33 ng/ml



#26 AR-1254-1


R.T.: 5.590 min
Delta R.T.: 0.067 min
Response: 238546
Conc: 3.47 ng/ml



#27 AR-1254-2


R.T.: 6.675 min
Delta R.T.: 0.000 min
Response: 164480
Conc: 1.14 ng/ml

Instrument :
ECD_O
ClientSampleId :




#27 AR-1254-2

R.T.: 5.699 min
Delta R.T.: 0.027 min
Response: 185643
Conc: 3.06 ng/ml




#28 AR-1254-3

R.T.: 7.042 min
Delta R.T.: 0.000 min
Response: 868334
Conc: 6.03 ng/ml



#28 AR-1254-3


R.T.: 0.000 min
Exp R.T. : 6.077 min
Response: 0
Conc: N.D.



#29 AR-1254-4


R.T.: 7.354 min
Delta R.T.: 0.023 min
Response: 240227
Conc: 2.59 ng/ml

Instrument :
ECD_O
ClientSampleId :




#29 AR-1254-4

R.T.: 6.342 min
Delta R.T.: 0.035 min
Response: 202360
Conc: 3.62 ng/ml




#30 AR-1254-5

R.T.: 7.756 min
Delta R.T.: 0.003 min
Response: 472000
Conc: 4.59 ng/ml



#30 AR-1254-5


R.T.: 0.000 min
Exp R.T.: 6.727 min
Response: 0
Conc: N.D.



#31 AR-1260-1


R.T.: 7.218 min
Delta R.T.: 0.009 min
Response: 540318
Conc: 4.09 ng/ml

Instrument :
ECD_O
ClientSampleId :




#31 AR-1260-1

R.T.: 6.247 min
Delta R.T.: 0.038 min
Response: 233310
Conc: 3.47 ng/ml




#32 AR-1260-2

R.T.: 7.422 min
Delta R.T.: -0.046 min
Response: 410208
Conc: 3.34 ng/ml



#32 AR-1260-2


R.T.: 6.379 min
Delta R.T.: -0.020 min
Response: 161031
Conc: 2.08 ng/ml



#33 AR-1260-3


R.T.: 7.756 min
Delta R.T.: 0.004 min
Response: 472000
Conc: 3.51 ng/ml

Instrument :
ECD_O
ClientSampleId :




#33 AR-1260-3

R.T.: 6.557 min
Delta R.T.: 0.005 min
Response: 368703
Conc: 4.53 ng/ml




#34 AR-1260-4

R.T.: 8.039 min
Delta R.T.: -0.018 min
Response: 1448444
Conc: 13.69 ng/ml



#34 AR-1260-4


R.T.: 7.006 min
Delta R.T.: -0.020 min
Response: 378307
Conc: 6.31 ng/ml



#35 AR-1260-5


R.T.: 8.421 min
Delta R.T.: 0.039 min
Response: 400813
Conc: 2.06 ng/ml

Instrument :
ECD_O
ClientSampleId :




#35 AR-1260-5

R.T.: 7.237 min
Delta R.T.: -0.033 min
Response: 428421
Conc: 3.28 ng/ml




#36 AR-1262-1

R.T.: 7.852 min
Delta R.T.: 0.022 min
Response: 878254
Conc: 6.18 ng/ml



#36 AR-1262-1


R.T.: 6.804 min
Delta R.T.: -0.015 min
Response: 186584
Conc: 5.19 ng/ml



#37 AR-1262-2


R.T.: 8.421 min
Delta R.T.: 0.039 min
Response: 400813
Conc: 1.86 ng/ml

Instrument :
ECD_O
ClientSampleId :




#37 AR-1262-2

R.T.: 7.006 min
Delta R.T.: -0.019 min
Response: 378307
Conc: 4.99 ng/ml




#38 AR-1262-3

R.T.: 8.703 min
Delta R.T.: 0.001 min
Response: 408349
Conc: 2.61 ng/ml



#38 AR-1262-3


R.T.: 7.545 min
Delta R.T.: -0.009 min
Response: 135257
Conc: 2.32 ng/ml



#39 AR-1262-4


R.T.: 8.799 min
Delta R.T.: 0.008 min
Response: 903144
Conc: 7.30 ng/ml

Instrument :
ECD_O
ClientSampleId :




#39 AR-1262-4

R.T.: 7.584 min
Delta R.T.: -0.034 min
Response: 2188334
Conc: 20.93 ng/ml




#40 AR-1262-5

R.T.: 9.438 min
Delta R.T.: -0.023 min
Response: 242294
Conc: 3.07 ng/ml



#40 AR-1262-5


R.T.: 8.078 min
Delta R.T.: -0.037 min
Response: 77165
Conc: 1.57 ng/ml



#41 AR-1268-1


R.T.: 8.703 min
Delta R.T.: 0.004 min
Response: 408349
Conc: 1.39 ng/ml

Instrument :
ECD_O
ClientSampleId :




#41 AR-1268-1

R.T.: 7.545 min
Delta R.T.: -0.009 min
Response: 135257
Conc: 0.78 ng/ml




#42 AR-1268-2

R.T.: 8.799 min
Delta R.T.: 0.004 min
Response: 903144
Conc: 3.37 ng/ml



#42 AR-1268-2


R.T.: 7.584 min
Delta R.T.: -0.035 min
Response: 2188334
Conc: 14.11 ng/ml



#43 AR-1268-3


R.T.: 9.021 min
Delta R.T.: -0.007 min
Response: 262480
Conc: 1.08 ng/ml

Instrument :
ECD_O
ClientSampleId :




#43 AR-1268-3

R.T.: 7.875 min
Delta R.T.: 0.049 min
Response: 94852
Conc: 0.69 ng/ml




#44 AR-1268-4

R.T.: 9.438 min
Delta R.T.: -0.024 min
Response: 242294
Conc: 2.77 ng/ml



#44 AR-1268-4


R.T.: 8.078 min
Delta R.T.: -0.037 min
Response: 77165
Conc: 1.39 ng/ml



#45 AR-1268-5

R.T.: 9.889 min
Delta R.T.: 0.000 min
Response: 89891
Conc: 0.12 ng/ml

Instrument :
ECD_O
ClientSampleId :



#45 AR-1268-5

R.T.: 0.000 min
Exp R.T. : 8.408 min
Response: 0
Conc: N.D.