

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_0\Data\P0072522\
 Data File : P0088293.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 25 Jul 2022 09:56
 Operator : YP/AJ
 Sample : I.BLK
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 ECD_0
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jul 25 11:37:39 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_0\methods\P0071422.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Fri Jul 15 03:57:23 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.445	3.605	55278992	19867527	21.668	21.058
2)	SA Decachlor...	10.292	8.600	45182813	22905385	21.275	21.918
Target Compounds							
3)	L1 AR-1016-1	5.617	4.691	223145	364843	2.544	10.140 #
4)	L1 AR-1016-2	5.641	4.691	281721	364843	2.245	7.141 #
5)	L1 AR-1016-3	5.690	4.926f	748574	160738	9.650	5.790 #
6)	L1 AR-1016-4	5.805	4.926	44183	160738	0.716	6.910 #
7)	L1 AR-1016-5	6.065f	5.086f	14128	119730	0.228	4.046 #
8)	L2 AR-1221-1	4.653	0.000	361808	0	11.957	N.D. #
9)	L2 AR-1221-2	4.753	3.900	758977	344992	34.241	43.500 #
10)	L2 AR-1221-3	4.876f	0.000	352837	0	5.120	N.D. #
11)	L3 AR-1232-1	4.876f	0.000	352837	0	6.790	N.D. #
12)	L3 AR-1232-2	5.196f	4.691	329083	364843	12.836	18.500 #
13)	L3 AR-1232-3	5.641	4.926f	281721	160738	5.858	15.786 #
14)	L3 AR-1232-4	5.805	4.992	44183	45054	1.900	4.638 #
15)	L3 AR-1232-5	5.893	5.086f	197244	119730	10.152	11.009
16)	L4 AR-1242-1	5.617	4.691	223145	364843	3.269	12.540 #
17)	L4 AR-1242-2	5.641	4.691	281721	364843	2.908	9.008 #
18)	L4 AR-1242-3	5.690	4.926f	748574	160738	12.338	7.275 #
19)	L4 AR-1242-4	5.805	4.992	44183	45054	0.917	1.927 #
20)	L4 AR-1242-5	6.542	0.000	392118	0	7.446	N.D. #
21)	L5 AR-1248-1	5.617	4.691	223145	364843	4.177	15.928 #
22)	L5 AR-1248-2	5.893	4.926	197244	160738	2.539	4.765 #
23)	L5 AR-1248-3	6.146f	4.992	1387654	45054	16.577	1.296 #
24)	L5 AR-1248-4	6.522	5.086f	555386	119730	6.043	2.860 #
25)	L5 AR-1248-5	6.542	0.000	392118	0	4.360	N.D. #
26)	L6 AR-1254-1	6.482	0.000	328668	0	3.466	N.D. #
27)	L6 AR-1254-2	6.700	0.000	801365	0	5.582	N.D. #
28)	L6 AR-1254-3	7.073	6.072	1556553	606681	10.627	7.476 #
29)	L6 AR-1254-4	7.382	6.298	1808677	174168	16.712	3.492 #
30)	L6 AR-1254-5	7.800	6.679	837058	384475	6.955	5.091 #
31)	L7 AR-1260-1	7.232	6.161	341584	210647	2.936	3.887 #
32)	L7 AR-1260-2	7.512	6.336	1190684	547289	8.812	8.429
33)	L7 AR-1260-3	7.858	6.503	712440	368257	7.782	5.920
34)	L7 AR-1260-4	8.088	6.974	66432	101663	0.615	2.149 #
35)	L7 AR-1260-5	8.412	7.218	318136	256793	1.550	2.244 #
36)	L8 AR-1262-1	7.858	6.792	712440	265080	5.186	8.746 #
37)	L8 AR-1262-2	8.412	7.218	318136	256793	1.352	1.911 #
38)	L8 AR-1262-3	8.731	7.509	139464	244250	0.841	4.479 #
39)	L8 AR-1262-4	8.823	7.574	70036	952461	0.839	9.415 #
40)	L8 AR-1262-5	9.498	8.076	1347134	1371948	15.116	27.934 #
41)	L9 AR-1268-1	8.731	7.509	139464	244250	0.493	1.542 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0072522\
 Data File : P0088293.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 25 Jul 2022 09:56
 Operator : YP/AJ
 Sample : I.BLK
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jul 25 11:37:39 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0071422.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Fri Jul 15 03:57:23 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42) L9	AR-1268-2	8.823	7.574	70036	952461	0.269	6.622 #
43) L9	AR-1268-3	9.055	7.741	527358	916905	2.355	7.361 #
44) L9	AR-1268-4	9.498	8.076	1347134	1371948	13.740	25.573 #
45) L9	AR-1268-5	9.931	8.348	596454	394413	0.821	1.020



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0072522\
Data File : P0088293.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 25 Jul 2022 09:56
Operator : YP/AJ
Sample : I.BLK
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
ECD_O
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jul 25 11:37:39 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0071422.M
Quant Title : GC EXTRACTABLES
QLast Update : Fri Jul 15 03:57:23 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.445 min
Delta R.T.: -0.002 min
Response: 55278992
Conc: 21.67 ng/ml

Instrument :
ECD_O
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 3.605 min
Delta R.T.: 0.000 min
Response: 19867527
Conc: 21.06 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.292 min
Delta R.T.: -0.006 min
Response: 45182813
Conc: 21.28 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.600 min
Delta R.T.: -0.008 min
Response: 22905385
Conc: 21.92 ng/ml



#3 AR-1016-1


R.T.: 5.617 min
Delta R.T.: -0.007 min
Response: 223145
Conc: 2.54 ng/ml

Instrument :
ECD_O
ClientSampleId :




#3 AR-1016-1

R.T.: 4.691 min
Delta R.T.: 0.006 min
Response: 364843
Conc: 10.14 ng/ml




#4 AR-1016-2

R.T.: 5.641 min
Delta R.T.: -0.005 min
Response: 281721
Conc: 2.25 ng/ml



#4 AR-1016-2


R.T.: 4.691 min
Delta R.T.: -0.013 min
Response: 364843
Conc: 7.14 ng/ml



#5 AR-1016-3


R.T.: 5.690 min
Delta R.T.: -0.019 min
Response: 748574
Conc: 9.65 ng/ml

Instrument :
ECD_O
ClientSampleId :




#5 AR-1016-3

R.T.: 4.926 min
Delta R.T.: 0.047 min
Response: 160738
Conc: 5.79 ng/ml




#6 AR-1016-4

R.T.: 5.805 min
Delta R.T.: -0.004 min
Response: 44183
Conc: 0.72 ng/ml



#6 AR-1016-4


R.T.: 4.926 min
Delta R.T.: 0.004 min
Response: 160738
Conc: 6.91 ng/ml



#7 AR-1016-5


R.T.: 6.065 min
Delta R.T.: -0.040 min
Response: 14128
Conc: 0.23 ng/ml

Instrument :
ECD_O
ClientSampleId :




#7 AR-1016-5

R.T.: 5.086 min
Delta R.T.: -0.049 min
Response: 119730
Conc: 4.05 ng/ml




#8 AR-1221-1

R.T.: 4.653 min
Delta R.T.: -0.003 min
Response: 361808
Conc: 11.96 ng/ml



#8 AR-1221-1


R.T.: 0.000 min
Exp R.T. : 3.818 min
Response: 0
Conc: N.D.



#9 AR-1221-2


R.T.: 4.753 min
Delta R.T.: 0.010 min
Response: 758977
Conc: 34.24 ng/ml

Instrument :
ECD_O
ClientSampleId :




#9 AR-1221-2

R.T.: 3.900 min
Delta R.T.: -0.002 min
Response: 344992
Conc: 43.50 ng/ml




#10 AR-1221-3

R.T.: 4.876 min
Delta R.T.: 0.056 min
Response: 352837
Conc: 5.12 ng/ml



#10 AR-1221-3


R.T.: 0.000 min
Exp R.T. : 3.978 min
Response: 0
Conc: N.D.



#11 AR-1232-1


R.T.: 4.876 min
Delta R.T.: 0.056 min
Response: 352837
Conc: 6.79 ng/ml

Instrument :
ECD_O
ClientSampleId :




#11 AR-1232-1

R.T.: 0.000 min
Exp R.T. : 3.978 min
Response: 0
Conc: N.D.




#12 AR-1232-2

R.T.: 5.196 min
Delta R.T.: 0.037 min
Response: 329083
Conc: 12.84 ng/ml



#12 AR-1232-2


R.T.: 4.691 min
Delta R.T.: -0.013 min
Response: 364843
Conc: 18.50 ng/ml



#13 AR-1232-3


R.T.: 5.641 min
Delta R.T.: -0.005 min
Response: 281721
Conc: 5.86 ng/ml

Instrument :
ECD_O
ClientSampleId :




#13 AR-1232-3

R.T.: 4.926 min
Delta R.T.: 0.047 min
Response: 160738
Conc: 15.79 ng/ml




#14 AR-1232-4

R.T.: 5.805 min
Delta R.T.: -0.004 min
Response: 44183
Conc: 1.90 ng/ml



#14 AR-1232-4


R.T.: 4.992 min
Delta R.T.: 0.028 min
Response: 45054
Conc: 4.64 ng/ml



#15 AR-1232-5


R.T.: 5.893 min
Delta R.T.: -0.007 min
Response: 197244
Conc: 10.15 ng/ml

Instrument :
ECD_O
ClientSampleId :




#15 AR-1232-5

R.T.: 5.086 min
Delta R.T.: -0.049 min
Response: 119730
Conc: 11.01 ng/ml




#16 AR-1242-1

R.T.: 5.617 min
Delta R.T.: -0.007 min
Response: 223145
Conc: 3.27 ng/ml



#16 AR-1242-1


R.T.: 4.691 min
Delta R.T.: 0.006 min
Response: 364843
Conc: 12.54 ng/ml



#17 AR-1242-2


R.T.: 5.641 min
Delta R.T.: -0.005 min
Response: 281721
Conc: 2.91 ng/ml

Instrument :
ECD_O
ClientSampleId :




#17 AR-1242-2

R.T.: 4.691 min
Delta R.T.: -0.013 min
Response: 364843
Conc: 9.01 ng/ml




#18 AR-1242-3

R.T.: 5.690 min
Delta R.T.: -0.019 min
Response: 748574
Conc: 12.34 ng/ml



#18 AR-1242-3


R.T.: 4.926 min
Delta R.T.: 0.047 min
Response: 160738
Conc: 7.27 ng/ml



#19 AR-1242-4


R.T.: 5.805 min
Delta R.T.: -0.003 min
Response: 44183
Conc: 0.92 ng/ml

Instrument :
ECD_O
ClientSampleId :




#19 AR-1242-4

R.T.: 4.992 min
Delta R.T.: 0.028 min
Response: 45054
Conc: 1.93 ng/ml




#20 AR-1242-5

R.T.: 6.542 min
Delta R.T.: -0.008 min
Response: 392118
Conc: 7.45 ng/ml



#20 AR-1242-5


R.T.: 0.000 min
Exp R.T.: 5.486 min
Response: 0
Conc: N.D.



#21 AR-1248-1


R.T.: 5.617 min
Delta R.T.: -0.007 min
Response: 223145
Conc: 4.18 ng/ml

Instrument :
ECD_O
ClientSampleId :




#21 AR-1248-1

R.T.: 4.691 min
Delta R.T.: 0.005 min
Response: 364843
Conc: 15.93 ng/ml




#22 AR-1248-2

R.T.: 5.893 min
Delta R.T.: -0.007 min
Response: 197244
Conc: 2.54 ng/ml



#22 AR-1248-2


R.T.: 4.926 min
Delta R.T.: 0.004 min
Response: 160738
Conc: 4.77 ng/ml



#23 AR-1248-3


R.T.: 6.146 min
Delta R.T.: 0.040 min
Response: 1387654
Conc: 16.58 ng/ml

Instrument :
ECD_O
ClientSampleId :




#23 AR-1248-3

R.T.: 4.992 min
Delta R.T.: 0.028 min
Response: 45054
Conc: 1.30 ng/ml




#24 AR-1248-4

R.T.: 6.522 min
Delta R.T.: 0.011 min
Response: 555386
Conc: 6.04 ng/ml



#24 AR-1248-4


R.T.: 5.086 min
Delta R.T.: -0.049 min
Response: 119730
Conc: 2.86 ng/ml



#25 AR-1248-5


R.T.: 6.542 min
Delta R.T.: -0.009 min
Response: 392118
Conc: 4.36 ng/ml

Instrument :
ECD_O
ClientSampleId :




#25 AR-1248-5

R.T.: 0.000 min
Exp R.T. : 5.527 min
Response: 0
Conc: N.D.




#26 AR-1254-1

R.T.: 6.482 min
Delta R.T.: -0.003 min
Response: 328668
Conc: 3.47 ng/ml



#26 AR-1254-1


R.T.: 0.000 min
Exp R.T. : 5.487 min
Response: 0
Conc: N.D.



#27 AR-1254-2


R.T.: 6.700 min
Delta R.T.: -0.005 min
Response: 801365
Conc: 5.58 ng/ml

Instrument :
ECD_O
ClientSampleId :




#27 AR-1254-2

R.T.: 0.000 min
Exp R.T. : 5.635 min
Response: 0
Conc: N.D.




#28 AR-1254-3

R.T.: 7.073 min
Delta R.T.: 0.000 min
Response: 1556553
Conc: 10.63 ng/ml



#28 AR-1254-3


R.T.: 6.072 min
Delta R.T.: 0.033 min
Response: 606681
Conc: 7.48 ng/ml



#29 AR-1254-4


R.T.: 7.382 min
Delta R.T.: 0.023 min
Response: 1808677
Conc: 16.71 ng/ml

Instrument :
ECD_O
ClientSampleId :




#29 AR-1254-4

R.T.: 6.298 min
Delta R.T.: 0.031 min
Response: 174168
Conc: 3.49 ng/ml




#30 AR-1254-5

R.T.: 7.800 min
Delta R.T.: 0.020 min
Response: 837058
Conc: 6.96 ng/ml



#30 AR-1254-5


R.T.: 6.679 min
Delta R.T.: -0.005 min
Response: 384475
Conc: 5.09 ng/ml



#31 AR-1260-1


R.T.: 7.232 min
Delta R.T.: -0.008 min
Response: 341584
Conc: 2.94 ng/ml

Instrument :
ECD_O
ClientSampleId :




#31 AR-1260-1

R.T.: 6.161 min
Delta R.T.: -0.007 min
Response: 210647
Conc: 3.89 ng/ml




#32 AR-1260-2

R.T.: 7.512 min
Delta R.T.: 0.016 min
Response: 1190684
Conc: 8.81 ng/ml



#32 AR-1260-2


R.T.: 6.336 min
Delta R.T.: -0.021 min
Response: 547289
Conc: 8.43 ng/ml



#33 AR-1260-3


R.T.: 7.858 min
Delta R.T.: 0.000 min
Response: 712440
Conc: 7.78 ng/ml

Instrument :
ECD_O
ClientSampleId :




#33 AR-1260-3

R.T.: 6.503 min
Delta R.T.: -0.006 min
Response: 368257
Conc: 5.92 ng/ml




#34 AR-1260-4

R.T.: 8.088 min
Delta R.T.: 0.003 min
Response: 66432
Conc: 0.61 ng/ml



#34 AR-1260-4


R.T.: 6.974 min
Delta R.T.: -0.007 min
Response: 101663
Conc: 2.15 ng/ml



#35 AR-1260-5


R.T.: 8.412 min
Delta R.T.: -0.002 min
Response: 318136
Conc: 1.55 ng/ml

Instrument :
ECD_O
ClientSampleId :




#35 AR-1260-5

R.T.: 7.218 min
Delta R.T.: -0.006 min
Response: 256793
Conc: 2.24 ng/ml




#36 AR-1262-1

R.T.: 7.858 min
Delta R.T.: 0.003 min
Response: 712440
Conc: 5.19 ng/ml



#36 AR-1262-1


R.T.: 6.792 min
Delta R.T.: 0.018 min
Response: 265080
Conc: 8.75 ng/ml



#37 AR-1262-2


R.T.: 8.412 min
Delta R.T.: 0.001 min
Response: 318136
Conc: 1.35 ng/ml

Instrument :
ECD_O
ClientSampleId :




#37 AR-1262-2

R.T.: 7.218 min
Delta R.T.: -0.003 min
Response: 256793
Conc: 1.91 ng/ml




#38 AR-1262-3

R.T.: 8.731 min
Delta R.T.: -0.003 min
Response: 139464
Conc: 0.84 ng/ml



#38 AR-1262-3


R.T.: 7.509 min
Delta R.T.: 0.004 min
Response: 244250
Conc: 4.48 ng/ml



#39 AR-1262-4


R.T.: 8.823 min
Delta R.T.: -0.003 min
Response: 70036
Conc: 0.84 ng/ml

Instrument :
ECD_O
ClientSampleId :




#39 AR-1262-4

R.T.: 7.574 min
Delta R.T.: 0.005 min
Response: 952461
Conc: 9.42 ng/ml




#40 AR-1262-5

R.T.: 9.498 min
Delta R.T.: -0.005 min
Response: 1347134
Conc: 15.12 ng/ml



#40 AR-1262-5


R.T.: 8.076 min
Delta R.T.: 0.012 min
Response: 1371948
Conc: 27.93 ng/ml



#41 AR-1268-1


R.T.: 8.731 min
Delta R.T.: 0.001 min
Response: 139464
Conc: 0.49 ng/ml

Instrument :
ECD_O
ClientSampleId :




#41 AR-1268-1

R.T.: 7.509 min
Delta R.T.: 0.004 min
Response: 244250
Conc: 1.54 ng/ml




#42 AR-1268-2

R.T.: 8.823 min
Delta R.T.: -0.005 min
Response: 70036
Conc: 0.27 ng/ml



#42 AR-1268-2


R.T.: 7.574 min
Delta R.T.: 0.004 min
Response: 952461
Conc: 6.62 ng/ml



#43 AR-1268-3


R.T.: 9.055 min
Delta R.T.: -0.009 min
Response: 527358
Conc: 2.36 ng/ml

Instrument :
ECD_O
ClientSampleId :




#43 AR-1268-3

R.T.: 7.741 min
Delta R.T.: -0.035 min
Response: 916905
Conc: 7.36 ng/ml




#44 AR-1268-4

R.T.: 9.498 min
Delta R.T.: -0.006 min
Response: 1347134
Conc: 13.74 ng/ml



#44 AR-1268-4


R.T.: 8.076 min
Delta R.T.: 0.013 min
Response: 1371948
Conc: 25.57 ng/ml



#45 AR-1268-5

R.T.: 9.931 min
Delta R.T.: -0.004 min
Response: 596454
Conc: 0.82 ng/ml

Instrument :
ECD_O
ClientSampleId :



#45 AR-1268-5

R.T.: 8.348 min
Delta R.T.: -0.004 min
Response: 394413
Conc: 1.02 ng/ml