

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0073025\
 Data File : P0112607.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 30 Jul 2025 13:32
 Operator : YP/AJ
 Sample : Q2711-03
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :
 PCB15-28

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jul 31 04:05:47 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0072325.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Thu Jul 24 04:54:06 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.669	3.661	164.0E6	92948711	20.174	18.705
2)	SA Decachlor...	8.691	8.636	153.0E6	36802272	20.927	20.826
Target Compounds							
3)	L1 AR-1016-1	4.751	4.731	11259350	9835904	41.955	56.203 #
4)	L1 AR-1016-2	4.796	4.777	611.9E6	416.3E6	1506.751	1598.039
5)	L1 AR-1016-3	4.861	4.930	61263317	6602555	234.121	48.560 #
6)	L1 AR-1016-4	4.953	4.971	16535855	12951402	78.058	116.590 #
7)	L1 AR-1016-5	5.227	5.204	96146713	62666266	438.085	437.299
8)	L2 AR-1221-1	3.898	3.866	1116134	531210	11.547	7.897 #
9)	L2 AR-1221-2	3.963	3.969	3561194	9528227	49.556	187.830 #
10)	L2 AR-1221-3	4.042	4.030	3774595	9717560	15.879	61.298 #
11)	L3 AR-1232-1	4.042	4.030	3774595	9717560	20.187	76.788 #
12)	L3 AR-1232-2	4.531	4.777	68100851	416.3E6	632.762	3173.968 #
13)	L3 AR-1232-3	4.796	4.930	611.9E6	6602555	2958.995	98.257 #
14)	L3 AR-1232-4	4.953	5.011	16535855	6207009	157.875	103.746 #
15)	L3 AR-1232-5	4.993	5.204	33033174	62666266	486.634	961.094 #
16)	L4 AR-1242-1	4.751	4.731	11259350	9835904	45.475	62.098 #
17)	L4 AR-1242-2	4.796	4.777	611.9E6	416.3E6	1654.756	1781.519
18)	L4 AR-1242-3	4.861	4.930	61263317	6602555	258.869	54.481 #
19)	L4 AR-1242-4	4.953	5.011	16535855	6207009	85.114	50.571 #
20)	L4 AR-1242-5	5.602	5.532	15487814	20354318	72.402	126.447 #
21)	L5 AR-1248-1	4.751	4.731	11259350	9835904	60.143	80.948 #
22)	L5 AR-1248-2	4.993	4.971	33033174	12951402	129.485	76.509 #
23)	L5 AR-1248-3	5.227	5.011	96146713	6207009	279.739	34.940 #
24)	L5 AR-1248-4	5.559	5.204	37637382	62666266	74.078	300.767 #
25)	L5 AR-1248-5	5.602	5.573	15487814	6307854	44.303	29.371 #
26)	L6 AR-1254-1	5.559	5.532	37637382	20354318	68.561	61.939
27)	L6 AR-1254-2	5.708	5.680	37378816	20971516	76.924	72.443
28)	L6 AR-1254-3	6.128	6.096	80465274	50103764	108.111	117.212
29)	L6 AR-1254-4	6.340	6.308	11577288	7400789	21.061	27.113 #
30)	L6 AR-1254-5	6.758	6.723	93722123	40701279	132.409	121.853
31)	L7 AR-1260-1	6.243	6.211	88442567	50167595	201.312	201.873
32)	L7 AR-1260-2	6.432	6.398	118.2E6	57107032	171.901	173.318
33)	L7 AR-1260-3	6.798	6.550	74555749	39781224	126.791	154.838
34)	L7 AR-1260-4	7.056	7.019	56238967	20051181	124.697	104.810
35)	L7 AR-1260-5	7.301	7.261	59206940	23763779	47.781	57.652
36)	L8 AR-1262-1	6.798	6.761	74555749	28644443	80.236	69.051
37)	L8 AR-1262-2	7.301	7.261	59206940	23763779	39.816	46.094
38)	L8 AR-1262-3	7.585	7.541	11663876	3114502	19.761	16.697
39)	L8 AR-1262-4	7.646	7.604	27002439	8620975	27.161	29.923
40)	L8 AR-1262-5	8.145	8.098	6890084	628780	15.874	6.319 #
41)	L9 AR-1268-1	7.585	7.541	11663876	3114502	6.661	6.014

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0073025\
 Data File : P0112607.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 30 Jul 2025 13:32
 Operator : YP/AJ
 Sample : Q2711-03
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :
 PCB15-28

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jul 31 04:05:47 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0072325.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Thu Jul 24 04:54:06 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42) L9	AR-1268-2	7.646	7.604	27002439	8620975	18.331	20.282
43) L9	AR-1268-3	7.849	7.826	839499	-63573	0.670	N.D. #
44) L9	AR-1268-4	8.145	8.098	6890084	628780	14.299	5.650 #
45) L9	AR-1268-5	8.448	8.369	551766	731779	0.164	1.000 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\PO073025\
Data File : PO112607.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 30 Jul 2025 13:32
Operator : YP/AJ
Sample : Q2711-03
Misc :
ALS Vial : 13 Sample Multiplier: 1

Instrument :
ECD_O
ClientSampleId :
PCB15-28

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jul 31 04:05:47 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\PO072325.M
Quant Title : GC EXTRACTABLES
QLast Update : Thu Jul 24 04:54:06 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.669 min
Delta R.T.: 0.000 min
Response: 164049435
Conc: 20.17 ng/ml

Instrument :
ECD_O
ClientSampleId :
PCB15-28




#1 Tetrachloro-m-xylene

R.T.: 3.661 min
Delta R.T.: -0.001 min
Response: 92948711
Conc: 18.71 ng/ml




#2 Decachlorobiphenyl

R.T.: 8.691 min
Delta R.T.: -0.002 min
Response: 153014308
Conc: 20.93 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.636 min
Delta R.T.: -0.005 min
Response: 36802272
Conc: 20.83 ng/ml



#3 AR-1016-1


R.T.: 4.751 min
Delta R.T.: -0.004 min
Response: 11259350
Conc: 41.96 ng/ml

Instrument :
ECD_O
ClientSampleId :
PCB15-28




#3 AR-1016-1

R.T.: 4.731 min
Delta R.T.: -0.007 min
Response: 9835904
Conc: 56.20 ng/ml




#4 AR-1016-2

R.T.: 4.796 min
Delta R.T.: 0.022 min
Response: 611918004
Conc: 1506.75 ng/ml



#4 AR-1016-2


R.T.: 4.777 min
Delta R.T.: 0.022 min
Response: 416281135
Conc: 1598.04 ng/ml



#5 AR-1016-3


R.T.: 4.861 min
Delta R.T.: 0.030 min
Response: 61263317
Conc: 234.12 ng/ml

Instrument :
ECD_O
ClientSampleId :
PCB15-28




#5 AR-1016-3

R.T.: 4.930 min
Delta R.T.: 0.000 min
Response: 6602555
Conc: 48.56 ng/ml




#6 AR-1016-4

R.T.: 4.953 min
Delta R.T.: 0.002 min
Response: 16535855
Conc: 78.06 ng/ml



#6 AR-1016-4


R.T.: 4.971 min
Delta R.T.: -0.002 min
Response: 12951402
Conc: 116.59 ng/ml



#7 AR-1016-5


R.T.: 5.227 min
Delta R.T.: 0.019 min
Response: 96146713
Conc: 438.08 ng/ml

Instrument :
ECD_O
ClientSampleId :
PCB15-28




#7 AR-1016-5

R.T.: 5.204 min
Delta R.T.: 0.019 min
Response: 62666266
Conc: 437.30 ng/ml




#8 AR-1221-1

R.T.: 3.898 min
Delta R.T.: 0.016 min
Response: 1116134
Conc: 11.55 ng/ml



#8 AR-1221-1


R.T.: 3.866 min
Delta R.T.: -0.006 min
Response: 531210
Conc: 7.90 ng/ml



#9 AR-1221-2


R.T.: 3.963 min
Delta R.T.: -0.005 min
Response: 3561194
Conc: 49.56 ng/ml

Instrument :
ECD_O
ClientSampleId :
PCB15-28




#9 AR-1221-2

R.T.: 3.969 min
Delta R.T.: 0.011 min
Response: 9528227
Conc: 187.83 ng/ml




#10 AR-1221-3

R.T.: 4.042 min
Delta R.T.: -0.002 min
Response: 3774595
Conc: 15.88 ng/ml



#10 AR-1221-3


R.T.: 4.030 min
Delta R.T.: -0.002 min
Response: 9717560
Conc: 61.30 ng/ml



#11 AR-1232-1


R.T.: 4.042 min
Delta R.T.: -0.002 min
Response: 3774595
Conc: 20.19 ng/ml

Instrument :
ECD_O
ClientSampleId :
PCB15-28




#11 AR-1232-1

R.T.: 4.030 min
Delta R.T.: -0.002 min
Response: 9717560
Conc: 76.79 ng/ml




#12 AR-1232-2

R.T.: 4.531 min
Delta R.T.: -0.003 min
Response: 68100851
Conc: 632.76 ng/ml



#12 AR-1232-2


R.T.: 4.777 min
Delta R.T.: 0.021 min
Response: 416281135
Conc: 3173.97 ng/ml



#13 AR-1232-3


R.T.: 4.796 min
Delta R.T.: 0.021 min
Response: 611918004
Conc: 2959.00 ng/m

Instrument :
ECD_O
ClientSampleId :
PCB15-28




#13 AR-1232-3

R.T.: 4.930 min
Delta R.T.: 0.000 min
Response: 6602555
Conc: 98.26 ng/ml




#14 AR-1232-4

R.T.: 4.953 min
Delta R.T.: 0.002 min
Response: 16535855
Conc: 157.87 ng/ml



#14 AR-1232-4


R.T.: 5.011 min
Delta R.T.: -0.004 min
Response: 6207009
Conc: 103.75 ng/ml



#15 AR-1232-5


R.T.: 4.993 min
Delta R.T.: 0.000 min
Response: 33033174
Conc: 486.63 ng/ml

Instrument :
ECD_O
ClientSampleId :
PCB15-28




#15 AR-1232-5

R.T.: 5.204 min
Delta R.T.: 0.019 min
Response: 62666266
Conc: 961.09 ng/ml




#16 AR-1242-1

R.T.: 4.751 min
Delta R.T.: -0.004 min
Response: 11259350
Conc: 45.48 ng/ml



#16 AR-1242-1


R.T.: 4.731 min
Delta R.T.: -0.006 min
Response: 9835904
Conc: 62.10 ng/ml



#17 AR-1242-2


R.T.: 4.796 min
Delta R.T.: 0.022 min
Response: 611918004
Conc: 1654.76 ng/ml

Instrument :
ECD_O
ClientSampleId :
PCB15-28




#17 AR-1242-2

R.T.: 4.777 min
Delta R.T.: 0.022 min
Response: 416281135
Conc: 1781.52 ng/ml




#18 AR-1242-3

R.T.: 4.861 min
Delta R.T.: 0.030 min
Response: 61263317
Conc: 258.87 ng/ml



#18 AR-1242-3


R.T.: 4.930 min
Delta R.T.: 0.000 min
Response: 6602555
Conc: 54.48 ng/ml



#19 AR-1242-4


R.T.: 4.953 min
Delta R.T.: 0.003 min
Response: 16535855
Conc: 85.11 ng/ml

Instrument :
ECD_O
ClientSampleId :
PCB15-28




#19 AR-1242-4

R.T.: 5.011 min
Delta R.T.: -0.005 min
Response: 6207009
Conc: 50.57 ng/ml




#20 AR-1242-5

R.T.: 5.602 min
Delta R.T.: 0.000 min
Response: 15487814
Conc: 72.40 ng/ml



#20 AR-1242-5


R.T.: 5.532 min
Delta R.T.: -0.002 min
Response: 20354318
Conc: 126.45 ng/ml



#21 AR-1248-1


R.T.: 4.751 min
Delta R.T.: -0.005 min
Response: 11259350
Conc: 60.14 ng/ml

Instrument :
ECD_O
ClientSampleId :
PCB15-28




#21 AR-1248-1

R.T.: 4.731 min
Delta R.T.: -0.007 min
Response: 9835904
Conc: 80.95 ng/ml




#22 AR-1248-2

R.T.: 4.993 min
Delta R.T.: 0.000 min
Response: 33033174
Conc: 129.48 ng/ml



#22 AR-1248-2


R.T.: 4.971 min
Delta R.T.: -0.003 min
Response: 12951402
Conc: 76.51 ng/ml



#23 AR-1248-3


R.T.: 5.227 min
Delta R.T.: 0.019 min
Response: 96146713
Conc: 279.74 ng/ml

Instrument :
ECD_O
ClientSampleId :
PCB15-28




#23 AR-1248-3

R.T.: 5.011 min
Delta R.T.: -0.004 min
Response: 6207009
Conc: 34.94 ng/ml




#24 AR-1248-4

R.T.: 5.559 min
Delta R.T.: -0.002 min
Response: 37637382
Conc: 74.08 ng/ml



#24 AR-1248-4


R.T.: 5.204 min
Delta R.T.: 0.019 min
Response: 62666266
Conc: 300.77 ng/ml



#25 AR-1248-5


R.T.: 5.602 min
Delta R.T.: 0.000 min
Response: 15487814
Conc: 44.30 ng/ml

Instrument :
ECD_O
ClientSampleId :
PCB15-28




#25 AR-1248-5

R.T.: 5.573 min
Delta R.T.: -0.003 min
Response: 6307854
Conc: 29.37 ng/ml




#26 AR-1254-1

R.T.: 5.559 min
Delta R.T.: -0.002 min
Response: 37637382
Conc: 68.56 ng/ml



#26 AR-1254-1


R.T.: 5.532 min
Delta R.T.: -0.003 min
Response: 20354318
Conc: 61.94 ng/ml



#27 AR-1254-2


R.T.: 5.708 min
Delta R.T.: -0.002 min
Response: 37378816
Conc: 76.92 ng/ml

Instrument :
ECD_O
ClientSampleId :
PCB15-28




#27 AR-1254-2

R.T.: 5.680 min
Delta R.T.: -0.003 min
Response: 20971516
Conc: 72.44 ng/ml




#28 AR-1254-3

R.T.: 6.128 min
Delta R.T.: 0.014 min
Response: 80465274
Conc: 108.11 ng/ml



#28 AR-1254-3


R.T.: 6.096 min
Delta R.T.: 0.013 min
Response: 50103764
Conc: 117.21 ng/ml



#29 AR-1254-4


R.T.: 6.340 min
Delta R.T.: -0.003 min
Response: 11577288
Conc: 21.06 ng/ml

Instrument :
ECD_O
ClientSampleId :
PCB15-28




#29 AR-1254-4

R.T.: 6.308 min
Delta R.T.: -0.004 min
Response: 7400789
Conc: 27.11 ng/ml




#30 AR-1254-5

R.T.: 6.758 min
Delta R.T.: -0.004 min
Response: 93722123
Conc: 132.41 ng/ml



#30 AR-1254-5


R.T.: 6.723 min
Delta R.T.: -0.005 min
Response: 40701279
Conc: 121.85 ng/ml



#31 AR-1260-1


R.T.: 6.243 min
Delta R.T.: -0.002 min
Response: 88442567
Conc: 201.31 ng/ml

Instrument :
ECD_O
ClientSampleId :
PCB15-28




#31 AR-1260-1

R.T.: 6.211 min
Delta R.T.: -0.003 min
Response: 50167595
Conc: 201.87 ng/ml




#32 AR-1260-2

R.T.: 6.432 min
Delta R.T.: -0.001 min
Response: 118249875
Conc: 171.90 ng/ml



#32 AR-1260-2


R.T.: 6.398 min
Delta R.T.: -0.004 min
Response: 57107032
Conc: 173.32 ng/ml



#33 AR-1260-3


R.T.: 6.798 min
Delta R.T.: -0.002 min
Response: 74555749
Conc: 126.79 ng/ml

Instrument :
ECD_O
ClientSampleId :
PCB15-28




#33 AR-1260-3

R.T.: 6.550 min
Delta R.T.: -0.004 min
Response: 39781224
Conc: 154.84 ng/ml




#34 AR-1260-4

R.T.: 7.056 min
Delta R.T.: -0.003 min
Response: 56238967
Conc: 124.70 ng/ml



#34 AR-1260-4


R.T.: 7.019 min
Delta R.T.: -0.004 min
Response: 20051181
Conc: 104.81 ng/ml



#35 AR-1260-5


R.T.: 7.301 min
Delta R.T.: -0.002 min
Response: 59206940
Conc: 47.78 ng/ml

Instrument :
ECD_O
ClientSampleId :
PCB15-28




#35 AR-1260-5

R.T.: 7.261 min
Delta R.T.: -0.003 min
Response: 23763779
Conc: 57.65 ng/ml




#36 AR-1262-1

R.T.: 6.798 min
Delta R.T.: -0.003 min
Response: 74555749
Conc: 80.24 ng/ml



#36 AR-1262-1


R.T.: 6.761 min
Delta R.T.: -0.005 min
Response: 28644443
Conc: 69.05 ng/ml



#37 AR-1262-2


R.T.: 7.301 min
Delta R.T.: -0.002 min
Response: 59206940
Conc: 39.82 ng/ml

Instrument :
ECD_O
ClientSampleId :
PCB15-28




#37 AR-1262-2

R.T.: 7.261 min
Delta R.T.: -0.004 min
Response: 23763779
Conc: 46.09 ng/ml




#38 AR-1262-3

R.T.: 7.585 min
Delta R.T.: -0.002 min
Response: 11663876
Conc: 19.76 ng/ml



#38 AR-1262-3


R.T.: 7.541 min
Delta R.T.: -0.004 min
Response: 3114502
Conc: 16.70 ng/ml



#39 AR-1262-4


R.T.: 7.646 min
Delta R.T.: -0.005 min
Response: 27002439
Conc: 27.16 ng/ml

Instrument :
ECD_O
ClientSampleId :
PCB15-28




#39 AR-1262-4

R.T.: 7.604 min
Delta R.T.: -0.007 min
Response: 8620975
Conc: 29.92 ng/ml




#40 AR-1262-5

R.T.: 8.145 min
Delta R.T.: 0.000 min
Response: 6890084
Conc: 15.87 ng/ml



#40 AR-1262-5


R.T.: 8.098 min
Delta R.T.: -0.005 min
Response: 628780
Conc: 6.32 ng/ml



#41 AR-1268-1


R.T.: 7.585 min
Delta R.T.: -0.001 min
Response: 11663876
Conc: 6.66 ng/ml

Instrument :
ECD_O
ClientSampleId :
PCB15-28




#41 AR-1268-1

R.T.: 7.541 min
Delta R.T.: -0.005 min
Response: 3114502
Conc: 6.01 ng/ml




#42 AR-1268-2

R.T.: 7.646 min
Delta R.T.: -0.006 min
Response: 27002439
Conc: 18.33 ng/ml



#42 AR-1268-2


R.T.: 7.604 min
Delta R.T.: -0.008 min
Response: 8620975
Conc: 20.28 ng/ml



#43 AR-1268-3


R.T.: 7.849 min
Delta R.T.: -0.007 min
Response: 839499
Conc: 0.67 ng/ml

Instrument :
ECD_O
ClientSampleId :
PCB15-28




#43 AR-1268-3

R.T.: 7.826 min
Delta R.T.: 0.011 min
Response: -63573
Conc: N.D.




#44 AR-1268-4

R.T.: 8.145 min
Delta R.T.: 0.000 min
Response: 6890084
Conc: 14.30 ng/ml



#44 AR-1268-4


R.T.: 8.098 min
Delta R.T.: -0.005 min
Response: 628780
Conc: 5.65 ng/ml



#45 AR-1268-5

R.T.: 8.448 min
Delta R.T.: 0.009 min
Response: 551766
Conc: 0.16 ng/ml

Instrument :
ECD_O
ClientSampleId :
PCB15-28



#45 AR-1268-5

R.T.: 8.369 min
Delta R.T.: -0.022 min
Response: 731779
Conc: 1.00 ng/ml