

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0073025\
 Data File : P0112608.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 30 Jul 2025 13:50
 Operator : YP/AJ
 Sample : Q2711-04
 Misc :
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :
 PCB14-3

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jul 31 04:06:05 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0072325.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Thu Jul 24 04:54:06 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.669	3.661	165.8E6	97020784	20.386	19.525
2)	SA Decachlor...	8.693	8.638	150.8E6	36483004	20.623	20.646
Target Compounds							
3)	L1 AR-1016-1	4.756	4.735	3670897	4765163	13.679	27.228 #
4)	L1 AR-1016-2	4.774	4.754	8079091	6289651	19.893	24.145
5)	L1 AR-1016-3	4.828	4.928	10233497	2297998	39.108	16.901 #
6)	L1 AR-1016-4	4.948	4.971	5455793	14907548	25.754	134.200 #
7)	L1 AR-1016-5	5.204	5.183	3699182	3618061	16.855	25.248 #
8)	L2 AR-1221-1	3.877	3.866	2367133	1951801	24.489	29.016
9)	L2 AR-1221-2	3.972	3.958	3010570	3351314	41.894	66.064 #
10)	L2 AR-1221-3	4.042	4.031	5954234	4777458	25.048	30.136
11)	L3 AR-1232-1	4.042	4.031	5954234	4777458	31.844	37.752
12)	L3 AR-1232-2	4.532	4.754	16620215	6289651	154.427	47.956 #
13)	L3 AR-1232-3	4.774	4.928	8079091	2297998	39.067	34.198
14)	L3 AR-1232-4	4.948	5.012	5455793	5781689	52.089	96.637 #
15)	L3 AR-1232-5	4.992	5.183	23827199	3618061	351.015	55.489 #
16)	L4 AR-1242-1	4.756	4.735	3670897	4765163	14.826	30.084 #
17)	L4 AR-1242-2	4.774	4.754	8079091	6289651	21.848	26.917
18)	L4 AR-1242-3	4.828	4.928	10233497	2297998	43.242	18.962 #
19)	L4 AR-1242-4	4.948	5.012	5455793	5781689	28.082	47.105 #
20)	L4 AR-1242-5	5.601	5.533	19171514	49739735	89.622	308.998 #
21)	L5 AR-1248-1	4.756	4.735	3670897	4765163	19.609	39.216 #
22)	L5 AR-1248-2	4.992	4.971	23827199	14907548	93.399	88.065
23)	L5 AR-1248-3	5.204	5.012	3699182	5781689	10.763	32.546 #
24)	L5 AR-1248-4	5.559	5.183	88104726	3618061	173.408	17.365 #
25)	L5 AR-1248-5	5.601	5.573	19171514	10000360	54.840	46.564
26)	L6 AR-1254-1	5.559	5.533	88104726	49739735	160.494	151.359
27)	L6 AR-1254-2	5.708	5.681	105.4E6	56821992	216.935	196.283
28)	L6 AR-1254-3	6.113	6.081	153.4E6	88880257	206.084	207.926
29)	L6 AR-1254-4	6.341	6.309	93759411	51502566	170.564	188.680
30)	L6 AR-1254-5	6.760	6.724	223.8E6	105.3E6	316.178	315.340
31)	L7 AR-1260-1	6.243	6.211	81198916	47546363	184.824	191.325
32)	L7 AR-1260-2	6.433	6.400	114.2E6	57599701	166.048	174.813
33)	L7 AR-1260-3	6.797	6.550	46149332	37728576	78.483	146.849 #
34)	L7 AR-1260-4	7.059	7.020	30692100	11822605	68.053	61.798
35)	L7 AR-1260-5	7.301	7.262	77486136	25048337	62.532	60.768
36)	L8 AR-1262-1	6.797	6.762	46149332	18820464	49.665	45.369
37)	L8 AR-1262-2	7.301	7.262	77486136	25048337	52.108	48.586
38)	L8 AR-1262-3	7.585	7.544	20071491	5701047	34.005	30.564
39)	L8 AR-1262-4	7.647	7.605	54460081	14318980	54.780	49.701
40)	L8 AR-1262-5	8.145	8.100	17167215	2649951	39.550	26.632 #
41)	L9 AR-1268-1	7.585	7.544	20071491	5701047	11.462	11.009

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0073025\
Data File : P0112608.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 30 Jul 2025 13:50
Operator : YP/AJ
Sample : Q2711-04
Misc :
ALS Vial : 14 Sample Multiplier: 1

Instrument :
ECD_O
ClientSampleId :
PCB14-3

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jul 31 04:06:05 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0072325.M
Quant Title : GC EXTRACTABLES
QLast Update : Thu Jul 24 04:54:06 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42)	L9 AR-1268-2	7.647	7.605	54460081	14318980	36.972	33.687
43)	L9 AR-1268-3	7.847	7.806	2842500	210988	2.270	0.657 #
44)	L9 AR-1268-4	8.145	8.100	17167215	2649951	35.627	23.810 #
45)	L9 AR-1268-5	8.440	8.390	2285735	881588	0.681	1.205 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\PO073025\
Data File : PO112608.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 30 Jul 2025 13:50
Operator : YP/AJ
Sample : Q2711-04
Misc :
ALS Vial : 14 Sample Multiplier: 1

Instrument :
ECD_O
ClientSampleId :
PCB14-3

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jul 31 04:06:05 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\PO072325.M
Quant Title : GC EXTRACTABLES
QLast Update : Thu Jul 24 04:54:06 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.669 min
Delta R.T.: 0.000 min
Response: 165766188
Conc: 20.39 ng/ml

Instrument :
ECD_O
ClientSampleId :
PCB14-3




#1 Tetrachloro-m-xylene

R.T.: 3.661 min
Delta R.T.: 0.000 min
Response: 97020784
Conc: 19.52 ng/ml




#2 Decachlorobiphenyl

R.T.: 8.693 min
Delta R.T.: 0.000 min
Response: 150793611
Conc: 20.62 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.638 min
Delta R.T.: -0.003 min
Response: 36483004
Conc: 20.65 ng/ml



#3 AR-1016-1


R.T.: 4.756 min
Delta R.T.: 0.000 min
Response: 3670897
Conc: 13.68 ng/ml

Instrument :
ECD_O
ClientSampleId :
PCB14-3




#3 AR-1016-1

R.T.: 4.735 min
Delta R.T.: -0.003 min
Response: 4765163
Conc: 27.23 ng/ml




#4 AR-1016-2

R.T.: 4.774 min
Delta R.T.: 0.000 min
Response: 8079091
Conc: 19.89 ng/ml



#4 AR-1016-2


R.T.: 4.754 min
Delta R.T.: -0.002 min
Response: 6289651
Conc: 24.14 ng/ml



#5 AR-1016-3


R.T.: 4.828 min
Delta R.T.: -0.003 min
Response: 10233497
Conc: 39.11 ng/ml

Instrument :
ECD_O
ClientSampleId :
PCB14-3




#5 AR-1016-3

R.T.: 4.928 min
Delta R.T.: -0.003 min
Response: 2297998
Conc: 16.90 ng/ml




#6 AR-1016-4

R.T.: 4.948 min
Delta R.T.: -0.003 min
Response: 5455793
Conc: 25.75 ng/ml



#6 AR-1016-4


R.T.: 4.971 min
Delta R.T.: -0.002 min
Response: 14907548
Conc: 134.20 ng/ml



#7 AR-1016-5


R.T.: 5.204 min
Delta R.T.: -0.004 min
Response: 3699182
Conc: 16.86 ng/ml

Instrument :
ECD_O
ClientSampleId :
PCB14-3




#7 AR-1016-5

R.T.: 5.183 min
Delta R.T.: -0.003 min
Response: 3618061
Conc: 25.25 ng/ml




#8 AR-1221-1

R.T.: 3.877 min
Delta R.T.: -0.004 min
Response: 2367133
Conc: 24.49 ng/ml



#8 AR-1221-1


R.T.: 3.866 min
Delta R.T.: -0.006 min
Response: 1951801
Conc: 29.02 ng/ml



#9 AR-1221-2


R.T.: 3.972 min
Delta R.T.: 0.004 min
Response: 3010570
Conc: 41.89 ng/ml

Instrument :
ECD_O
ClientSampleId :
PCB14-3




#9 AR-1221-2

R.T.: 3.958 min
Delta R.T.: 0.000 min
Response: 3351314
Conc: 66.06 ng/ml




#10 AR-1221-3

R.T.: 4.042 min
Delta R.T.: -0.002 min
Response: 5954234
Conc: 25.05 ng/ml



#10 AR-1221-3


R.T.: 4.031 min
Delta R.T.: 0.000 min
Response: 4777458
Conc: 30.14 ng/ml



#11 AR-1232-1


R.T.: 4.042 min
Delta R.T.: -0.001 min
Response: 5954234
Conc: 31.84 ng/ml

Instrument :
ECD_O
ClientSampleId :
PCB14-3




#11 AR-1232-1

R.T.: 4.031 min
Delta R.T.: 0.000 min
Response: 4777458
Conc: 37.75 ng/ml




#12 AR-1232-2

R.T.: 4.532 min
Delta R.T.: -0.003 min
Response: 16620215
Conc: 154.43 ng/ml



#12 AR-1232-2


R.T.: 4.754 min
Delta R.T.: -0.002 min
Response: 6289651
Conc: 47.96 ng/ml



#13 AR-1232-3


R.T.: 4.774 min
Delta R.T.: -0.001 min
Response: 8079091
Conc: 39.07 ng/ml

Instrument :
ECD_O
ClientSampleId :
PCB14-3




#13 AR-1232-3

R.T.: 4.928 min
Delta R.T.: -0.003 min
Response: 2297998
Conc: 34.20 ng/ml




#14 AR-1232-4

R.T.: 4.948 min
Delta R.T.: -0.003 min
Response: 5455793
Conc: 52.09 ng/ml



#14 AR-1232-4


R.T.: 5.012 min
Delta R.T.: -0.003 min
Response: 5781689
Conc: 96.64 ng/ml



#15 AR-1232-5


R.T.: 4.992 min
Delta R.T.: -0.002 min
Response: 23827199
Conc: 351.01 ng/ml

Instrument :
ECD_O
ClientSampleId :
PCB14-3




#15 AR-1232-5

R.T.: 5.183 min
Delta R.T.: -0.003 min
Response: 3618061
Conc: 55.49 ng/ml




#16 AR-1242-1

R.T.: 4.756 min
Delta R.T.: 0.000 min
Response: 3670897
Conc: 14.83 ng/ml



#16 AR-1242-1


R.T.: 4.735 min
Delta R.T.: -0.002 min
Response: 4765163
Conc: 30.08 ng/ml



#17 AR-1242-2


R.T.: 4.774 min
Delta R.T.: 0.000 min
Response: 8079091
Conc: 21.85 ng/ml

Instrument :
ECD_O
ClientSampleId :
PCB14-3




#17 AR-1242-2

R.T.: 4.754 min
Delta R.T.: -0.002 min
Response: 6289651
Conc: 26.92 ng/ml




#18 AR-1242-3

R.T.: 4.828 min
Delta R.T.: -0.003 min
Response: 10233497
Conc: 43.24 ng/ml



#18 AR-1242-3


R.T.: 4.928 min
Delta R.T.: -0.003 min
Response: 2297998
Conc: 18.96 ng/ml



#19 AR-1242-4


R.T.: 4.948 min
Delta R.T.: -0.003 min
Response: 5455793
Conc: 28.08 ng/ml

Instrument :
ECD_O
ClientSampleId :
PCB14-3




#19 AR-1242-4

R.T.: 5.012 min
Delta R.T.: -0.004 min
Response: 5781689
Conc: 47.11 ng/ml




#20 AR-1242-5

R.T.: 5.601 min
Delta R.T.: 0.000 min
Response: 19171514
Conc: 89.62 ng/ml



#20 AR-1242-5


R.T.: 5.533 min
Delta R.T.: -0.001 min
Response: 49739735
Conc: 309.00 ng/ml



#21 AR-1248-1


R.T.: 4.756 min
Delta R.T.: 0.000 min
Response: 3670897
Conc: 19.61 ng/ml

Instrument :
ECD_O
ClientSampleId :
PCB14-3




#21 AR-1248-1

R.T.: 4.735 min
Delta R.T.: -0.003 min
Response: 4765163
Conc: 39.22 ng/ml




#22 AR-1248-2

R.T.: 4.992 min
Delta R.T.: -0.002 min
Response: 23827199
Conc: 93.40 ng/ml



#22 AR-1248-2


R.T.: 4.971 min
Delta R.T.: -0.003 min
Response: 14907548
Conc: 88.06 ng/ml



#23 AR-1248-3


R.T.: 5.204 min
Delta R.T.: -0.004 min
Response: 3699182
Conc: 10.76 ng/ml

Instrument :
ECD_O
ClientSampleId :
PCB14-3




#23 AR-1248-3

R.T.: 5.012 min
Delta R.T.: -0.003 min
Response: 5781689
Conc: 32.55 ng/ml




#24 AR-1248-4

R.T.: 5.559 min
Delta R.T.: -0.002 min
Response: 88104726
Conc: 173.41 ng/ml



#24 AR-1248-4


R.T.: 5.183 min
Delta R.T.: -0.003 min
Response: 3618061
Conc: 17.36 ng/ml



#25 AR-1248-5


R.T.: 5.601 min
Delta R.T.: 0.000 min
Response: 19171514
Conc: 54.84 ng/ml

Instrument :
ECD_O
ClientSampleId :
PCB14-3




#25 AR-1248-5

R.T.: 5.573 min
Delta R.T.: -0.003 min
Response: 10000360
Conc: 46.56 ng/ml




#26 AR-1254-1

R.T.: 5.559 min
Delta R.T.: -0.002 min
Response: 88104726
Conc: 160.49 ng/ml



#26 AR-1254-1


R.T.: 5.533 min
Delta R.T.: -0.002 min
Response: 49739735
Conc: 151.36 ng/ml



#27 AR-1254-2


R.T.: 5.708 min
Delta R.T.: -0.002 min
Response: 105412902
Conc: 216.94 ng/ml

Instrument :
ECD_O
ClientSampleId :
PCB14-3




#27 AR-1254-2

R.T.: 5.681 min
Delta R.T.: -0.001 min
Response: 56821992
Conc: 196.28 ng/ml




#28 AR-1254-3

R.T.: 6.113 min
Delta R.T.: 0.000 min
Response: 153385175
Conc: 206.08 ng/ml



#28 AR-1254-3


R.T.: 6.081 min
Delta R.T.: -0.002 min
Response: 88880257
Conc: 207.93 ng/ml



#29 AR-1254-4


R.T.: 6.341 min
Delta R.T.: -0.002 min
Response: 93759411
Conc: 170.56 ng/ml

Instrument :
ECD_O
ClientSampleId :
PCB14-3




#29 AR-1254-4

R.T.: 6.309 min
Delta R.T.: -0.003 min
Response: 51502566
Conc: 188.68 ng/ml




#30 AR-1254-5

R.T.: 6.760 min
Delta R.T.: -0.002 min
Response: 223798391
Conc: 316.18 ng/ml



#30 AR-1254-5


R.T.: 6.724 min
Delta R.T.: -0.003 min
Response: 105329669
Conc: 315.34 ng/ml



#31 AR-1260-1


R.T.: 6.243 min
Delta R.T.: -0.001 min
Response: 81198916
Conc: 184.82 ng/ml

Instrument :
ECD_O
ClientSampleId :
PCB14-3




#31 AR-1260-1

R.T.: 6.211 min
Delta R.T.: -0.002 min
Response: 47546363
Conc: 191.32 ng/ml




#32 AR-1260-2

R.T.: 6.433 min
Delta R.T.: 0.000 min
Response: 114223399
Conc: 166.05 ng/ml



#32 AR-1260-2


R.T.: 6.400 min
Delta R.T.: -0.002 min
Response: 57599701
Conc: 174.81 ng/ml



#33 AR-1260-3


R.T.: 6.797 min
Delta R.T.: -0.002 min
Response: 46149332
Conc: 78.48 ng/ml

Instrument :
ECD_O
ClientSampleId :
PCB14-3




#33 AR-1260-3

R.T.: 6.550 min
Delta R.T.: -0.003 min
Response: 37728576
Conc: 146.85 ng/ml




#34 AR-1260-4

R.T.: 7.059 min
Delta R.T.: 0.000 min
Response: 30692100
Conc: 68.05 ng/ml



#34 AR-1260-4


R.T.: 7.020 min
Delta R.T.: -0.003 min
Response: 11822605
Conc: 61.80 ng/ml



#35 AR-1260-5


R.T.: 7.301 min
Delta R.T.: -0.001 min
Response: 77486136
Conc: 62.53 ng/ml

Instrument :
ECD_O
ClientSampleId :
PCB14-3




#35 AR-1260-5

R.T.: 7.262 min
Delta R.T.: -0.002 min
Response: 25048337
Conc: 60.77 ng/ml




#36 AR-1262-1

R.T.: 6.797 min
Delta R.T.: -0.004 min
Response: 46149332
Conc: 49.67 ng/ml



#36 AR-1262-1


R.T.: 6.762 min
Delta R.T.: -0.004 min
Response: 18820464
Conc: 45.37 ng/ml



#37 AR-1262-2


R.T.: 7.301 min
Delta R.T.: -0.002 min
Response: 77486136
Conc: 52.11 ng/ml

Instrument :
ECD_O
ClientSampleId :
PCB14-3




#37 AR-1262-2

R.T.: 7.262 min
Delta R.T.: -0.003 min
Response: 25048337
Conc: 48.59 ng/ml




#38 AR-1262-3

R.T.: 7.585 min
Delta R.T.: 0.000 min
Response: 20071491
Conc: 34.00 ng/ml



#38 AR-1262-3


R.T.: 7.544 min
Delta R.T.: -0.002 min
Response: 5701047
Conc: 30.56 ng/ml



#39 AR-1262-4


R.T.: 7.647 min
Delta R.T.: -0.003 min
Response: 54460081
Conc: 54.78 ng/ml

Instrument :
ECD_O
ClientSampleId :
PCB14-3




#39 AR-1262-4

R.T.: 7.605 min
Delta R.T.: -0.005 min
Response: 14318980
Conc: 49.70 ng/ml




#40 AR-1262-5

R.T.: 8.145 min
Delta R.T.: 0.000 min
Response: 17167215
Conc: 39.55 ng/ml



#40 AR-1262-5


R.T.: 8.100 min
Delta R.T.: -0.003 min
Response: 2649951
Conc: 26.63 ng/ml



#41 AR-1268-1


R.T.: 7.585 min
Delta R.T.: 0.000 min
Response: 20071491
Conc: 11.46 ng/ml

Instrument :
ECD_O
ClientSampleId :
PCB14-3




#41 AR-1268-1

R.T.: 7.544 min
Delta R.T.: -0.002 min
Response: 5701047
Conc: 11.01 ng/ml




#42 AR-1268-2

R.T.: 7.647 min
Delta R.T.: -0.005 min
Response: 54460081
Conc: 36.97 ng/ml



#42 AR-1268-2


R.T.: 7.605 min
Delta R.T.: -0.006 min
Response: 14318980
Conc: 33.69 ng/ml



#43 AR-1268-3


R.T.: 7.847 min
Delta R.T.: -0.010 min
Response: 2842500
Conc: 2.27 ng/ml

Instrument :
ECD_O
ClientSampleId :
PCB14-3




#43 AR-1268-3

R.T.: 7.806 min
Delta R.T.: -0.010 min
Response: 210988
Conc: 0.66 ng/ml




#44 AR-1268-4

R.T.: 8.145 min
Delta R.T.: -0.001 min
Response: 17167215
Conc: 35.63 ng/ml



#44 AR-1268-4


R.T.: 8.100 min
Delta R.T.: -0.003 min
Response: 2649951
Conc: 23.81 ng/ml



#45 AR-1268-5

R.T.: 8.440 min
Delta R.T.: 0.001 min
Response: 2285735
Conc: 0.68 ng/ml

Instrument :
ECD_O
ClientSampleId :
PCB14-3



#45 AR-1268-5

R.T.: 8.390 min
Delta R.T.: -0.001 min
Response: 881588
Conc: 1.20 ng/ml