

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0080423\
 Data File : P0096695.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 04 Aug 2023 14:40
 Operator : YP/AJ
 Sample : 03883-01
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Aug 05 00:15:01 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0072723.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Fri Jul 28 01:38:03 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds						
1) SA Tetrachlo...	4.405	3.621	67014048	26444811	20.057	18.668
2) SA Decachlor...	10.232	8.644	48749712	24328120	22.034	20.682
Target Compounds						
3) L1 AR-1016-1	5.584	4.705	153531	512696	1.638	11.343 #
4) L1 AR-1016-2	5.625	4.705	842504	512696	6.315	8.162 #
5) L1 AR-1016-3	5.670	0.000	373775	0	4.501	N.D. #
6) L1 AR-1016-4	5.776	0.000	297924	0	4.386	N.D. #
7) L1 AR-1016-5	6.078	5.186	510365	325185	7.128	8.555
8) L2 AR-1221-1	4.612	3.863	1037432	798971	25.213	42.631 #
9) L2 AR-1221-2	4.721	3.923	2044975	737658	68.030	52.085
10) L2 AR-1221-3	4.779	3.989	1205863	907203	13.728	21.910 #
11) L3 AR-1232-1	4.779	3.989	1205863	907203	16.766	26.702 #
12) L3 AR-1232-2	5.311	4.705	619383	512696	15.774	17.482
13) L3 AR-1232-3	5.625	0.000	842504	0	13.824	N.D. #
14) L3 AR-1232-4	5.776	0.000	297924	0	9.818	N.D. #
15) L3 AR-1232-5	5.881	5.186	98908	325185	3.556	19.522 #
16) L4 AR-1242-1	5.584	4.705	153531	512696	1.894	13.086 #
17) L4 AR-1242-2	5.625	4.705	842504	512696	7.363	9.536 #
18) L4 AR-1242-3	5.670	0.000	373775	0	5.250	N.D. #
19) L4 AR-1242-4	5.776	0.000	297924	0	5.157	N.D. #
20) L4 AR-1242-5	6.536	5.511	2694991	405843	48.607	11.249 #
21) L5 AR-1248-1	5.584	4.705	153531	512696	2.673	18.352 #
22) L5 AR-1248-2	5.881	0.000	98908	0	1.066	N.D. #
23) L5 AR-1248-3	6.078	0.000	510365	0	5.180	N.D. #
24) L5 AR-1248-4	6.478	5.186	616408	325185	6.640	6.343
25) L5 AR-1248-5	6.536	5.558	2694991	321582	29.183	6.851 #
26) L6 AR-1254-1	6.478	5.511	616408	405843	5.829	5.523
27) L6 AR-1254-2	6.672	0.000	865567	0	5.579	N.D. #
28) L6 AR-1254-3	7.042	6.067	1229314	206016	8.055	2.042 #
29) L6 AR-1254-4	7.346	6.295	150665	49604	1.541	0.832 #
30) L6 AR-1254-5	7.775	6.717	28918	247186	0.262	2.847 #
31) L7 AR-1260-1	7.205	0.000	271089	0	2.083	N.D. #
32) L7 AR-1260-2	7.490	6.369	323882	227166	2.364	2.627
33) L7 AR-1260-3	7.754	0.000	520980	0	3.408	N.D. #
34) L7 AR-1260-4	8.080	6.999	506565	382928	4.160	5.864 #
35) L7 AR-1260-5	8.362	7.296	164671	162629	0.749	1.148 #
36) L8 AR-1262-1	7.838	6.855f	751101	492568	5.087	12.538 #
37) L8 AR-1262-2	8.362	6.999	164671	382928	0.722	4.693 #
38) L8 AR-1262-3	8.717	0.000	334397	0	2.012	N.D. #
39) L8 AR-1262-4	8.794	7.643	122001	217933	0.943	1.924 #
40) L8 AR-1262-5	9.476	8.147f	45123	240844	0.529	4.628 #
41) L9 AR-1268-1	8.703	0.000	296518	0	0.975	N.D. #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0080423\
 Data File : P0096695.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 04 Aug 2023 14:40
 Operator : YP/AJ
 Sample : 03883-01
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Aug 05 00:15:01 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0072723.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Fri Jul 28 01:38:03 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42) L9	AR-1268-2	8.813	7.643	164518	217933	0.615	1.295 #
43) L9	AR-1268-3	9.041	7.808	130746	228361	0.522	1.558 #
44) L9	AR-1268-4	9.476	8.147f	45123	240844	0.487	4.050 #
45) L9	AR-1268-5	9.912	8.393	206623	309976	0.259	0.718 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\PO080423\
Data File : PO096695.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 04 Aug 2023 14:40
Operator : YP/AJ
Sample : 03883-01
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
ECD_O
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Aug 05 00:15:01 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\PO072723.M
Quant Title : GC EXTRACTABLES
QLast Update : Fri Jul 28 01:38:03 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.405 min
Delta R.T.: -0.013 min
Response: 67014048
Conc: 20.06 ng/ml

Instrument :
ECD_O
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 3.621 min
Delta R.T.: -0.006 min
Response: 26444811
Conc: 18.67 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.232 min
Delta R.T.: -0.019 min
Response: 48749712
Conc: 22.03 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.644 min
Delta R.T.: -0.011 min
Response: 24328120
Conc: 20.68 ng/ml



#3 AR-1016-1


R.T.: 5.584 min
Delta R.T.: -0.016 min
Response: 153531
Conc: 1.64 ng/ml

Instrument :
ECD_O
ClientSampleId :




#3 AR-1016-1

R.T.: 4.705 min
Delta R.T.: -0.009 min
Response: 512696
Conc: 11.34 ng/ml




#4 AR-1016-2

R.T.: 5.625 min
Delta R.T.: 0.003 min
Response: 842504
Conc: 6.31 ng/ml



#4 AR-1016-2


R.T.: 4.705 min
Delta R.T.: -0.028 min
Response: 512696
Conc: 8.16 ng/ml



#5 AR-1016-3


R.T.: 5.670 min
Delta R.T.: -0.015 min
Response: 373775
Conc: 4.50 ng/ml

Instrument :
ECD_O
ClientSampleId :




#5 AR-1016-3

R.T.: 0.000 min
Exp R.T. : 4.910 min
Response: 0
Conc: N.D.




#6 AR-1016-4

R.T.: 5.776 min
Delta R.T.: -0.009 min
Response: 297924
Conc: 4.39 ng/ml



#6 AR-1016-4


R.T.: 0.000 min
Exp R.T. : 4.953 min
Response: 0
Conc: N.D.



#7 AR-1016-5


R.T.: 6.078 min
Delta R.T.: -0.005 min
Response: 510365
Conc: 7.13 ng/ml

Instrument :
ECD_O
ClientSampleId :




#7 AR-1016-5

R.T.: 5.186 min
Delta R.T.: 0.020 min
Response: 325185
Conc: 8.55 ng/ml




#8 AR-1221-1

R.T.: 4.612 min
Delta R.T.: -0.017 min
Response: 1037432
Conc: 25.21 ng/ml



#8 AR-1221-1


R.T.: 3.863 min
Delta R.T.: 0.022 min
Response: 798971
Conc: 42.63 ng/ml



#9 AR-1221-2


R.T.: 4.721 min
Delta R.T.: 0.004 min
Response: 2044975
Conc: 68.03 ng/ml

Instrument :
ECD_O
ClientSampleId :




#9 AR-1221-2

R.T.: 3.923 min
Delta R.T.: -0.004 min
Response: 737658
Conc: 52.08 ng/ml




#10 AR-1221-3

R.T.: 4.779 min
Delta R.T.: -0.015 min
Response: 1205863
Conc: 13.73 ng/ml



#10 AR-1221-3


R.T.: 3.989 min
Delta R.T.: -0.015 min
Response: 907203
Conc: 21.91 ng/ml



#11 AR-1232-1


R.T.: 4.779 min
Delta R.T.: -0.014 min
Response: 1205863
Conc: 16.77 ng/ml

Instrument :
ECD_O
ClientSampleId :




#11 AR-1232-1

R.T.: 3.989 min
Delta R.T.: -0.015 min
Response: 907203
Conc: 26.70 ng/ml




#12 AR-1232-2

R.T.: 5.311 min
Delta R.T.: -0.019 min
Response: 619383
Conc: 15.77 ng/ml



#12 AR-1232-2


R.T.: 4.705 min
Delta R.T.: -0.028 min
Response: 512696
Conc: 17.48 ng/ml



#13 AR-1232-3


R.T.: 5.625 min
Delta R.T.: 0.002 min
Response: 842504
Conc: 13.82 ng/ml

Instrument :
ECD_O
ClientSampleId :




#13 AR-1232-3

R.T.: 0.000 min
Exp R.T. : 4.910 min
Response: 0
Conc: N.D.




#14 AR-1232-4

R.T.: 5.776 min
Delta R.T.: -0.009 min
Response: 297924
Conc: 9.82 ng/ml



#14 AR-1232-4


R.T.: 0.000 min
Exp R.T. : 4.995 min
Response: 0
Conc: N.D.



#15 AR-1232-5


R.T.: 5.881 min
Delta R.T.: 0.004 min
Response: 98908
Conc: 3.56 ng/ml

Instrument :
ECD_O
ClientSampleId :




#15 AR-1232-5

R.T.: 5.186 min
Delta R.T.: 0.020 min
Response: 325185
Conc: 19.52 ng/ml




#16 AR-1242-1

R.T.: 5.584 min
Delta R.T.: -0.017 min
Response: 153531
Conc: 1.89 ng/ml



#16 AR-1242-1


R.T.: 4.705 min
Delta R.T.: -0.010 min
Response: 512696
Conc: 13.09 ng/ml



#17 AR-1242-2


R.T.: 5.625 min
Delta R.T.: 0.002 min
Response: 842504
Conc: 7.36 ng/ml

Instrument :
ECD_O
ClientSampleId :




#17 AR-1242-2

R.T.: 4.705 min
Delta R.T.: -0.028 min
Response: 512696
Conc: 9.54 ng/ml




#18 AR-1242-3

R.T.: 5.670 min
Delta R.T.: -0.016 min
Response: 373775
Conc: 5.25 ng/ml



#18 AR-1242-3


R.T.: 0.000 min
Exp R.T. : 4.911 min
Response: 0
Conc: N.D.



#19 AR-1242-4


R.T.: 5.776 min
Delta R.T.: -0.009 min
Response: 297924
Conc: 5.16 ng/ml

Instrument :
ECD_O
ClientSampleId :




#19 AR-1242-4

R.T.: 0.000 min
Exp R.T.: 4.995 min
Response: 0
Conc: N.D.




#20 AR-1242-5

R.T.: 6.536 min
Delta R.T.: 0.007 min
Response: 2694991
Conc: 48.61 ng/ml



#20 AR-1242-5


R.T.: 5.511 min
Delta R.T.: -0.008 min
Response: 405843
Conc: 11.25 ng/ml



#21 AR-1248-1


R.T.: 5.584 min
Delta R.T.: -0.017 min
Response: 153531
Conc: 2.67 ng/ml

Instrument :
ECD_O
ClientSampleId :




#21 AR-1248-1

R.T.: 4.705 min
Delta R.T.: -0.010 min
Response: 512696
Conc: 18.35 ng/ml




#22 AR-1248-2

R.T.: 5.881 min
Delta R.T.: 0.004 min
Response: 98908
Conc: 1.07 ng/ml



#22 AR-1248-2


R.T.: 0.000 min
Exp R.T.: 4.953 min
Response: 0
Conc: N.D.



#23 AR-1248-3


R.T.: 6.078 min
Delta R.T.: -0.006 min
Response: 510365
Conc: 5.18 ng/ml

Instrument :
ECD_O
ClientSampleId :




#23 AR-1248-3

R.T.: 0.000 min
Exp R.T.: 4.995 min
Response: 0
Conc: N.D.




#24 AR-1248-4

R.T.: 6.478 min
Delta R.T.: -0.013 min
Response: 616408
Conc: 6.64 ng/ml



#24 AR-1248-4


R.T.: 5.186 min
Delta R.T.: 0.019 min
Response: 325185
Conc: 6.34 ng/ml



#25 AR-1248-5


R.T.: 6.536 min
Delta R.T.: 0.007 min
Response: 2694991
Conc: 29.18 ng/ml

Instrument :
ECD_O
ClientSampleId :




#25 AR-1248-5

R.T.: 5.558 min
Delta R.T.: -0.004 min
Response: 321582
Conc: 6.85 ng/ml




#26 AR-1254-1

R.T.: 6.478 min
Delta R.T.: 0.012 min
Response: 616408
Conc: 5.83 ng/ml



#26 AR-1254-1


R.T.: 5.511 min
Delta R.T.: -0.009 min
Response: 405843
Conc: 5.52 ng/ml



#27 AR-1254-2


R.T.: 6.672 min
Delta R.T.: -0.014 min
Response: 865567
Conc: 5.58 ng/ml

Instrument :
ECD_O
ClientSampleId :




#27 AR-1254-2

R.T.: 0.000 min
Exp R.T.: 5.669 min
Response: 0
Conc: N.D.




#28 AR-1254-3

R.T.: 7.042 min
Delta R.T.: -0.013 min
Response: 1229314
Conc: 8.05 ng/ml



#28 AR-1254-3


R.T.: 6.067 min
Delta R.T.: -0.007 min
Response: 206016
Conc: 2.04 ng/ml



#29 AR-1254-4


R.T.: 7.346 min
Delta R.T.: 0.004 min
Response: 150665
Conc: 1.54 ng/ml

Instrument :
ECD_O
ClientSampleId :




#29 AR-1254-4

R.T.: 6.295 min
Delta R.T.: -0.009 min
Response: 49604
Conc: 0.83 ng/ml




#30 AR-1254-5

R.T.: 7.775 min
Delta R.T.: 0.010 min
Response: 28918
Conc: 0.26 ng/ml



#30 AR-1254-5


R.T.: 6.717 min
Delta R.T.: -0.007 min
Response: 247186
Conc: 2.85 ng/ml



#31 AR-1260-1


R.T.: 7.205 min
Delta R.T.: -0.014 min
Response: 271089
Conc: 2.08 ng/ml

Instrument :
ECD_O
ClientSampleId :




#31 AR-1260-1

R.T.: 0.000 min
Exp R.T.: 6.204 min
Response: 0
Conc: N.D.




#32 AR-1260-2

R.T.: 7.490 min
Delta R.T.: 0.013 min
Response: 323882
Conc: 2.36 ng/ml



#32 AR-1260-2


R.T.: 6.369 min
Delta R.T.: -0.024 min
Response: 227166
Conc: 2.63 ng/ml



#33 AR-1260-3


R.T.: 7.754 min
Delta R.T.: -0.008 min
Response: 520980
Conc: 3.41 ng/ml

Instrument :
ECD_O
ClientSampleId :




#33 AR-1260-3

R.T.: 0.000 min
Exp R.T.: 6.547 min
Response: 0
Conc: N.D.




#34 AR-1260-4

R.T.: 8.080 min
Delta R.T.: 0.014 min
Response: 506565
Conc: 4.16 ng/ml



#34 AR-1260-4


R.T.: 6.999 min
Delta R.T.: -0.021 min
Response: 382928
Conc: 5.86 ng/ml



#35 AR-1260-5


R.T.: 8.362 min
Delta R.T.: -0.031 min
Response: 164671
Conc: 0.75 ng/ml

Instrument :
ECD_O
ClientSampleId :




#35 AR-1260-5

R.T.: 7.296 min
Delta R.T.: 0.032 min
Response: 162629
Conc: 1.15 ng/ml




#36 AR-1262-1

R.T.: 7.838 min
Delta R.T.: -0.002 min
Response: 751101
Conc: 5.09 ng/ml



#36 AR-1262-1


R.T.: 6.855 min
Delta R.T.: 0.041 min
Response: 492568
Conc: 12.54 ng/ml



#37 AR-1262-2


R.T.: 8.362 min
Delta R.T.: -0.031 min
Response: 164671
Conc: 0.72 ng/ml

Instrument :
ECD_O
ClientSampleId :




#37 AR-1262-2

R.T.: 6.999 min
Delta R.T.: -0.022 min
Response: 382928
Conc: 4.69 ng/ml




#38 AR-1262-3

R.T.: 8.717 min
Delta R.T.: 0.006 min
Response: 334397
Conc: 2.01 ng/ml



#38 AR-1262-3


R.T.: 0.000 min
Exp R.T.: 7.549 min
Response: 0
Conc: N.D.



#39 AR-1262-4


R.T.: 8.794 min
Delta R.T.: -0.008 min
Response: 122001
Conc: 0.94 ng/ml

Instrument :
ECD_O
ClientSampleId :




#39 AR-1262-4

R.T.: 7.643 min
Delta R.T.: 0.030 min
Response: 217933
Conc: 1.92 ng/ml




#40 AR-1262-5

R.T.: 9.476 min
Delta R.T.: 0.002 min
Response: 45123
Conc: 0.53 ng/ml



#40 AR-1262-5


R.T.: 8.147 min
Delta R.T.: 0.037 min
Response: 240844
Conc: 4.63 ng/ml



#41 AR-1268-1


R.T.: 8.703 min
Delta R.T.: -0.006 min
Response: 296518
Conc: 0.97 ng/ml

Instrument :
ECD_O
ClientSampleId :




#41 AR-1268-1

R.T.: 0.000 min
Exp R.T.: 7.549 min
Response: 0
Conc: N.D.




#42 AR-1268-2

R.T.: 8.813 min
Delta R.T.: 0.008 min
Response: 164518
Conc: 0.61 ng/ml



#42 AR-1268-2


R.T.: 7.643 min
Delta R.T.: 0.029 min
Response: 217933
Conc: 1.30 ng/ml



#43 AR-1268-3


R.T.: 9.041 min
Delta R.T.: 0.002 min
Response: 130746
Conc: 0.52 ng/ml

Instrument :
ECD_O
ClientSampleId :




#43 AR-1268-3

R.T.: 7.808 min
Delta R.T.: -0.012 min
Response: 228361
Conc: 1.56 ng/ml




#44 AR-1268-4

R.T.: 9.476 min
Delta R.T.: 0.001 min
Response: 45123
Conc: 0.49 ng/ml



#44 AR-1268-4


R.T.: 8.147 min
Delta R.T.: 0.037 min
Response: 240844
Conc: 4.05 ng/ml



#45 AR-1268-5

R.T.: 9.912 min
Delta R.T.: 0.009 min
Response: 206623
Conc: 0.26 ng/ml

Instrument :
ECD_O
ClientSampleId :



#45 AR-1268-5

R.T.: 8.393 min
Delta R.T.: -0.008 min
Response: 309976
Conc: 0.72 ng/ml