

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0080524\
 Data File : P0105208.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 05 Aug 2024 20:17
 Operator : YP/AJ
 Sample : P3461-01DL 200X
 Misc :
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :
 CHRT-28607DL

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Aug 06 00:57:34 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0072924.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Tue Jul 30 07:11:20 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds						
1) SA Tetrachlo...	4.429	3.537	1260532	516006	0.183	0.203
2) SA Decachlor...	10.225	8.432	4111289	1294656	0.801	0.815
Target Compounds						
3) L1 AR-1016-1	5.602	4.594	20965319	11060067	88.102	118.958 #
4) L1 AR-1016-2	5.637	4.594	25298098	11060067	75.250	85.938
5) L1 AR-1016-3	5.688	4.787	5563987	3149132	26.897	46.506 #
6) L1 AR-1016-4	5.785	4.826	9048593	420.4E6	49.840	7817.066 #
7) L1 AR-1016-5	6.084	5.034	632.4E6	249.4E6	3885.844	3513.996
8) L2 AR-1221-1	4.638	3.744	48337658	2956053	526.756	90.552 #
9) L2 AR-1221-2	4.710	3.833	9902618	8636519	138.159	342.851 #
10) L2 AR-1221-3	4.802	3.904	15741563	1881086	78.191	24.993 #
11) L3 AR-1232-1	4.802	3.904	15741563	1881086	95.869	30.485 #
12) L3 AR-1232-2	5.332	4.594	3756678	11060067	45.424	181.697 #
13) L3 AR-1232-3	5.637	4.787	25298098	3149132	160.995	98.946 #
14) L3 AR-1232-4	5.785	4.866	9048593	116.4E6	104.959	4052.124 #
15) L3 AR-1232-5	5.877	5.034	1074.3E6	249.4E6	18759.045	8009.526 #
16) L4 AR-1242-1	5.602	4.594	20965319	11060067	107.394	144.465 #
17) L4 AR-1242-2	5.637	4.594	25298098	11060067	92.425	105.415
18) L4 AR-1242-3	5.688	4.787	5563987	3149132	32.969	56.740 #
19) L4 AR-1242-4	5.785	4.866	9048593	116.4E6	60.074	2079.501 #
20) L4 AR-1242-5	6.532	5.380	631.2E6	1283.6E6	3782.799	18099.752 #
21) L5 AR-1248-1	5.602	4.594	20965319	11060067	135.235	180.476 #
22) L5 AR-1248-2	5.877	4.826	1074.3E6	420.4E6	4870.277	5057.617
23) L5 AR-1248-3	6.084	4.866	632.4E6	116.4E6	2575.870	1335.338 #
24) L5 AR-1248-4	6.490	5.034	1097.2E6	249.4E6	3626.904	2416.403 #
25) L5 AR-1248-5	6.532	5.419	631.2E6	136.2E6	2220.777	1324.576 #
26) L6 AR-1254-1	6.464	5.380	2259.0E6	1283.6E6	7805.057	8554.437
27) L6 AR-1254-2	6.684	5.525	3694.4E6	1224.9E6	8896.704	9151.223
28) L6 AR-1254-3	7.053	5.922	4228.5E6	2148.8E6	10128.528	10113.322
29) L6 AR-1254-4	7.341	6.147	3267.7E6	1431.8E6	10455.171	10780.671
30) L6 AR-1254-5	7.763	6.559	4002.2E6	2066.3E6	10938.704	11131.846
31) L7 AR-1260-1	7.219	6.051	1643.8E6	1012.8E6	5176.856	7436.366 #
32) L7 AR-1260-2	7.477	6.236	2100.2E6	788.1E6	5775.173	4683.493
33) L7 AR-1260-3	7.825	6.385	475.9E6	874.6E6	1855.842	5185.743 #
34) L7 AR-1260-4	8.054	6.852	1410.6E6	106.7E6	4947.931	974.326 #
35) L7 AR-1260-5	8.389	7.091	597.0E6	265.6E6	1068.140	1039.200
36) L8 AR-1262-1	7.763	6.559	4002.2E6	2066.3E6	13749.221	20437.510 #
37) L8 AR-1262-2	8.389	6.852	597.0E6	106.7E6	812.848	645.559
38) L8 AR-1262-3	8.720	7.371	490.5E6	21242899	1031.342	168.999 #
39) L8 AR-1262-4	8.771	7.433	146.9E6	241.5E6	424.514	1052.609 #
40) L8 AR-1262-5	9.460	7.924	73253870	27470671	296.138	279.531
41) L9 AR-1268-1	8.720	7.371	490.5E6	21242899	622.030	60.380 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0080524\
 Data File : P0105208.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 05 Aug 2024 20:17
 Operator : YP/AJ
 Sample : P3461-01DL 200X
 Misc :
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :
 CHRT-28607DL

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Aug 06 00:57:34 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0072924.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Tue Jul 30 07:11:20 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42) L9	AR-1268-2	8.771	7.433	146.9E6	241.5E6	211.907	778.867 #
43) L9	AR-1268-3	9.029	7.638	3490119	2333162	5.847	9.290 #
44) L9	AR-1268-4	9.460	7.924	73253870	27470671	290.338	263.871
45) L9	AR-1268-5	9.879	8.196	27992399	8688310	14.279	12.968



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\PO080524\
Data File : PO105208.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 05 Aug 2024 20:17
Operator : YP/AJ
Sample : P3461-01DL 200X
Misc :
ALS Vial : 21 Sample Multiplier: 1

Instrument :
ECD_O
ClientSampleId :
CHRT-28607DL

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Aug 06 00:57:34 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\PO072924.M
Quant Title : GC EXTRACTABLES
QLast Update : Tue Jul 30 07:11:20 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.429 min
Delta R.T.: 0.000 min
Response: 1260532
Conc: 0.18 ng/ml

Instrument :
ECD_O
ClientSampleId :
CHRT-28607DL




#1 Tetrachloro-m-xylene

R.T.: 3.537 min
Delta R.T.: -0.004 min
Response: 516006
Conc: 0.20 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.225 min
Delta R.T.: 0.004 min
Response: 4111289
Conc: 0.80 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.432 min
Delta R.T.: -0.005 min
Response: 1294656
Conc: 0.82 ng/ml



#3 AR-1016-1


R.T.: 5.602 min
Delta R.T.: 0.002 min
Response: 20965319
Conc: 88.10 ng/ml

Instrument :
ECD_O
ClientSampleId :
CHRT-28607DL




#3 AR-1016-1

R.T.: 4.594 min
Delta R.T.: -0.002 min
Response: 11060067
Conc: 118.96 ng/ml




#4 AR-1016-2

R.T.: 5.637 min
Delta R.T.: 0.015 min
Response: 25298098
Conc: 75.25 ng/ml



#4 AR-1016-2


R.T.: 4.594 min
Delta R.T.: -0.020 min
Response: 11060067
Conc: 85.94 ng/ml



#5 AR-1016-3


R.T.: 5.688 min
Delta R.T.: 0.003 min
Response: 5563987
Conc: 26.90 ng/ml

Instrument :
ECD_O
ClientSampleId :
CHRT-28607DL




#5 AR-1016-3

R.T.: 4.787 min
Delta R.T.: 0.001 min
Response: 3149132
Conc: 46.51 ng/ml




#6 AR-1016-4

R.T.: 5.785 min
Delta R.T.: 0.000 min
Response: 9048593
Conc: 49.84 ng/ml



#6 AR-1016-4


R.T.: 4.826 min
Delta R.T.: -0.002 min
Response: 420396749
Conc: 7817.07 ng/ml



#7 AR-1016-5


R.T.: 6.084 min
Delta R.T.: 0.003 min
Response: 632431989
Conc: 3885.84 ng/ml

Instrument :
ECD_O
ClientSampleId :
CHRT-28607DL




#7 AR-1016-5

R.T.: 5.034 min
Delta R.T.: -0.002 min
Response: 249372298
Conc: 3514.00 ng/ml




#8 AR-1221-1

R.T.: 4.638 min
Delta R.T.: 0.002 min
Response: 48337658
Conc: 526.76 ng/ml



#8 AR-1221-1


R.T.: 3.744 min
Delta R.T.: -0.004 min
Response: 2956053
Conc: 90.55 ng/ml



#9 AR-1221-2


R.T.: 4.710 min
Delta R.T.: -0.011 min
Response: 9902618
Conc: 138.16 ng/ml

Instrument :
ECD_O
ClientSampleId :
CHRT-28607DL




#9 AR-1221-2

R.T.: 3.833 min
Delta R.T.: 0.002 min
Response: 8636519
Conc: 342.85 ng/ml




#10 AR-1221-3

R.T.: 4.802 min
Delta R.T.: 0.003 min
Response: 15741563
Conc: 78.19 ng/ml



#10 AR-1221-3


R.T.: 3.904 min
Delta R.T.: 0.000 min
Response: 1881086
Conc: 24.99 ng/ml



#11 AR-1232-1


R.T.: 4.802 min
Delta R.T.: 0.004 min
Response: 15741563
Conc: 95.87 ng/ml

Instrument :
ECD_O
ClientSampleId :
CHRT-28607DL




#11 AR-1232-1

R.T.: 3.904 min
Delta R.T.: 0.000 min
Response: 1881086
Conc: 30.49 ng/ml




#12 AR-1232-2

R.T.: 5.332 min
Delta R.T.: 0.003 min
Response: 3756678
Conc: 45.42 ng/ml



#12 AR-1232-2


R.T.: 4.594 min
Delta R.T.: -0.020 min
Response: 11060067
Conc: 181.70 ng/ml



#13 AR-1232-3


R.T.: 5.637 min
Delta R.T.: 0.016 min
Response: 25298098
Conc: 161.00 ng/ml

Instrument :
ECD_O
ClientSampleId :
CHRT-28607DL




#13 AR-1232-3

R.T.: 4.787 min
Delta R.T.: 0.001 min
Response: 3149132
Conc: 98.95 ng/ml




#14 AR-1232-4

R.T.: 5.785 min
Delta R.T.: 0.001 min
Response: 9048593
Conc: 104.96 ng/ml



#14 AR-1232-4


R.T.: 4.866 min
Delta R.T.: -0.003 min
Response: 116370641
Conc: 4052.12 ng/ml



#15 AR-1232-5


R.T.: 5.877 min
Delta R.T.: 0.003 min
Response: 1074340247
Conc: 18759.05 ng/ml

Instrument :
ECD_O
ClientSampleId :
CHRT-28607DL




#15 AR-1232-5

R.T.: 5.034 min
Delta R.T.: -0.002 min
Response: 249372298
Conc: 8009.53 ng/ml




#16 AR-1242-1

R.T.: 5.602 min
Delta R.T.: 0.002 min
Response: 20965319
Conc: 107.39 ng/ml



#16 AR-1242-1


R.T.: 4.594 min
Delta R.T.: -0.002 min
Response: 11060067
Conc: 144.46 ng/ml



#17 AR-1242-2


R.T.: 5.637 min
Delta R.T.: 0.015 min
Response: 25298098
Conc: 92.43 ng/ml

Instrument :
ECD_O
ClientSampleId :
CHRT-28607DL




#17 AR-1242-2

R.T.: 4.594 min
Delta R.T.: -0.020 min
Response: 11060067
Conc: 105.42 ng/ml




#18 AR-1242-3

R.T.: 5.688 min
Delta R.T.: 0.004 min
Response: 5563987
Conc: 32.97 ng/ml



#18 AR-1242-3


R.T.: 4.787 min
Delta R.T.: 0.001 min
Response: 3149132
Conc: 56.74 ng/ml



#19 AR-1242-4


R.T.: 5.785 min
Delta R.T.: 0.000 min
Response: 9048593
Conc: 60.07 ng/ml

Instrument :
ECD_O
ClientSampleId :
CHRT-28607DL




#19 AR-1242-4

R.T.: 4.866 min
Delta R.T.: -0.003 min
Response: 116370641
Conc: 2079.50 ng/ml




#20 AR-1242-5

R.T.: 6.532 min
Delta R.T.: 0.007 min
Response: 631182046
Conc: 3782.80 ng/ml



#20 AR-1242-5


R.T.: 5.380 min
Delta R.T.: -0.001 min
Response: 1283590391
Conc: 18099.75 ng/ml



#21 AR-1248-1


R.T.: 5.602 min
Delta R.T.: 0.003 min
Response: 20965319
Conc: 135.24 ng/ml

Instrument :
ECD_O
ClientSampleId :
CHRT-28607DL




#21 AR-1248-1

R.T.: 4.594 min
Delta R.T.: -0.002 min
Response: 11060067
Conc: 180.48 ng/ml




#22 AR-1248-2

R.T.: 5.877 min
Delta R.T.: 0.003 min
Response: 1074340247
Conc: 4870.28 ng/ml



#22 AR-1248-2


R.T.: 4.826 min
Delta R.T.: -0.002 min
Response: 420396749
Conc: 5057.62 ng/ml



#23 AR-1248-3


R.T.: 6.084 min
Delta R.T.: 0.004 min
Response: 632431989
Conc: 2575.87 ng/ml

Instrument :
ECD_O
ClientSampleId :
CHRT-28607DL




#23 AR-1248-3

R.T.: 4.866 min
Delta R.T.: -0.002 min
Response: 116370641
Conc: 1335.34 ng/ml




#24 AR-1248-4

R.T.: 6.490 min
Delta R.T.: 0.004 min
Response: 1097153122
Conc: 3626.90 ng/ml



#24 AR-1248-4


R.T.: 5.034 min
Delta R.T.: -0.001 min
Response: 249372298
Conc: 2416.40 ng/ml



#25 AR-1248-5


R.T.: 6.532 min
Delta R.T.: 0.008 min
Response: 631182046
Conc: 2220.78 ng/ml

Instrument :
ECD_O
ClientSampleId :
CHRT-28607DL




#25 AR-1248-5

R.T.: 5.419 min
Delta R.T.: -0.002 min
Response: 136186816
Conc: 1324.58 ng/ml




#26 AR-1254-1

R.T.: 6.464 min
Delta R.T.: 0.004 min
Response: 2259012659
Conc: 7805.06 ng/ml



#26 AR-1254-1


R.T.: 5.380 min
Delta R.T.: -0.001 min
Response: 1283590391
Conc: 8554.44 ng/ml



#27 AR-1254-2


R.T.: 6.684 min
Delta R.T.: 0.003 min
Response: 3694353900
Conc: 8896.70 ng/ml

Instrument :
ECD_O
ClientSampleId :
CHRT-28607DL




#27 AR-1254-2

R.T.: 5.525 min
Delta R.T.: -0.001 min
Response: 1224948759
Conc: 9151.22 ng/ml




#28 AR-1254-3

R.T.: 7.053 min
Delta R.T.: 0.004 min
Response: 4228514387
Conc: 10128.53 ng/ml



#28 AR-1254-3


R.T.: 5.922 min
Delta R.T.: -0.001 min
Response: 2148787493
Conc: 10113.32 ng/ml



#29 AR-1254-4


R.T.: 7.341 min
Delta R.T.: 0.003 min
Response: 3267661817
Conc: 10455.17 ng/ml

Instrument :
ECD_O
ClientSampleId :
CHRT-28607DL




#29 AR-1254-4

R.T.: 6.147 min
Delta R.T.: -0.001 min
Response: 1431810086
Conc: 10780.67 ng/ml




#30 AR-1254-5

R.T.: 7.763 min
Delta R.T.: 0.003 min
Response: 4002233442
Conc: 10938.70 ng/ml



#30 AR-1254-5


R.T.: 6.559 min
Delta R.T.: -0.002 min
Response: 2066322728
Conc: 11131.85 ng/ml



#31 AR-1260-1


R.T.: 7.219 min
Delta R.T.: 0.003 min
Response: 1643753688
Conc: 5176.86 ng/ml

Instrument :
ECD_O
ClientSampleId :
CHRT-28607DL




#31 AR-1260-1

R.T.: 6.051 min
Delta R.T.: -0.001 min
Response: 1012812346
Conc: 7436.37 ng/ml




#32 AR-1260-2

R.T.: 7.477 min
Delta R.T.: 0.003 min
Response: 2100242919
Conc: 5775.17 ng/ml



#32 AR-1260-2


R.T.: 6.236 min
Delta R.T.: -0.002 min
Response: 788050344
Conc: 4683.49 ng/ml



#33 AR-1260-3


R.T.: 7.825 min
Delta R.T.: -0.012 min
Response: 475850669
Conc: 1855.84 ng/ml

Instrument :
ECD_O
ClientSampleId :
CHRT-28607DL




#33 AR-1260-3

R.T.: 6.385 min
Delta R.T.: -0.003 min
Response: 874607579
Conc: 5185.74 ng/ml




#34 AR-1260-4

R.T.: 8.054 min
Delta R.T.: -0.010 min
Response: 1410551283
Conc: 4947.93 ng/ml



#34 AR-1260-4


R.T.: 6.852 min
Delta R.T.: -0.003 min
Response: 106699119
Conc: 974.33 ng/ml



#35 AR-1260-5


R.T.: 8.389 min
Delta R.T.: 0.001 min
Response: 597041326
Conc: 1068.14 ng/ml

Instrument :
ECD_O
ClientSampleId :
CHRT-28607DL




#35 AR-1260-5

R.T.: 7.091 min
Delta R.T.: -0.004 min
Response: 265637269
Conc: 1039.20 ng/ml




#36 AR-1262-1

R.T.: 7.763 min
Delta R.T.: 0.006 min
Response: 4002233442
Conc: 13749.22 ng/ml



#36 AR-1262-1


R.T.: 6.559 min
Delta R.T.: 0.000 min
Response: 2066322728
Conc: 20437.51 ng/ml



#37 AR-1262-2


R.T.: 8.389 min
Delta R.T.: 0.002 min
Response: 597041326
Conc: 812.85 ng/ml

Instrument :
ECD_O
ClientSampleId :
CHRT-28607DL




#37 AR-1262-2

R.T.: 6.852 min
Delta R.T.: -0.002 min
Response: 106699119
Conc: 645.56 ng/ml




#38 AR-1262-3

R.T.: 8.720 min
Delta R.T.: 0.016 min
Response: 490462535
Conc: 1031.34 ng/ml



#38 AR-1262-3


R.T.: 7.371 min
Delta R.T.: -0.003 min
Response: 21242899
Conc: 169.00 ng/ml



#39 AR-1262-4


R.T.: 8.771 min
Delta R.T.: -0.022 min
Response: 146912307
Conc: 424.51 ng/ml

Instrument :
ECD_O
ClientSampleId :
CHRT-28607DL




#39 AR-1262-4

R.T.: 7.433 min
Delta R.T.: -0.004 min
Response: 241548573
Conc: 1052.61 ng/ml




#40 AR-1262-5

R.T.: 9.460 min
Delta R.T.: 0.002 min
Response: 73253870
Conc: 296.14 ng/ml



#40 AR-1262-5


R.T.: 7.924 min
Delta R.T.: -0.001 min
Response: 27470671
Conc: 279.53 ng/ml



#41 AR-1268-1


R.T.: 8.720 min
Delta R.T.: 0.020 min
Response: 490462535
Conc: 622.03 ng/ml

Instrument :
ECD_O
ClientSampleId :
CHRT-28607DL




#41 AR-1268-1

R.T.: 7.371 min
Delta R.T.: -0.003 min
Response: 21242899
Conc: 60.38 ng/ml




#42 AR-1268-2

R.T.: 8.771 min
Delta R.T.: -0.025 min
Response: 146912307
Conc: 211.91 ng/ml



#42 AR-1268-2


R.T.: 7.433 min
Delta R.T.: -0.005 min
Response: 241548573
Conc: 778.87 ng/ml



#43 AR-1268-3


R.T.: 9.029 min
Delta R.T.: 0.001 min
Response: 3490119
Conc: 5.85 ng/ml

Instrument :
ECD_O
ClientSampleId :
CHRT-28607DL




#43 AR-1268-3

R.T.: 7.638 min
Delta R.T.: -0.003 min
Response: 2333162
Conc: 9.29 ng/ml




#44 AR-1268-4

R.T.: 9.460 min
Delta R.T.: 0.002 min
Response: 73253870
Conc: 290.34 ng/ml



#44 AR-1268-4


R.T.: 7.924 min
Delta R.T.: -0.001 min
Response: 27470671
Conc: 263.87 ng/ml



#45 AR-1268-5

R.T.: 9.879 min
Delta R.T.: 0.003 min
Response: 27992399
Conc: 14.28 ng/ml

Instrument :
ECD_O
ClientSampleId :
CHRT-28607DL



#45 AR-1268-5

R.T.: 8.196 min
Delta R.T.: -0.003 min
Response: 8688310
Conc: 12.97 ng/ml