

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0081020\
 Data File : P0070420.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 10 Aug 2020 8:23
 Operator : DD\AJ
 Sample : HEXANE
 Misc :
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :
 HEXANE

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Aug 11 11:06:27 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0080620.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Thu Aug 06 13:04:06 2020
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.393f	3.563	11437	15842	0.173	0.360 #
2)	SA Decachlor...	10.015	8.754	87688	45738	1.024	0.824
Target Compounds							
3)	L1 AR-1016-1	5.694	4.795	21696	21649	7.514	10.752 #
4)	L1 AR-1016-2	5.694	4.814	21696	27682	5.246	9.741 #
5)	L1 AR-1016-3	5.780f	5.001	30749	11752	12.445	7.697 #
6)	L1 AR-1016-4	5.886	5.057	23441	13727	11.189	10.552
7)	L1 AR-1016-5	0.000	5.274	0	64793	N.D.	40.126 #
8)	L2 AR-1221-1	0.000	3.836f	0	7418	N.D.	12.227 #
9)	L2 AR-1221-2	4.720	3.936f	8016	9888	12.741	22.347 #
10)	L2 AR-1221-3	4.827	3.974f	11325	3006	5.679	2.190 #
11)	L3 AR-1232-1	4.827f	3.974f	11325	3006	7.526	2.771 #
12)	L3 AR-1232-2	5.399	4.814	53909	27682	65.529	22.297 #
13)	L3 AR-1232-3	5.694	5.001	21696	11752	12.167	17.614 #
14)	L3 AR-1232-4	5.886f	5.095	23441	16855	25.692	30.631
15)	L3 AR-1232-5	5.980	5.274	22025	64793	36.018	98.537 #
16)	L4 AR-1242-1	5.694f	4.795	21696	21649	9.211	13.225 #
17)	L4 AR-1242-2	5.694	4.814	21696	27682	6.431	12.011 #
18)	L4 AR-1242-3	5.780f	5.001	30749	11752	15.023	9.444 #
19)	L4 AR-1242-4	5.886f	5.095	23441	16855	13.526	14.859
20)	L4 AR-1242-5	6.657f	5.648	398639	10661	193.532	6.392 #
21)	L5 AR-1248-1	5.694	4.795	21696	21649	12.205	18.188 #
22)	L5 AR-1248-2	5.980	5.057	22025	13727	9.712	8.054
23)	L5 AR-1248-3	0.000	5.095	0	16855	N.D.	10.744 #
24)	L5 AR-1248-4	6.596	5.274	884344	64793	259.914	31.869 #
25)	L5 AR-1248-5	6.657f	5.671f	398639	181120	125.326	87.875 #
26)	L6 AR-1254-1	6.596f	5.648	884344	10661	248.518	3.044 #
27)	L6 AR-1254-2	6.813f	5.812	411728	14345	73.947	4.606 #
28)	L6 AR-1254-3	7.186	6.202	79199	27574	13.752	5.593 #
29)	L6 AR-1254-4	7.480	6.460	-61867	59981	N.D.	16.665 #
30)	L6 AR-1254-5	7.899	6.881	193766	42059	36.678	9.144 #
31)	L7 AR-1260-1	7.350	6.358	29098	157879	6.996	48.893 #
32)	L7 AR-1260-2	7.615	6.557	90881	36639	15.136	8.515 #
33)	L7 AR-1260-3	7.969	0.000	162082	0	31.492	N.D. #
34)	L7 AR-1260-4	8.196	7.180	75577	64105	15.542	20.563 #
35)	L7 AR-1260-5	8.512	7.431	83090	57836	7.455	7.158
36)	L8 AR-1262-1	7.969	6.881	162082	42059	21.161	16.638
37)	L8 AR-1262-2	8.512	7.431	83090	57836	6.595	6.314
38)	L8 AR-1262-3	8.782	7.713	46532	52038	8.127	14.220 #
39)	L8 AR-1262-4	8.853	7.773	55089	47670	17.432	7.560 #
40)	L8 AR-1262-5	9.420	0.000	20856	0	5.047	N.D. #
41)	L9 AR-1268-1	8.782	7.713	46532	52038	2.936	4.633 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0081020\
 Data File : P0070420.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 10 Aug 2020 8:23
 Operator : DD\AJ
 Sample : HEXANE
 Misc :
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :
 HEXANE

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Aug 11 11:06:27 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0080620.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Thu Aug 06 13:04:06 2020
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42) L9	AR-1268-2	8.853	7.773	55089	47670	4.050	4.942
44) L9	AR-1268-4	9.420	0.000	20856	0	4.323	N.D. #
45) L9	AR-1268-5	9.752	8.539	50013	36350	1.592	1.660



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\PO081020\
Data File : PO070420.D
Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
Acq On : 10 Aug 2020 8:23
Operator : DD\AJ
Sample : HEXANE
Misc :
ALS Vial : 1 Sample Multiplier: 1

Instrument :
ECD_O
ClientSampleId :
HEXANE

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Aug 11 11:06:27 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\PO080620.M
Quant Title : GC EXTRACTABLES
QLast Update : Thu Aug 06 13:04:06 2020
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.393 min
Delta R.T.: 0.019 min
Response: 11437
Conc: 0.17 ng/ml

Instrument :
ECD_O
ClientSampleId :
HEXANE




#1 Tetrachloro-m-xylene

R.T.: 3.563 min
Delta R.T.: 0.004 min
Response: 15842
Conc: 0.36 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.015 min
Delta R.T.: 0.010 min
Response: 87688
Conc: 1.02 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.754 min
Delta R.T.: 0.001 min
Response: 45738
Conc: 0.82 ng/ml



#3 AR-1016-1


R.T.: 5.694 min
Delta R.T.: 0.015 min
Response: 21696
Conc: 7.51 ng/ml

Instrument :
ECD_O
ClientSampleId :
HEXANE




#3 AR-1016-1

R.T.: 4.795 min
Delta R.T.: 0.007 min
Response: 21649
Conc: 10.75 ng/ml




#4 AR-1016-2

R.T.: 5.694 min
Delta R.T.: -0.007 min
Response: 21696
Conc: 5.25 ng/ml



#4 AR-1016-2


R.T.: 4.814 min
Delta R.T.: 0.008 min
Response: 27682
Conc: 9.74 ng/ml



#5 AR-1016-3


R.T.: 5.780 min
Delta R.T.: 0.016 min
Response: 30749
Conc: 12.44 ng/ml

Instrument :
ECD_O
ClientSampleId :
HEXANE




#5 AR-1016-3

R.T.: 5.001 min
Delta R.T.: 0.010 min
Response: 11752
Conc: 7.70 ng/ml




#6 AR-1016-4

R.T.: 5.886 min
Delta R.T.: 0.015 min
Response: 23441
Conc: 11.19 ng/ml



#6 AR-1016-4


R.T.: 5.057 min
Delta R.T.: 0.007 min
Response: 13727
Conc: 10.55 ng/ml



#7 AR-1016-5


R.T.: 0.000 min
Exp R.T.: 6.179 min
Response: 0
Conc: N.D.

Instrument :
ECD_O
ClientSampleId :
HEXANE




#7 AR-1016-5

R.T.: 5.274 min
Delta R.T.: 0.003 min
Response: 64793
Conc: 40.13 ng/ml




#8 AR-1221-1

R.T.: 0.000 min
Exp R.T.: 4.631 min
Response: 0
Conc: N.D.



#8 AR-1221-1


R.T.: 3.836 min
Delta R.T.: 0.024 min
Response: 7418
Conc: 12.23 ng/ml



#9 AR-1221-2


R.T.: 4.720 min
Delta R.T.: -0.006 min
Response: 8016
Conc: 12.74 ng/ml

Instrument :
ECD_O
ClientSampleId :
HEXANE




#9 AR-1221-2

R.T.: 3.936 min
Delta R.T.: 0.028 min
Response: 9888
Conc: 22.35 ng/ml




#10 AR-1221-3

R.T.: 4.827 min
Delta R.T.: 0.015 min
Response: 11325
Conc: 5.68 ng/ml



#10 AR-1221-3


R.T.: 3.974 min
Delta R.T.: -0.019 min
Response: 3006
Conc: 2.19 ng/ml



#11 AR-1232-1


R.T.: 4.827 min
Delta R.T.: 0.016 min
Response: 11325
Conc: 7.53 ng/ml

Instrument :
ECD_O
ClientSampleId :
HEXANE




#11 AR-1232-1

R.T.: 3.974 min
Delta R.T.: -0.019 min
Response: 3006
Conc: 2.77 ng/ml




#12 AR-1232-2

R.T.: 5.399 min
Delta R.T.: 0.013 min
Response: 53909
Conc: 65.53 ng/ml



#12 AR-1232-2


R.T.: 4.814 min
Delta R.T.: 0.008 min
Response: 27682
Conc: 22.30 ng/ml



#13 AR-1232-3


R.T.: 5.694 min
Delta R.T.: -0.007 min
Response: 21696
Conc: 12.17 ng/ml

Instrument :
ECD_O
ClientSampleId :
HEXANE




#13 AR-1232-3

R.T.: 5.001 min
Delta R.T.: 0.010 min
Response: 11752
Conc: 17.61 ng/ml




#14 AR-1232-4

R.T.: 5.886 min
Delta R.T.: 0.015 min
Response: 23441
Conc: 25.69 ng/ml



#14 AR-1232-4


R.T.: 5.095 min
Delta R.T.: 0.004 min
Response: 16855
Conc: 30.63 ng/ml



#15 AR-1232-5


R.T.: 5.980 min
Delta R.T.: 0.011 min
Response: 22025
Conc: 36.02 ng/ml

Instrument :
ECD_O
ClientSampleId :
HEXANE




#15 AR-1232-5

R.T.: 5.274 min
Delta R.T.: 0.004 min
Response: 64793
Conc: 98.54 ng/ml




#16 AR-1242-1

R.T.: 5.694 min
Delta R.T.: 0.016 min
Response: 21696
Conc: 9.21 ng/ml



#16 AR-1242-1


R.T.: 4.795 min
Delta R.T.: 0.007 min
Response: 21649
Conc: 13.23 ng/ml



#17 AR-1242-2


R.T.: 5.694 min
Delta R.T.: -0.006 min
Response: 21696
Conc: 6.43 ng/ml

Instrument :
ECD_O
ClientSampleId :
HEXANE




#17 AR-1242-2

R.T.: 4.814 min
Delta R.T.: 0.008 min
Response: 27682
Conc: 12.01 ng/ml




#18 AR-1242-3

R.T.: 5.780 min
Delta R.T.: 0.017 min
Response: 30749
Conc: 15.02 ng/ml



#18 AR-1242-3


R.T.: 5.001 min
Delta R.T.: 0.010 min
Response: 11752
Conc: 9.44 ng/ml



#19 AR-1242-4


R.T.: 5.886 min
Delta R.T.: 0.017 min
Response: 23441
Conc: 13.53 ng/ml

Instrument :
ECD_O
ClientSampleId :
HEXANE




#19 AR-1242-4

R.T.: 5.095 min
Delta R.T.: 0.004 min
Response: 16855
Conc: 14.86 ng/ml




#20 AR-1242-5

R.T.: 6.657 min
Delta R.T.: 0.016 min
Response: 398639
Conc: 193.53 ng/ml



#20 AR-1242-5


R.T.: 5.648 min
Delta R.T.: 0.002 min
Response: 10661
Conc: 6.39 ng/ml



#21 AR-1248-1


R.T.: 5.694 min
Delta R.T.: 0.015 min
Response: 21696
Conc: 12.21 ng/ml

Instrument :
ECD_O
ClientSampleId :
HEXANE




#21 AR-1248-1

R.T.: 4.795 min
Delta R.T.: 0.007 min
Response: 21649
Conc: 18.19 ng/ml




#22 AR-1248-2

R.T.: 5.980 min
Delta R.T.: 0.012 min
Response: 22025
Conc: 9.71 ng/ml



#22 AR-1248-2


R.T.: 5.057 min
Delta R.T.: 0.008 min
Response: 13727
Conc: 8.05 ng/ml



#23 AR-1248-3


R.T.: 0.000 min
Exp R.T.: 6.180 min
Response: 0
Conc: N.D.

Instrument :
ECD_O
ClientSampleId :
HEXANE




#23 AR-1248-3

R.T.: 5.095 min
Delta R.T.: 0.004 min
Response: 16855
Conc: 10.74 ng/ml




#24 AR-1248-4

R.T.: 6.596 min
Delta R.T.: -0.008 min
Response: 884344
Conc: 259.91 ng/ml



#24 AR-1248-4


R.T.: 5.274 min
Delta R.T.: 0.004 min
Response: 64793
Conc: 31.87 ng/ml



#25 AR-1248-5


R.T.: 6.657 min
Delta R.T.: 0.016 min
Response: 398639
Conc: 125.33 ng/ml

Instrument :
ECD_O
ClientSampleId :
HEXANE




#25 AR-1248-5

R.T.: 5.671 min
Delta R.T.: -0.016 min
Response: 181120
Conc: 87.88 ng/ml




#26 AR-1254-1

R.T.: 6.596 min
Delta R.T.: 0.027 min
Response: 884344
Conc: 248.52 ng/ml



#26 AR-1254-1


R.T.: 5.648 min
Delta R.T.: 0.004 min
Response: 10661
Conc: 3.04 ng/ml



#27 AR-1254-2


R.T.: 6.813 min
Delta R.T.: 0.015 min
Response: 411728
Conc: 73.95 ng/ml

Instrument :
ECD_O
ClientSampleId :
HEXANE




#27 AR-1254-2

R.T.: 5.812 min
Delta R.T.: 0.008 min
Response: 14345
Conc: 4.61 ng/ml




#28 AR-1254-3

R.T.: 7.186 min
Delta R.T.: 0.013 min
Response: 79199
Conc: 13.75 ng/ml



#28 AR-1254-3


R.T.: 6.202 min
Delta R.T.: -0.012 min
Response: 27574
Conc: 5.59 ng/ml



#29 AR-1254-4


R.T.: 7.480 min
Delta R.T.: 0.010 min
Response: -61867
Conc: N.D.

Instrument :
ECD_O
ClientSampleId :
HEXANE




#29 AR-1254-4

R.T.: 6.460 min
Delta R.T.: 0.005 min
Response: 59981
Conc: 16.67 ng/ml




#30 AR-1254-5

R.T.: 7.899 min
Delta R.T.: 0.010 min
Response: 193766
Conc: 36.68 ng/ml



#30 AR-1254-5


R.T.: 6.881 min
Delta R.T.: 0.004 min
Response: 42059
Conc: 9.14 ng/ml



#31 AR-1260-1


R.T.: 7.350 min
Delta R.T.: 0.011 min
Response: 29098
Conc: 7.00 ng/ml

Instrument :
ECD_O
ClientSampleId :
HEXANE




#31 AR-1260-1

R.T.: 6.358 min
Delta R.T.: 0.005 min
Response: 157879
Conc: 48.89 ng/ml




#32 AR-1260-2

R.T.: 7.615 min
Delta R.T.: 0.011 min
Response: 90881
Conc: 15.14 ng/ml



#32 AR-1260-2


R.T.: 6.557 min
Delta R.T.: 0.005 min
Response: 36639
Conc: 8.52 ng/ml



#33 AR-1260-3


R.T.: 7.969 min
Delta R.T.: 0.007 min
Response: 162082
Conc: 31.49 ng/ml

Instrument :
ECD_O
ClientSampleId :
HEXANE




#33 AR-1260-3

R.T.: 0.000 min
Exp R.T. : 6.701 min
Response: 0
Conc: N.D.




#34 AR-1260-4

R.T.: 8.196 min
Delta R.T.: 0.008 min
Response: 75577
Conc: 15.54 ng/ml



#34 AR-1260-4


R.T.: 7.180 min
Delta R.T.: 0.003 min
Response: 64105
Conc: 20.56 ng/ml



#35 AR-1260-5


R.T.: 8.512 min
Delta R.T.: 0.008 min
Response: 83090
Conc: 7.45 ng/ml

Instrument :
ECD_O
ClientSampleId :
HEXANE




#35 AR-1260-5

R.T.: 7.431 min
Delta R.T.: 0.003 min
Response: 57836
Conc: 7.16 ng/ml




#36 AR-1262-1

R.T.: 7.969 min
Delta R.T.: 0.008 min
Response: 162082
Conc: 21.16 ng/ml



#36 AR-1262-1


R.T.: 6.881 min
Delta R.T.: 0.005 min
Response: 42059
Conc: 16.64 ng/ml



#37 AR-1262-2


R.T.: 8.512 min
Delta R.T.: 0.010 min
Response: 83090
Conc: 6.60 ng/ml

Instrument :
ECD_O
ClientSampleId :
HEXANE




#37 AR-1262-2

R.T.: 7.431 min
Delta R.T.: 0.004 min
Response: 57836
Conc: 6.31 ng/ml




#38 AR-1262-3

R.T.: 8.782 min
Delta R.T.: 0.012 min
Response: 46532
Conc: 8.13 ng/ml



#38 AR-1262-3


R.T.: 7.713 min
Delta R.T.: 0.004 min
Response: 52038
Conc: 14.22 ng/ml



#39 AR-1262-4


R.T.: 8.853 min
Delta R.T.: 0.003 min
Response: 55089
Conc: 17.43 ng/ml

Instrument :
ECD_O
ClientSampleId :
HEXANE




#39 AR-1262-4

R.T.: 7.773 min
Delta R.T.: 0.001 min
Response: 47670
Conc: 7.56 ng/ml




#40 AR-1262-5

R.T.: 9.420 min
Delta R.T.: 0.011 min
Response: 20856
Conc: 5.05 ng/ml



#40 AR-1262-5


R.T.: 0.000 min
Exp R.T.: 8.267 min
Response: 0
Conc: N.D.



#41 AR-1268-1


R.T.: 8.782 min
Delta R.T.: 0.012 min
Response: 46532
Conc: 2.94 ng/ml

Instrument :
ECD_O
ClientSampleId :
HEXANE




#41 AR-1268-1

R.T.: 7.713 min
Delta R.T.: 0.004 min
Response: 52038
Conc: 4.63 ng/ml




#42 AR-1268-2

R.T.: 8.853 min
Delta R.T.: 0.002 min
Response: 55089
Conc: 4.05 ng/ml



#42 AR-1268-2


R.T.: 7.773 min
Delta R.T.: 0.000 min
Response: 47670
Conc: 4.94 ng/ml



#44 AR-1268-4


R.T.: 9.420 min
Delta R.T.: 0.013 min
Response: 20856
Conc: 4.32 ng/ml

Instrument :
ECD_O
ClientSampleId :
HEXANE




#44 AR-1268-4

R.T.: 0.000 min
Exp R.T. : 8.268 min
Response: 0
Conc: N.D.



#45 AR-1268-5

R.T.: 9.752 min
Delta R.T.: 0.012 min
Response: 50013
Conc: 1.59 ng/ml



#45 AR-1268-5

R.T.: 8.539 min
Delta R.T.: 0.003 min
Response: 36350
Conc: 1.66 ng/ml