

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0081419\
 Data File : P0059263.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 14 Aug 2019 8:19
 Operator : SM/SJ
 Sample : HEXANE
 Misc :
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :
 HEXANE

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Aug 14 10:41:38 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0072819.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Wed Aug 14 09:07:26 2019
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.169	0.000	4272	0	0.101	N.D. #
2)	SA Decachlor...	9.655	0.000	28034	0	0.518	N.D. #
Target Compounds							
3)	L1 AR-1016-1	5.340	4.592	9076	115279	4.843	79.068 #
4)	L1 AR-1016-2	5.352	4.592	2882	115279	1.047	53.703 #
5)	L1 AR-1016-3	5.396	4.748	7319	73396	4.311	64.625 #
6)	L1 AR-1016-4	5.508	4.748	5127	73396	3.664	77.808 #
7)	L1 AR-1016-5	5.805	0.000	2239	0	1.563	N.D. #
8)	L2 AR-1221-1	4.390	0.000	1421	0	3.129	N.D. #
9)	L2 AR-1221-2	4.425	0.000	906	0	2.629	N.D. #
10)	L2 AR-1221-3	4.553	0.000	11015	0	10.045	N.D. #
11)	L3 AR-1232-1	4.553	0.000	11015	0	12.201	N.D. #
12)	L3 AR-1232-2	5.076	4.592	1360	115279	2.766	136.347 #
13)	L3 AR-1232-3	5.352	4.748	2882	73396	2.692	166.892 #
14)	L3 AR-1232-4	5.508	4.893	5127	194343	9.617	491.669 #
15)	L3 AR-1232-5	5.628	0.000	10869	0	26.635	N.D. #
16)	L4 AR-1242-1	5.340	4.592	9076	115279	7.088	113.557 #
17)	L4 AR-1242-2	5.352	4.592	2882	115279	1.524	76.361 #
18)	L4 AR-1242-3	5.396	4.748	7319	73396	6.239	90.125 #
19)	L4 AR-1242-4	5.508	4.893	5127	194343	5.335	240.218 #
20)	L4 AR-1242-5	6.239	0.000	695	0	0.592	N.D. #
21)	L5 AR-1248-1	5.340	4.592	9076	115279	8.978	144.163 #
22)	L5 AR-1248-2	5.628	4.748	10869	73396	7.519	66.242 #
23)	L5 AR-1248-3	5.805	4.893	2239	194343	1.363	170.752 #
24)	L5 AR-1248-4	6.223	0.000	4947	0	2.443	N.D. #
25)	L5 AR-1248-5	6.239	0.000	695	0	0.360	N.D. #
26)	L6 AR-1254-1	6.168	0.000	19743	0	8.361	N.D. #
27)	L6 AR-1254-2	6.379	0.000	8713	0	2.261	N.D. #
28)	L6 AR-1254-3	6.744	0.000	20351	0	5.025	N.D. #
29)	L6 AR-1254-4	6.999	0.000	28120	0	7.810	N.D. #
30)	L6 AR-1254-5	7.455	0.000	8153	0	2.249	N.D. #
31)	L7 AR-1260-1	6.933	0.000	21339	0	7.411	N.D. #
32)	L7 AR-1260-2	7.159	0.000	47555	0	11.431	N.D. #
33)	L7 AR-1260-3	7.520	0.000	8115	0	2.179	N.D. #
34)	L7 AR-1260-4	7.740	0.000	15351	0	4.505	N.D. #
35)	L7 AR-1260-5	8.045	0.000	43252	0	5.881	N.D. #
36)	L8 AR-1262-1	7.520	0.000	8115	0	1.610	N.D. #
37)	L8 AR-1262-2	8.045	0.000	43252	0	5.434	N.D. #
38)	L8 AR-1262-3	8.325	0.000	5869	0	1.155	N.D. #
39)	L8 AR-1262-4	8.413	0.000	14041	0	3.705	N.D. #
40)	L8 AR-1262-5	9.013	0.000	31914	0	13.891	N.D. #
41)	L9 AR-1268-1	8.325	0.000	5869	0	0.525	N.D. #
42)	L9 AR-1268-2	8.413	0.000	14041	0	1.495	N.D. #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0081419\
 Data File : P0059263.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 14 Aug 2019 8:19
 Operator : SM/SJ
 Sample : HEXANE
 Misc :
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :
 HEXANE

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Aug 14 10:41:38 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0072819.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Wed Aug 14 09:07:26 2019
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml	
43)	L9 AR-1268-3	8.608	0.000	1959	0	0.237	N.D.	#
44)	L9 AR-1268-4	9.013	0.000	31914	0	10.676	N.D.	#



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\PO081419\
Data File : PO059263.D
Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
Acq On : 14 Aug 2019 8:19
Operator : SM/SJ
Sample : HEXANE
Misc :
ALS Vial : 1 Sample Multiplier: 1

Instrument :
ECD_O
ClientSampleId :
HEXANE

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Aug 14 10:41:38 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\PO072819.M
Quant Title : GC EXTRACTABLES
QLast Update : Wed Aug 14 09:07:26 2019
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.169 min
Delta R.T.: -0.010 min
Response: 4272
Conc: 0.10 ng/ml

Instrument :
ECD_O
ClientSampleId :
HEXANE




#1 Tetrachloro-m-xylene

R.T.: 0.000 min
Exp R.T. : 3.525 min
Response: 0
Conc: N.D.




#2 Decachlorobiphenyl

R.T.: 9.655 min
Delta R.T.: -0.018 min
Response: 28034
Conc: 0.52 ng/ml



#2 Decachlorobiphenyl


R.T.: 0.000 min
Exp R.T. : 8.414 min
Response: 0
Conc: N.D.



#3 AR-1016-1


R.T.: 5.340 min
Delta R.T.: 0.005 min
Response: 9076
Conc: 4.84 ng/ml

Instrument :
ECD_O
ClientSampleId :
HEXANE




#3 AR-1016-1

R.T.: 4.592 min
Delta R.T.: 0.008 min
Response: 115279
Conc: 79.07 ng/ml




#4 AR-1016-2

R.T.: 5.352 min
Delta R.T.: -0.004 min
Response: 2882
Conc: 1.05 ng/ml



#4 AR-1016-2


R.T.: 4.592 min
Delta R.T.: -0.009 min
Response: 115279
Conc: 53.70 ng/ml



#5 AR-1016-3


R.T.: 5.396 min
Delta R.T.: -0.021 min
Response: 7319
Conc: 4.31 ng/ml

Instrument :
ECD_O
ClientSampleId :
HEXANE




#5 AR-1016-3

R.T.: 4.748 min
Delta R.T.: -0.025 min
Response: 73396
Conc: 64.62 ng/ml




#6 AR-1016-4

R.T.: 5.508 min
Delta R.T.: -0.007 min
Response: 5127
Conc: 3.66 ng/ml



#6 AR-1016-4


R.T.: 4.748 min
Delta R.T.: -0.067 min
Response: 73396
Conc: 77.81 ng/ml



#7 AR-1016-5


R.T.: 5.805 min
Delta R.T.: 0.002 min
Response: 2239
Conc: 1.56 ng/ml

Instrument :
ECD_O
ClientSampleId :
HEXANE




#7 AR-1016-5

R.T.: 0.000 min
Exp R.T. : 5.024 min
Response: 0
Conc: N.D.




#8 AR-1221-1

R.T.: 4.390 min
Delta R.T.: -0.001 min
Response: 1421
Conc: 3.13 ng/ml



#8 AR-1221-1


R.T.: 0.000 min
Exp R.T. : 3.732 min
Response: 0
Conc: N.D.



#9 AR-1221-2


R.T.: 4.425 min
Delta R.T.: -0.052 min
Response: 906
Conc: 2.63 ng/ml

Instrument :
ECD_O
ClientSampleId :
HEXANE




#9 AR-1221-2

R.T.: 0.000 min
Exp R.T. : 3.816 min
Response: 0
Conc: N.D.




#10 AR-1221-3

R.T.: 4.553 min
Delta R.T.: 0.000 min
Response: 11015
Conc: 10.04 ng/ml



#10 AR-1221-3


R.T.: 0.000 min
Exp R.T. : 3.889 min
Response: 0
Conc: N.D.



#11 AR-1232-1


R.T.: 4.553 min
Delta R.T.: 0.000 min
Response: 11015
Conc: 12.20 ng/ml

Instrument :
ECD_O
ClientSampleId :
HEXANE




#11 AR-1232-1

R.T.: 0.000 min
Exp R.T. : 3.889 min
Response: 0
Conc: N.D.




#12 AR-1232-2

R.T.: 5.076 min
Delta R.T.: 0.004 min
Response: 1360
Conc: 2.77 ng/ml



#12 AR-1232-2


R.T.: 4.592 min
Delta R.T.: -0.008 min
Response: 115279
Conc: 136.35 ng/ml



#13 AR-1232-3


R.T.: 5.352 min
Delta R.T.: -0.005 min
Response: 2882
Conc: 2.69 ng/ml

Instrument :
ECD_O
ClientSampleId :
HEXANE




#13 AR-1232-3

R.T.: 4.748 min
Delta R.T.: -0.025 min
Response: 73396
Conc: 166.89 ng/ml




#14 AR-1232-4

R.T.: 5.508 min
Delta R.T.: -0.008 min
Response: 5127
Conc: 9.62 ng/ml



#14 AR-1232-4


R.T.: 4.893 min
Delta R.T.: 0.039 min
Response: 194343
Conc: 491.67 ng/ml



#15 AR-1232-5


R.T.: 5.628 min
Delta R.T.: 0.025 min
Response: 10869
Conc: 26.64 ng/ml

Instrument :
ECD_O
ClientSampleId :
HEXANE




#15 AR-1232-5

R.T.: 0.000 min
Exp R.T. : 5.023 min
Response: 0
Conc: N.D.




#16 AR-1242-1

R.T.: 5.340 min
Delta R.T.: 0.005 min
Response: 9076
Conc: 7.09 ng/ml



#16 AR-1242-1


R.T.: 4.592 min
Delta R.T.: 0.009 min
Response: 115279
Conc: 113.56 ng/ml



#17 AR-1242-2


R.T.: 5.352 min
Delta R.T.: -0.003 min
Response: 2882
Conc: 1.52 ng/ml

Instrument :
ECD_O
ClientSampleId :
HEXANE




#17 AR-1242-2

R.T.: 4.592 min
Delta R.T.: -0.008 min
Response: 115279
Conc: 76.36 ng/ml




#18 AR-1242-3

R.T.: 5.396 min
Delta R.T.: -0.021 min
Response: 7319
Conc: 6.24 ng/ml



#18 AR-1242-3


R.T.: 4.748 min
Delta R.T.: -0.025 min
Response: 73396
Conc: 90.12 ng/ml



#19 AR-1242-4


R.T.: 5.508 min
Delta R.T.: -0.007 min
Response: 5127
Conc: 5.34 ng/ml

Instrument :
ECD_O
ClientSampleId :
HEXANE




#19 AR-1242-4

R.T.: 4.893 min
Delta R.T.: 0.040 min
Response: 194343
Conc: 240.22 ng/ml




#20 AR-1242-5

R.T.: 6.239 min
Delta R.T.: 0.000 min
Response: 695
Conc: 0.59 ng/ml



#20 AR-1242-5


R.T.: 0.000 min
Exp R.T. : 5.368 min
Response: 0
Conc: N.D.



#21 AR-1248-1


R.T.: 5.340 min
Delta R.T.: 0.005 min
Response: 9076
Conc: 8.98 ng/ml

Instrument :
ECD_O
ClientSampleId :
HEXANE




#21 AR-1248-1

R.T.: 4.592 min
Delta R.T.: 0.009 min
Response: 115279
Conc: 144.16 ng/ml




#22 AR-1248-2

R.T.: 5.628 min
Delta R.T.: 0.025 min
Response: 10869
Conc: 7.52 ng/ml



#22 AR-1248-2


R.T.: 4.748 min
Delta R.T.: -0.066 min
Response: 73396
Conc: 66.24 ng/ml



#23 AR-1248-3


R.T.: 5.805 min
Delta R.T.: 0.002 min
Response: 2239
Conc: 1.36 ng/ml

Instrument :
ECD_O
ClientSampleId :
HEXANE




#23 AR-1248-3

R.T.: 4.893 min
Delta R.T.: 0.040 min
Response: 194343
Conc: 170.75 ng/ml




#24 AR-1248-4

R.T.: 6.223 min
Delta R.T.: 0.020 min
Response: 4947
Conc: 2.44 ng/ml



#24 AR-1248-4


R.T.: 0.000 min
Exp R.T. : 5.023 min
Response: 0
Conc: N.D.



#25 AR-1248-5


R.T.: 6.239 min
Delta R.T.: 0.000 min
Response: 695
Conc: 0.36 ng/ml

Instrument :
ECD_O
ClientSampleId :
HEXANE




#25 AR-1248-5

R.T.: 0.000 min
Exp R.T. : 5.409 min
Response: 0
Conc: N.D.




#26 AR-1254-1

R.T.: 6.168 min
Delta R.T.: -0.005 min
Response: 19743
Conc: 8.36 ng/ml



#26 AR-1254-1


R.T.: 0.000 min
Exp R.T. : 5.368 min
Response: 0
Conc: N.D.



#27 AR-1254-2


R.T.: 6.379 min
Delta R.T.: -0.010 min
Response: 8713
Conc: 2.26 ng/ml

Instrument :
ECD_O
ClientSampleId :
HEXANE




#27 AR-1254-2

R.T.: 0.000 min
Exp R.T. : 5.514 min
Response: 0
Conc: N.D.




#28 AR-1254-3

R.T.: 6.744 min
Delta R.T.: -0.009 min
Response: 20351
Conc: 5.03 ng/ml



#28 AR-1254-3


R.T.: 0.000 min
Exp R.T. : 5.911 min
Response: 0
Conc: N.D.



#29 AR-1254-4


R.T.: 6.999 min
Delta R.T.: -0.037 min
Response: 28120
Conc: 7.81 ng/ml

Instrument :
ECD_O
ClientSampleId :
HEXANE




#29 AR-1254-4

R.T.: 0.000 min
Exp R.T. : 6.138 min
Response: 0
Conc: N.D.




#30 AR-1254-5

R.T.: 7.455 min
Delta R.T.: 0.005 min
Response: 8153
Conc: 2.25 ng/ml



#30 AR-1254-5


R.T.: 0.000 min
Exp R.T. : 6.548 min
Response: 0
Conc: N.D.



#31 AR-1260-1


R.T.: 6.933 min
Delta R.T.: 0.022 min
Response: 21339
Conc: 7.41 ng/ml

Instrument :
ECD_O
ClientSampleId :
HEXANE




#31 AR-1260-1

R.T.: 0.000 min
Exp R.T. : 6.037 min
Response: 0
Conc: N.D.




#32 AR-1260-2

R.T.: 7.159 min
Delta R.T.: -0.008 min
Response: 47555
Conc: 11.43 ng/ml



#32 AR-1260-2


R.T.: 0.000 min
Exp R.T. : 6.225 min
Response: 0
Conc: N.D.



#33 AR-1260-3


R.T.: 7.520 min
Delta R.T.: 0.000 min
Response: 8115
Conc: 2.18 ng/ml

Instrument :
ECD_O
ClientSampleId :
HEXANE




#33 AR-1260-3

R.T.: 0.000 min
Exp R.T. : 6.375 min
Response: 0
Conc: N.D.




#34 AR-1260-4

R.T.: 7.740 min
Delta R.T.: -0.007 min
Response: 15351
Conc: 4.50 ng/ml



#34 AR-1260-4


R.T.: 0.000 min
Exp R.T. : 6.839 min
Response: 0
Conc: N.D.



#35 AR-1260-5


R.T.: 8.045 min
Delta R.T.: -0.006 min
Response: 43252
Conc: 5.88 ng/ml

Instrument :
ECD_O
ClientSampleId :
HEXANE




#35 AR-1260-5

R.T.: 0.000 min
Exp R.T. : 7.082 min
Response: 0
Conc: N.D.




#36 AR-1262-1

R.T.: 7.520 min
Delta R.T.: 0.000 min
Response: 8115
Conc: 1.61 ng/ml



#36 AR-1262-1


R.T.: 0.000 min
Exp R.T. : 6.583 min
Response: 0
Conc: N.D.



#37 AR-1262-2


R.T.: 8.045 min
Delta R.T.: -0.004 min
Response: 43252
Conc: 5.43 ng/ml

Instrument :
ECD_O
ClientSampleId :
HEXANE




#37 AR-1262-2

R.T.: 0.000 min
Exp R.T. : 7.082 min
Response: 0
Conc: N.D.




#38 AR-1262-3

R.T.: 8.325 min
Delta R.T.: -0.005 min
Response: 5869
Conc: 1.15 ng/ml



#38 AR-1262-3


R.T.: 0.000 min
Exp R.T. : 7.357 min
Response: 0
Conc: N.D.



#39 AR-1262-4


R.T.: 8.413 min
Delta R.T.: -0.003 min
Response: 14041
Conc: 3.71 ng/ml

Instrument :
ECD_O
ClientSampleId :
HEXANE




#39 AR-1262-4

R.T.: 0.000 min
Exp R.T. : 7.422 min
Response: 0
Conc: N.D.




#40 AR-1262-5

R.T.: 9.013 min
Delta R.T.: 0.000 min
Response: 31914
Conc: 13.89 ng/ml



#40 AR-1262-5


R.T.: 0.000 min
Exp R.T. : 7.914 min
Response: 0
Conc: N.D.



#41 AR-1268-1


R.T.: 8.325 min
Delta R.T.: -0.005 min
Response: 5869
Conc: 0.53 ng/ml

Instrument :
ECD_O
ClientSampleId :
HEXANE




#41 AR-1268-1

R.T.: 0.000 min
Exp R.T. : 7.357 min
Response: 0
Conc: N.D.




#42 AR-1268-2

R.T.: 8.413 min
Delta R.T.: -0.004 min
Response: 14041
Conc: 1.49 ng/ml



#42 AR-1268-2


R.T.: 0.000 min
Exp R.T. : 7.422 min
Response: 0
Conc: N.D.



#43 AR-1268-3


R.T.: 8.608 min
Delta R.T.: -0.009 min
Response: 1959
Conc: 0.24 ng/ml

Instrument :
ECD_O
ClientSampleId :
HEXANE




#43 AR-1268-3

R.T.: 0.000 min
Exp R.T. : 7.619 min
Response: 0
Conc: N.D.



#44 AR-1268-4

R.T.: 9.013 min
Delta R.T.: 0.000 min
Response: 31914
Conc: 10.68 ng/ml



#44 AR-1268-4

R.T.: 0.000 min
Exp R.T. : 7.913 min
Response: 0
Conc: N.D.