

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0081419\
 Data File : P0059282.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 14 Aug 2019 15:48
 Operator : SM/SJ
 Sample : K4341-07 5X
 Misc :
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :
 HA-44

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Aug 14 18:42:53 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0072819.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Wed Aug 14 09:07:26 2019
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.150	3.511	151781	156589	3.596	3.920
2)	SA Decachlor...	9.646	8.387	237600	159055	4.387	4.029
Target Compounds							
3)	L1 AR-1016-1	5.329	4.582	46762	21456	24.954	14.716 #
4)	L1 AR-1016-2	5.329	4.582	46762	21456	16.995	9.995 #
5)	L1 AR-1016-3	5.388	4.795	16697	961856	9.834	846.905 #
6)	L1 AR-1016-4	5.517	4.795	3449	961856	2.465	1019.669 #
7)	L1 AR-1016-5	5.813	5.005	45076	531615	31.468	431.704 #
8)	L2 AR-1221-1	4.410	0.000	8838	0	19.454	N.D. #
9)	L2 AR-1221-2	4.454	0.000	5150	0	14.938	N.D. #
10)	L2 AR-1221-3	4.529	0.000	10829	0	9.875	N.D. #
11)	L3 AR-1232-1	4.529	0.000	10829	0	11.995	N.D. #
12)	L3 AR-1232-2	5.069	4.582	5798	21456	11.786	25.377 #
13)	L3 AR-1232-3	5.329	4.795	46762	961856	43.673	2187.111 #
14)	L3 AR-1232-4	5.517	4.866	3449	67795	6.469	171.516 #
15)	L3 AR-1232-5	5.615	5.005	380922	531615	933.488	1207.530 #
16)	L4 AR-1242-1	5.329	4.582	46762	21456	36.517	21.135 #
17)	L4 AR-1242-2	5.329	4.582	46762	21456	24.720	14.212 #
18)	L4 AR-1242-3	5.388	4.795	16697	961856	14.234	1181.081 #
19)	L4 AR-1242-4	5.517	4.866	3449	67795	3.589	83.799 #
20)	L4 AR-1242-5	6.212	5.349	918064	2669951	781.616	2489.033 #
21)	L5 AR-1248-1	5.329	4.582	46762	21456	46.253	26.832 #
22)	L5 AR-1248-2	5.615	4.795	380922	961856	263.506	868.104 #
23)	L5 AR-1248-3	5.813	4.866	45076	67795	27.442	59.566 #
24)	L5 AR-1248-4	6.212	5.005	918064	531615	453.309	380.545 #
25)	L5 AR-1248-5	6.212	5.419	918064	297670	475.596	214.884 #
26)	L6 AR-1254-1	6.174	5.349	1632968	2669951	691.558	1030.655 #
27)	L6 AR-1254-2	6.409	5.494	1535837	2231322	398.510	974.620 #
28)	L6 AR-1254-3	6.779	5.890	280514	3267213	69.269	887.983 #
29)	L6 AR-1254-4	7.010	6.143	2979933	303867	827.611	130.683 #
30)	L6 AR-1254-5	7.455	6.527	298362	1587346	82.312	460.160 #
31)	L7 AR-1260-1	6.884	6.015	1185662	1295251	411.811	544.212 #
32)	L7 AR-1260-2	7.186	6.204	622208	1040000	149.567	343.314 #
33)	L7 AR-1260-3	7.549	6.352	92436	824131	24.822	305.252 #
34)	L7 AR-1260-4	7.716	6.856	323529	211794	94.938	93.734 #
35)	L7 AR-1260-5	8.029	7.058	113062	52035	15.373	9.662 #
36)	L8 AR-1262-1	7.549	6.594	92436	114417	18.339	32.034 #
37)	L8 AR-1262-2	8.029	7.058	113062	52035	14.205	9.216 #
38)	L8 AR-1262-3	8.332	7.397	45800	34540	9.010	13.995 #
39)	L8 AR-1262-4	8.421	7.397	4042	34540	1.067	8.134 #
40)	L8 AR-1262-5	9.035	0.000	24961	0	10.864	N.D. #
41)	L9 AR-1268-1	8.332	7.397	45800	34540	4.100	4.241 #
42)	L9 AR-1268-2	8.421	7.397	4042	34540	0.430	4.558 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0081419\
 Data File : P0059282.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 14 Aug 2019 15:48
 Operator : SM/SJ
 Sample : K4341-07 5X
 Misc :
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :
 HA-44

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Aug 14 18:42:53 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0072819.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Wed Aug 14 09:07:26 2019
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
43) L9	AR-1268-3	8.607	7.599	4095	14669	0.496	2.295 #
44) L9	AR-1268-4	9.035	0.000	24961	0	8.350	N.D. #
45) L9	AR-1268-5	9.354	0.000	48253	0	2.248	N.D. #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\PO081419\
Data File : PO059282.D
Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
Acq On : 14 Aug 2019 15:48
Operator : SM/SJ
Sample : K4341-07 5X
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
ECD_O
ClientSampled :
HA-44

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Aug 14 18:42:53 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\PO072819.M
Quant Title : GC EXTRACTABLES
QLast Update : Wed Aug 14 09:07:26 2019
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.150 min
Delta R.T.: -0.029 min
Response: 151781
Conc: 3.60 ng/ml

Instrument :
ECD_O
ClientSampleId :
HA-44




#1 Tetrachloro-m-xylene

R.T.: 3.511 min
Delta R.T.: -0.014 min
Response: 156589
Conc: 3.92 ng/ml




#2 Decachlorobiphenyl

R.T.: 9.646 min
Delta R.T.: -0.027 min
Response: 237600
Conc: 4.39 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.387 min
Delta R.T.: -0.027 min
Response: 159055
Conc: 4.03 ng/ml



#3 AR-1016-1


R.T.: 5.329 min
Delta R.T.: -0.006 min
Response: 46762
Conc: 24.95 ng/ml

Instrument :
ECD_O
ClientSampleId :
HA-44




#3 AR-1016-1

R.T.: 4.582 min
Delta R.T.: -0.001 min
Response: 21456
Conc: 14.72 ng/ml




#4 AR-1016-2

R.T.: 5.329 min
Delta R.T.: -0.028 min
Response: 46762
Conc: 16.99 ng/ml



#4 AR-1016-2


R.T.: 4.582 min
Delta R.T.: -0.019 min
Response: 21456
Conc: 10.00 ng/ml



#5 AR-1016-3


R.T.: 5.388 min
Delta R.T.: -0.029 min
Response: 16697
Conc: 9.83 ng/ml

Instrument :
ECD_O
ClientSampleId :
HA-44




#5 AR-1016-3

R.T.: 4.795 min
Delta R.T.: 0.022 min
Response: 961856
Conc: 846.91 ng/ml




#6 AR-1016-4

R.T.: 5.517 min
Delta R.T.: 0.002 min
Response: 3449
Conc: 2.46 ng/ml



#6 AR-1016-4


R.T.: 4.795 min
Delta R.T.: -0.019 min
Response: 961856
Conc: 1019.67 ng/ml



#7 AR-1016-5


R.T.: 5.813 min
Delta R.T.: 0.010 min
Response: 45076
Conc: 31.47 ng/ml

Instrument :
ECD_O
ClientSampleId :
HA-44




#7 AR-1016-5

R.T.: 5.005 min
Delta R.T.: -0.019 min
Response: 531615
Conc: 431.70 ng/ml




#8 AR-1221-1

R.T.: 4.410 min
Delta R.T.: 0.019 min
Response: 8838
Conc: 19.45 ng/ml



#8 AR-1221-1


R.T.: 0.000 min
Exp R.T. : 3.732 min
Response: 0
Conc: N.D.



#9 AR-1221-2


R.T.: 4.454 min
Delta R.T.: -0.023 min
Response: 5150
Conc: 14.94 ng/ml

Instrument :
ECD_O
ClientSampleId :
HA-44




#9 AR-1221-2

R.T.: 0.000 min
Exp R.T. : 3.816 min
Response: 0
Conc: N.D.




#10 AR-1221-3

R.T.: 4.529 min
Delta R.T.: -0.024 min
Response: 10829
Conc: 9.88 ng/ml



#10 AR-1221-3


R.T.: 0.000 min
Exp R.T. : 3.889 min
Response: 0
Conc: N.D.



#11 AR-1232-1


R.T.: 4.529 min
Delta R.T.: -0.025 min
Response: 10829
Conc: 11.99 ng/ml

Instrument :
ECD_O
ClientSampleId :
HA-44




#11 AR-1232-1

R.T.: 0.000 min
Exp R.T. : 3.889 min
Response: 0
Conc: N.D.




#12 AR-1232-2

R.T.: 5.069 min
Delta R.T.: -0.003 min
Response: 5798
Conc: 11.79 ng/ml



#12 AR-1232-2


R.T.: 4.582 min
Delta R.T.: -0.018 min
Response: 21456
Conc: 25.38 ng/ml



#13 AR-1232-3


R.T.: 5.329 min
Delta R.T.: -0.028 min
Response: 46762
Conc: 43.67 ng/ml

Instrument :
ECD_O
ClientSampleId :
HA-44




#13 AR-1232-3

R.T.: 4.795 min
Delta R.T.: 0.022 min
Response: 961856
Conc: 2187.11 ng/ml




#14 AR-1232-4

R.T.: 5.517 min
Delta R.T.: 0.001 min
Response: 3449
Conc: 6.47 ng/ml



#14 AR-1232-4


R.T.: 4.866 min
Delta R.T.: 0.011 min
Response: 67795
Conc: 171.52 ng/ml



#15 AR-1232-5


R.T.: 5.615 min
Delta R.T.: 0.012 min
Response: 380922
Conc: 933.49 ng/ml

Instrument :
ECD_O
ClientSampleId :
HA-44




#15 AR-1232-5

R.T.: 5.005 min
Delta R.T.: -0.019 min
Response: 531615
Conc: 1207.53 ng/ml




#16 AR-1242-1

R.T.: 5.329 min
Delta R.T.: -0.006 min
Response: 46762
Conc: 36.52 ng/ml



#16 AR-1242-1


R.T.: 4.582 min
Delta R.T.: 0.000 min
Response: 21456
Conc: 21.14 ng/ml



#17 AR-1242-2


R.T.: 5.329 min
Delta R.T.: -0.027 min
Response: 46762
Conc: 24.72 ng/ml

Instrument :
ECD_O
ClientSampleId :
HA-44




#17 AR-1242-2

R.T.: 4.582 min
Delta R.T.: -0.018 min
Response: 21456
Conc: 14.21 ng/ml




#18 AR-1242-3

R.T.: 5.388 min
Delta R.T.: -0.029 min
Response: 16697
Conc: 14.23 ng/ml



#18 AR-1242-3


R.T.: 4.795 min
Delta R.T.: 0.022 min
Response: 961856
Conc: 1181.08 ng/ml



#19 AR-1242-4


R.T.: 5.517 min
Delta R.T.: 0.002 min
Response: 3449
Conc: 3.59 ng/ml

Instrument :
ECD_O
ClientSampleId :
HA-44




#19 AR-1242-4

R.T.: 4.866 min
Delta R.T.: 0.012 min
Response: 67795
Conc: 83.80 ng/ml




#20 AR-1242-5

R.T.: 6.212 min
Delta R.T.: -0.028 min
Response: 918064
Conc: 781.62 ng/ml



#20 AR-1242-5


R.T.: 5.349 min
Delta R.T.: -0.020 min
Response: 2669951
Conc: 2489.03 ng/ml



#21 AR-1248-1


R.T.: 5.329 min
Delta R.T.: -0.007 min
Response: 46762
Conc: 46.25 ng/ml

Instrument :
ECD_O
ClientSampleId :
HA-44




#21 AR-1248-1

R.T.: 4.582 min
Delta R.T.: 0.000 min
Response: 21456
Conc: 26.83 ng/ml




#22 AR-1248-2

R.T.: 5.615 min
Delta R.T.: 0.013 min
Response: 380922
Conc: 263.51 ng/ml



#22 AR-1248-2


R.T.: 4.795 min
Delta R.T.: -0.019 min
Response: 961856
Conc: 868.10 ng/ml



#23 AR-1248-3


R.T.: 5.813 min
Delta R.T.: 0.010 min
Response: 45076
Conc: 27.44 ng/ml

Instrument :
ECD_O
ClientSampleId :
HA-44




#23 AR-1248-3

R.T.: 4.866 min
Delta R.T.: 0.012 min
Response: 67795
Conc: 59.57 ng/ml




#24 AR-1248-4

R.T.: 6.212 min
Delta R.T.: 0.009 min
Response: 918064
Conc: 453.31 ng/ml



#24 AR-1248-4


R.T.: 5.005 min
Delta R.T.: -0.018 min
Response: 531615
Conc: 380.54 ng/ml



#25 AR-1248-5


R.T.: 6.212 min
Delta R.T.: -0.028 min
Response: 918064
Conc: 475.60 ng/ml

Instrument :
ECD_O
ClientSampleId :
HA-44




#25 AR-1248-5

R.T.: 5.419 min
Delta R.T.: 0.011 min
Response: 297670
Conc: 214.88 ng/ml




#26 AR-1254-1

R.T.: 6.174 min
Delta R.T.: 0.000 min
Response: 1632968
Conc: 691.56 ng/ml



#26 AR-1254-1


R.T.: 5.349 min
Delta R.T.: -0.020 min
Response: 2669951
Conc: 1030.65 ng/ml



#27 AR-1254-2


R.T.: 6.409 min
Delta R.T.: 0.020 min
Response: 1535837
Conc: 398.51 ng/ml

Instrument :
ECD_O
ClientSampleId :
HA-44




#27 AR-1254-2

R.T.: 5.494 min
Delta R.T.: -0.020 min
Response: 2231322
Conc: 974.62 ng/ml




#28 AR-1254-3

R.T.: 6.779 min
Delta R.T.: 0.025 min
Response: 280514
Conc: 69.27 ng/ml



#28 AR-1254-3


R.T.: 5.890 min
Delta R.T.: -0.021 min
Response: 3267213
Conc: 887.98 ng/ml



#29 AR-1254-4


R.T.: 7.010 min
Delta R.T.: -0.026 min
Response: 2979933
Conc: 827.61 ng/ml

Instrument :
ECD_O
ClientSampleId :
HA-44




#29 AR-1254-4

R.T.: 6.143 min
Delta R.T.: 0.006 min
Response: 303867
Conc: 130.68 ng/ml




#30 AR-1254-5

R.T.: 7.455 min
Delta R.T.: 0.005 min
Response: 298362
Conc: 82.31 ng/ml



#30 AR-1254-5


R.T.: 6.527 min
Delta R.T.: -0.021 min
Response: 1587346
Conc: 460.16 ng/ml



#31 AR-1260-1


R.T.: 6.884 min
Delta R.T.: -0.028 min
Response: 1185662
Conc: 411.81 ng/ml

Instrument :
ECD_O
ClientSampleId :
HA-44




#31 AR-1260-1

R.T.: 6.015 min
Delta R.T.: -0.022 min
Response: 1295251
Conc: 544.21 ng/ml




#32 AR-1260-2

R.T.: 7.186 min
Delta R.T.: 0.019 min
Response: 622208
Conc: 149.57 ng/ml



#32 AR-1260-2


R.T.: 6.204 min
Delta R.T.: -0.021 min
Response: 1040000
Conc: 343.31 ng/ml



#33 AR-1260-3


R.T.: 7.549 min
Delta R.T.: 0.029 min
Response: 92436
Conc: 24.82 ng/ml

Instrument :
ECD_O
ClientSampleId :
HA-44




#33 AR-1260-3

R.T.: 6.352 min
Delta R.T.: -0.023 min
Response: 824131
Conc: 305.25 ng/ml




#34 AR-1260-4

R.T.: 7.716 min
Delta R.T.: -0.030 min
Response: 323529
Conc: 94.94 ng/ml



#34 AR-1260-4


R.T.: 6.856 min
Delta R.T.: 0.017 min
Response: 211794
Conc: 93.73 ng/ml



#35 AR-1260-5


R.T.: 8.029 min
Delta R.T.: -0.022 min
Response: 113062
Conc: 15.37 ng/ml

Instrument :
ECD_O
ClientSampleId :
HA-44




#35 AR-1260-5

R.T.: 7.058 min
Delta R.T.: -0.023 min
Response: 52035
Conc: 9.66 ng/ml




#36 AR-1262-1

R.T.: 7.549 min
Delta R.T.: 0.030 min
Response: 92436
Conc: 18.34 ng/ml



#36 AR-1262-1


R.T.: 6.594 min
Delta R.T.: 0.011 min
Response: 114417
Conc: 32.03 ng/ml



#37 AR-1262-2


R.T.: 8.029 min
Delta R.T.: -0.021 min
Response: 113062
Conc: 14.21 ng/ml

Instrument :
ECD_O
ClientSampleId :
HA-44




#37 AR-1262-2

R.T.: 7.058 min
Delta R.T.: -0.023 min
Response: 52035
Conc: 9.22 ng/ml




#38 AR-1262-3

R.T.: 8.332 min
Delta R.T.: 0.002 min
Response: 45800
Conc: 9.01 ng/ml



#38 AR-1262-3


R.T.: 7.397 min
Delta R.T.: 0.041 min
Response: 34540
Conc: 13.99 ng/ml



#39 AR-1262-4


R.T.: 8.421 min
Delta R.T.: 0.005 min
Response: 4042
Conc: 1.07 ng/ml

Instrument :
ECD_O
ClientSampleId :
HA-44




#39 AR-1262-4

R.T.: 7.397 min
Delta R.T.: -0.025 min
Response: 34540
Conc: 8.13 ng/ml




#40 AR-1262-5

R.T.: 9.035 min
Delta R.T.: 0.021 min
Response: 24961
Conc: 10.86 ng/ml



#40 AR-1262-5


R.T.: 0.000 min
Exp R.T. : 7.914 min
Response: 0
Conc: N.D.



#41 AR-1268-1


R.T.: 8.332 min
Delta R.T.: 0.002 min
Response: 45800
Conc: 4.10 ng/ml

Instrument :
ECD_O
ClientSampleId :
HA-44




#41 AR-1268-1

R.T.: 7.397 min
Delta R.T.: 0.041 min
Response: 34540
Conc: 4.24 ng/ml




#42 AR-1268-2

R.T.: 8.421 min
Delta R.T.: 0.004 min
Response: 4042
Conc: 0.43 ng/ml



#42 AR-1268-2


R.T.: 7.397 min
Delta R.T.: -0.025 min
Response: 34540
Conc: 4.56 ng/ml



#43 AR-1268-3


R.T.: 8.607 min
Delta R.T.: -0.010 min
Response: 4095
Conc: 0.50 ng/ml

Instrument :
ECD_O
ClientSampleId :
HA-44




#43 AR-1268-3

R.T.: 7.599 min
Delta R.T.: -0.020 min
Response: 14669
Conc: 2.29 ng/ml




#44 AR-1268-4

R.T.: 9.035 min
Delta R.T.: 0.021 min
Response: 24961
Conc: 8.35 ng/ml



#44 AR-1268-4


R.T.: 0.000 min
Exp R.T. : 7.913 min
Response: 0
Conc: N.D.



#45 AR-1268-5

R.T.: 9.354 min
Delta R.T.: -0.023 min
Response: 48253
Conc: 2.25 ng/ml

Instrument :
ECD_O
ClientSampleId :
HA-44



#45 AR-1268-5

R.T.: 0.000 min
Exp R.T. : 8.183 min
Response: 0
Conc: N.D.