

Data Path : Z:\bestpcbsrv\HPCHEM1\ECD 0\Data\P0081518\
 Data File : P0048126.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 15 Aug 2018 17:45
 Operator : SM/SJ
 Sample : PB112100BL
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Aug 16 01:07:31 2018
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_0\methods\P0072718.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Fri Jul 27 02:33:29 2018
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds						
1) SA Tetrachlo...	4.393	3.634	3940207	5176674	19.516	21.068
2) SA Decachlor...	10.083	8.618	3513926	2441222	21.545	15.530 #
Target Compounds						
3) L1 AR-1016-1	5.287	4.463	5603	38132	1.173	6.670 #
4) L1 AR-1016-2	5.647	4.952	3776	35772	0.641	6.813 #
5) L1 AR-1016-3	5.748	4.952	4296	35772	0.866	8.147 #
6) L1 AR-1016-4	6.047	5.054	16650	4411	3.580	0.851 #
7) L1 AR-1016-5	6.187	5.170	4309	9426	0.827	1.607 #
8) L2 AR-1221-1	4.611	0.000	15249	0	6.895	N.D. #
9) L2 AR-1221-2	4.699	3.934	65971	85791	40.344	47.292
10) L2 AR-1221-3	4.769	4.030	31678	12839	6.136	2.221 #
11) L3 AR-1232-1	5.101	4.308	11099	37693	5.161	16.028 #
12) L3 AR-1232-2	5.554	4.721	30593	110273	10.397	36.085 #
13) L3 AR-1232-3	5.554	4.721	30593	110273	7.121	23.880 #
14) L3 AR-1232-4	5.647	4.828	3776	9441	1.364	3.054 #
15) L3 AR-1232-5	5.748	4.952	4296	35772	1.924	19.987 #
16) L4 AR-1242-1	5.554	4.721	30593	110273	4.162	13.770 #
17) L4 AR-1242-2	5.647	4.952	3776	35772	0.816	8.683 #
18) L4 AR-1242-3	5.748	5.054	4296	4411	1.118	1.052
19) L4 AR-1242-4	6.047	5.170	16650	9426	4.331	1.996 #
20) L4 AR-1242-5	6.187	5.297	4309	36457	1.007	9.416 #
21) L5 AR-1248-1	6.047	5.170	16650	9426	2.663	1.263 #
22) L5 AR-1248-2	6.187	5.297	4309	36457	0.791	6.814 #
23) L5 AR-1248-3	6.440	5.517	39286	116607	5.582	11.719 #
24) L5 AR-1248-4	6.440	5.617	39286	50061	5.852	7.143
25) L5 AR-1248-5	6.633	6.063	257013	155770	36.313	32.685
26) L6 AR-1254-1	6.633	5.517	257013	116607	21.017	9.476 #
27) L6 AR-1254-2	6.906	5.660	124409	35062	16.682	3.368 #
28) L6 AR-1254-3	7.005	6.063	851394	155770	65.284	8.975 #
29) L6 AR-1254-4	7.275	6.289	232085	317442	23.812	29.297
30) L6 AR-1254-5	7.547	6.642	189594	49229	25.663	6.437 #
31) L7 AR-1260-1	7.153	6.185	121646	186073	12.973	16.839 #
32) L7 AR-1260-2	7.407	6.368	134814	801746	12.090	59.796 #
33) L7 AR-1260-3	7.693	6.700	269627	472031	20.956	32.469 #
34) L7 AR-1260-4	8.311	7.237	87409	277468	4.914	12.610 #
35) L7 AR-1260-5	8.634	7.585	54101	154068	4.738	9.876 #
36) L8 AR-1262-1	7.153	6.368	121646	801746	14.684	70.713 #
37) L8 AR-1262-2	7.407	6.525	134814	139554	13.910	12.367
38) L8 AR-1262-3	7.755	6.700	54987	472031	4.481	31.277 #

Data Path : Z:\bestpcbsrv\HPCHEM1\ECD 0\Data\P0081518\
 Data File : P0048126.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 15 Aug 2018 17:45
 Operator : SM/SJ
 Sample : PB112100BL
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Aug 16 01:07:31 2018
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_0\methods\P0072718.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Fri Jul 27 02:33:29 2018
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
39)	L8 AR-1262-4	7.990	7.034	115864	111467	9.839	8.465
40)	L8 AR-1262-5	8.311	7.237	87409	277468	4.068	10.743 #
41)	L9 AR-1268-1	8.634	7.525	54101	21862	2.331	0.841 #
42)	L9 AR-1268-2	8.681	7.585	37271	154068	1.739	6.184 #
43)	L9 AR-1268-3	8.927	7.797	31574	84720	1.749	4.293 #
44)	L9 AR-1268-4	9.353	8.078	32163	24332	4.033	2.901 #
45)	L9 AR-1268-5	9.754	8.368	40601	58204	0.745	1.066 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD 0\Data\PO081518\
Data File : PO048126.D
Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
Acq On : 15 Aug 2018 17:45
Operator : SM/SJ
Sample : PB112100BL
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_O
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Aug 16 01:07:31 2018
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_0\methods\PO072718.M
Quant Title : GC EXTRACTABLES
QLast Update : Fri Jul 27 02:33:29 2018
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Ini. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.393 min
Delta R.T.: -0.004 min
Response: 3940207
Conc: 19.52 ng/ml

Instrument :
ECD_O
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 3.634 min
Delta R.T.: -0.011 min
Response: 5176674
Conc: 21.07 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.083 min
Delta R.T.: -0.006 min
Response: 3513926
Conc: 21.54 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.618 min
Delta R.T.: -0.026 min
Response: 2441222
Conc: 15.53 ng/ml



#3 AR-1016-1


R.T.: 5.287 min
Delta R.T.: -0.013 min
Response: 5603
Conc: 1.17 ng/ml

Instrument :
ECD_O
ClientSampleId :




#3 AR-1016-1

R.T.: 4.463 min
Delta R.T.: -0.048 min
Response: 38132
Conc: 6.67 ng/ml




#4 AR-1016-2

R.T.: 5.647 min
Delta R.T.: -0.004 min
Response: 3776
Conc: 0.64 ng/ml



#4 AR-1016-2


R.T.: 4.952 min
Delta R.T.: 0.026 min
Response: 35772
Conc: 6.81 ng/ml



#5 AR-1016-3


R.T.: 5.748 min
Delta R.T.: -0.001 min
Response: 4296
Conc: 0.87 ng/ml

Instrument :
ECD_O
ClientSampleId :




#5 AR-1016-3

R.T.: 4.952 min
Delta R.T.: -0.015 min
Response: 35772
Conc: 8.15 ng/ml




#6 AR-1016-4

R.T.: 6.047 min
Delta R.T.: 0.005 min
Response: 16650
Conc: 3.58 ng/ml



#6 AR-1016-4


R.T.: 5.054 min
Delta R.T.: 0.045 min
Response: 4411
Conc: 0.85 ng/ml



#7 AR-1016-5


R.T.: 6.187 min
Delta R.T.: 0.003 min
Response: 4309
Conc: 0.83 ng/ml

Instrument :
ECD_O
ClientSampleId :




#7 AR-1016-5

R.T.: 5.170 min
Delta R.T.: -0.010 min
Response: 9426
Conc: 1.61 ng/ml




#8 AR-1221-1

R.T.: 4.611 min
Delta R.T.: 0.003 min
Response: 15249
Conc: 6.90 ng/ml



#8 AR-1221-1


R.T.: 0.000 min
Exp R.T.: 3.861 min
Response: 0
Conc: N.D.



#9 AR-1221-2


R.T.: 4.699 min
Delta R.T.: 0.005 min
Response: 65971
Conc: 40.34 ng/ml

Instrument :
ECD_O
ClientSampleId :




#9 AR-1221-2

R.T.: 3.934 min
Delta R.T.: -0.011 min
Response: 85791
Conc: 47.29 ng/ml




#10 AR-1221-3

R.T.: 4.769 min
Delta R.T.: -0.002 min
Response: 31678
Conc: 6.14 ng/ml



#10 AR-1221-3


R.T.: 4.030 min
Delta R.T.: 0.007 min
Response: 12839
Conc: 2.22 ng/ml



#11 AR-1232-1


R.T.: 5.101 min
Delta R.T.: -0.004 min
Response: 11099
Conc: 5.16 ng/ml

Instrument :
ECD_O
ClientSampleId :




#11 AR-1232-1

R.T.: 4.308 min
Delta R.T.: -0.012 min
Response: 37693
Conc: 16.03 ng/ml




#12 AR-1232-2

R.T.: 5.554 min
Delta R.T.: -0.012 min
Response: 30593
Conc: 10.40 ng/ml



#12 AR-1232-2


R.T.: 4.721 min
Delta R.T.: -0.009 min
Response: 110273
Conc: 36.09 ng/ml



#13 AR-1232-3


R.T.: 5.554 min
Delta R.T.: -0.034 min
Response: 30593
Conc: 7.12 ng/ml

Instrument :
ECD_O
ClientSampleId :




#13 AR-1232-3

R.T.: 4.721 min
Delta R.T.: -0.029 min
Response: 110273
Conc: 23.88 ng/ml




#14 AR-1232-4

R.T.: 5.647 min
Delta R.T.: -0.003 min
Response: 3776
Conc: 1.36 ng/ml



#14 AR-1232-4


R.T.: 4.828 min
Delta R.T.: 0.023 min
Response: 9441
Conc: 3.05 ng/ml



#15 AR-1232-5


R.T.: 5.748 min
Delta R.T.: -0.001 min
Response: 4296
Conc: 1.92 ng/ml

Instrument :
ECD_O
ClientSampleId :




#15 AR-1232-5

R.T.: 4.952 min
Delta R.T.: -0.014 min
Response: 35772
Conc: 19.99 ng/ml




#16 AR-1242-1

R.T.: 5.554 min
Delta R.T.: -0.034 min
Response: 30593
Conc: 4.16 ng/ml



#16 AR-1242-1


R.T.: 4.721 min
Delta R.T.: -0.028 min
Response: 110273
Conc: 13.77 ng/ml



#17 AR-1242-2


R.T.: 5.647 min
Delta R.T.: -0.004 min
Response: 3776
Conc: 0.82 ng/ml

Instrument :
ECD_O
ClientSampleId :




#17 AR-1242-2

R.T.: 4.952 min
Delta R.T.: 0.027 min
Response: 35772
Conc: 8.68 ng/ml




#18 AR-1242-3

R.T.: 5.748 min
Delta R.T.: -0.001 min
Response: 4296
Conc: 1.12 ng/ml



#18 AR-1242-3


R.T.: 5.054 min
Delta R.T.: 0.046 min
Response: 4411
Conc: 1.05 ng/ml



#19 AR-1242-4


R.T.: 6.047 min
Delta R.T.: 0.005 min
Response: 16650
Conc: 4.33 ng/ml

Instrument :
ECD_O
ClientSampleId :




#19 AR-1242-4

R.T.: 5.170 min
Delta R.T.: -0.010 min
Response: 9426
Conc: 2.00 ng/ml




#20 AR-1242-5

R.T.: 6.187 min
Delta R.T.: 0.003 min
Response: 4309
Conc: 1.01 ng/ml



#20 AR-1242-5


R.T.: 5.297 min
Delta R.T.: -0.031 min
Response: 36457
Conc: 9.42 ng/ml



#21 AR-1248-1


R.T.: 6.047 min
Delta R.T.: 0.005 min
Response: 16650
Conc: 2.66 ng/ml

Instrument :
ECD_O
ClientSampleId :




#21 AR-1248-1

R.T.: 5.170 min
Delta R.T.: -0.011 min
Response: 9426
Conc: 1.26 ng/ml




#22 AR-1248-2

R.T.: 6.187 min
Delta R.T.: 0.004 min
Response: 4309
Conc: 0.79 ng/ml



#22 AR-1248-2


R.T.: 5.297 min
Delta R.T.: -0.031 min
Response: 36457
Conc: 6.81 ng/ml



#23 AR-1248-3


R.T.: 6.440 min
Delta R.T.: -0.005 min
Response: 39286
Conc: 5.58 ng/ml

Instrument :
ECD_O
ClientSampleId :




#23 AR-1248-3

R.T.: 5.517 min
Delta R.T.: -0.014 min
Response: 116607
Conc: 11.72 ng/ml




#24 AR-1248-4

R.T.: 6.440 min
Delta R.T.: -0.043 min
Response: 39286
Conc: 5.85 ng/ml



#24 AR-1248-4


R.T.: 5.617 min
Delta R.T.: 0.045 min
Response: 50061
Conc: 7.14 ng/ml



#25 AR-1248-5


R.T.: 6.633 min
Delta R.T.: -0.007 min
Response: 257013
Conc: 36.31 ng/ml

Instrument :
ECD_O
ClientSampleId :




#25 AR-1248-5

R.T.: 6.063 min
Delta R.T.: -0.018 min
Response: 155770
Conc: 32.69 ng/ml




#26 AR-1254-1

R.T.: 6.633 min
Delta R.T.: -0.003 min
Response: 257013
Conc: 21.02 ng/ml



#26 AR-1254-1


R.T.: 5.517 min
Delta R.T.: -0.015 min
Response: 116607
Conc: 9.48 ng/ml



#27 AR-1254-2


R.T.: 6.906 min
Delta R.T.: -0.010 min
Response: 124409
Conc: 16.68 ng/ml

Instrument :
ECD_O
ClientSampleId :




#27 AR-1254-2

R.T.: 5.660 min
Delta R.T.: -0.017 min
Response: 35062
Conc: 3.37 ng/ml




#28 AR-1254-3

R.T.: 7.005 min
Delta R.T.: 0.003 min
Response: 851394
Conc: 65.28 ng/ml



#28 AR-1254-3


R.T.: 6.063 min
Delta R.T.: -0.019 min
Response: 155770
Conc: 8.98 ng/ml



#29 AR-1254-4


R.T.: 7.275 min
Delta R.T.: -0.011 min
Response: 232085
Conc: 23.81 ng/ml

Instrument :
ECD_O
ClientSampleId :




#29 AR-1254-4

R.T.: 6.289 min
Delta R.T.: -0.019 min
Response: 317442
Conc: 29.30 ng/ml




#30 AR-1254-5

R.T.: 7.547 min
Delta R.T.: -0.011 min
Response: 189594
Conc: 25.66 ng/ml



#30 AR-1254-5


R.T.: 6.642 min
Delta R.T.: 0.019 min
Response: 49229
Conc: 6.44 ng/ml



#31 AR-1260-1


R.T.: 7.153 min
Delta R.T.: -0.012 min
Response: 121646
Conc: 12.97 ng/ml

Instrument :
ECD_O
ClientSampleId :




#31 AR-1260-1

R.T.: 6.185 min
Delta R.T.: -0.026 min
Response: 186073
Conc: 16.84 ng/ml




#32 AR-1260-2

R.T.: 7.407 min
Delta R.T.: -0.014 min
Response: 134814
Conc: 12.09 ng/ml



#32 AR-1260-2


R.T.: 6.368 min
Delta R.T.: -0.029 min
Response: 801746
Conc: 59.80 ng/ml



#33 AR-1260-3


R.T.: 7.693 min
Delta R.T.: -0.010 min
Response: 269627
Conc: 20.96 ng/ml

Instrument :
ECD_O
ClientSampleId :




#33 AR-1260-3

R.T.: 6.700 min
Delta R.T.: -0.024 min
Response: 472031
Conc: 32.47 ng/ml




#34 AR-1260-4

R.T.: 8.311 min
Delta R.T.: -0.008 min
Response: 87409
Conc: 4.91 ng/ml



#34 AR-1260-4


R.T.: 7.237 min
Delta R.T.: -0.025 min
Response: 277468
Conc: 12.61 ng/ml



#35 AR-1260-5


R.T.: 8.634 min
Delta R.T.: -0.007 min
Response: 54101
Conc: 4.74 ng/ml

Instrument :
ECD_O
ClientSampleId :




#35 AR-1260-5

R.T.: 7.585 min
Delta R.T.: -0.024 min
Response: 154068
Conc: 9.88 ng/ml




#36 AR-1262-1

R.T.: 7.153 min
Delta R.T.: -0.011 min
Response: 121646
Conc: 14.68 ng/ml



#36 AR-1262-1


R.T.: 6.368 min
Delta R.T.: -0.028 min
Response: 801746
Conc: 70.71 ng/ml



#37 AR-1262-2


R.T.: 7.407 min
Delta R.T.: -0.013 min
Response: 134814
Conc: 13.91 ng/ml

Instrument :
ECD_O
ClientSampleId :




#37 AR-1262-2

R.T.: 6.525 min
Delta R.T.: -0.028 min
Response: 139554
Conc: 12.37 ng/ml




#38 AR-1262-3

R.T.: 7.755 min
Delta R.T.: -0.023 min
Response: 54987
Conc: 4.48 ng/ml



#38 AR-1262-3


R.T.: 6.700 min
Delta R.T.: -0.062 min
Response: 472031
Conc: 31.28 ng/ml



#39 AR-1262-4


R.T.: 7.990 min
Delta R.T.: -0.013 min
Response: 115864
Conc: 9.84 ng/ml

Instrument :
ECD_O
ClientSampleId :




#39 AR-1262-4

R.T.: 7.034 min
Delta R.T.: 0.012 min
Response: 111467
Conc: 8.46 ng/ml




#40 AR-1262-5

R.T.: 8.311 min
Delta R.T.: -0.007 min
Response: 87409
Conc: 4.07 ng/ml



#40 AR-1262-5


R.T.: 7.237 min
Delta R.T.: -0.024 min
Response: 277468
Conc: 10.74 ng/ml



#41 AR-1268-1


R.T.: 8.634 min
Delta R.T.: 0.011 min
Response: 54101
Conc: 2.33 ng/ml

Instrument :
ECD_O
ClientSampleId :




#41 AR-1268-1

R.T.: 7.525 min
Delta R.T.: -0.021 min
Response: 21862
Conc: 0.84 ng/ml




#42 AR-1268-2

R.T.: 8.681 min
Delta R.T.: -0.035 min
Response: 37271
Conc: 1.74 ng/ml



#42 AR-1268-2


R.T.: 7.585 min
Delta R.T.: -0.025 min
Response: 154068
Conc: 6.18 ng/ml



#43 AR-1268-3


R.T.: 8.927 min
Delta R.T.: -0.011 min
Response: 31574
Conc: 1.75 ng/ml

Instrument :
ECD_O
ClientSampleId :




#43 AR-1268-3

R.T.: 7.797 min
Delta R.T.: -0.021 min
Response: 84720
Conc: 4.29 ng/ml




#44 AR-1268-4

R.T.: 9.353 min
Delta R.T.: -0.005 min
Response: 32163
Conc: 4.03 ng/ml



#44 AR-1268-4


R.T.: 8.078 min
Delta R.T.: -0.023 min
Response: 24332
Conc: 2.90 ng/ml



#45 AR-1268-5

R.T.: 9.754 min
Delta R.T.: -0.008 min
Response: 40601
Conc: 0.75 ng/ml

Instrument :
ECD_O
ClientSampleId :



#45 AR-1268-5

R.T.: 8.368 min
Delta R.T.: -0.021 min
Response: 58204
Conc: 1.07 ng/ml