

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD 0\Data\P0082018\
 Data File : P0048339.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 21 Aug 2018 4:20
 Operator : SM/SJ
 Sample : I.BLK
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Aug 21 05:05:05 2018
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_0\methods\P0072718.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Fri Jul 27 02:33:29 2018
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds						
1) SA Tetrachlo...	4.386	3.627	5048499	6191122	25.005	25.196
2) SA Decachlor...	10.071	8.607	3446214	3320991	21.129	21.127
Target Compounds						
3) L1 AR-1016-1	5.304	4.472	10521	145727	2.203	25.490 #
4) L1 AR-1016-2	5.657	4.952	7351	38215	1.249	7.278 #
5) L1 AR-1016-3	5.717	4.952	5803	38215	1.170	8.703 #
6) L1 AR-1016-4	6.061	5.053	3090	6142	0.664	1.185 #
7) L1 AR-1016-5	6.180	5.250	10988	23598	2.108	4.023 #
8) L2 AR-1221-1	0.000	3.927	0	43790	N.D.	18.557 #
9) L2 AR-1221-2	4.691	3.927	69048	43790	42.226	24.139 #
10) L2 AR-1221-3	4.766	0.000	18043	0	3.495	N.D. #
11) L3 AR-1232-1	5.088	4.292	53151	155326	24.715	66.048 #
12) L3 AR-1232-2	5.617	0.000	4863	0	1.653	N.D. #
13) L3 AR-1232-3	5.617	0.000	4863	0	1.132	N.D. #
14) L3 AR-1232-4	5.657	0.000	7351	0	2.656	N.D. #
15) L3 AR-1232-5	5.717	4.952	5803	38215	2.599	21.352 #
16) L4 AR-1242-1	5.617	0.000	4863	0	0.662	N.D. #
17) L4 AR-1242-2	5.657	4.952	7351	38215	1.588	9.276 #
18) L4 AR-1242-3	5.717	5.053	5803	6142	1.510	1.465
19) L4 AR-1242-4	6.061	0.000	3090	0	0.804	N.D. #
20) L4 AR-1242-5	6.180	5.284	10988	9401	2.567	2.428
21) L5 AR-1248-1	6.061	5.250	3090	23598	0.494	3.163 #
22) L5 AR-1248-2	6.180	5.284	10988	9401	2.017	1.757
23) L5 AR-1248-3	6.405	5.532	23972	62793	3.406	6.311 #
24) L5 AR-1248-4	0.000	5.532	0	62793	N.D.	8.960 #
25) L5 AR-1248-5	6.627	6.052	8485	454912	1.199	95.454 #
26) L6 AR-1254-1	6.627	5.532	8485	62793	0.694	5.103 #
27) L6 AR-1254-2	6.932	5.655	25395	3738	3.405	0.359 #
28) L6 AR-1254-3	6.998	6.052	388665	454912	29.802	26.212
29) L6 AR-1254-4	7.273	6.280	80598	138306	8.270	12.764 #
30) L6 AR-1254-5	7.542	6.580	106974	44772	14.480	5.854 #
31) L7 AR-1260-1	7.132	6.180	1416	218717	0.151	19.793 #
32) L7 AR-1260-2	7.404	6.360	69042	428195	6.191	31.936 #
33) L7 AR-1260-3	7.688	6.697	100417	94657	7.805	6.511
34) L7 AR-1260-4	8.330	7.229	12289	78595	0.691	3.572 #
35) L7 AR-1260-5	8.626	7.579	100444	54315	8.796	3.482 #
36) L8 AR-1262-1	7.132	6.360	1416	428195	0.171	37.766 #
37) L8 AR-1262-2	7.404	6.580	69042	44772	7.124	3.968 #
38) L8 AR-1262-3	7.781	6.697	14929	94657	1.216	6.272 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD 0\Data\P0082018\
 Data File : P0048339.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 21 Aug 2018 4:20
 Operator : SM/SJ
 Sample : I.BLK
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Aug 21 05:05:05 2018
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_0\methods\P0072718.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Fri Jul 27 02:33:29 2018
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	nq/ml	nq/ml
39) L8	AR-1262-4	8.008	7.025	1838	32945	0.156	2.502 #
40) L8	AR-1262-5	8.330	7.229	12289	78595	0.572	3.043 #
41) L9	AR-1268-1	8.626	7.526	100444	29018	4.328	1.116 #
42) L9	AR-1268-2	8.728	7.579	17001	54315	0.793	2.180 #
43) L9	AR-1268-3	8.905	7.783	9753	22374	0.540	1.134 #
44) L9	AR-1268-4	9.377	8.070	20161	40239	2.528	4.797 #
45) L9	AR-1268-5	9.743	8.357	98758	65543	1.812	1.200 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD 0\Data\PO082018\
Data File : PO048339.D
Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
Acq On : 21 Aug 2018 4:20
Operator : SM/SJ
Sample : I.BLK
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
ECD_O
ClientSampled :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Aug 21 05:05:05 2018
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_0\methods\PO072718.M
Quant Title : GC EXTRACTABLES
QLast Update : Fri Jul 27 02:33:29 2018
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Ini. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.386 min
Delta R.T.: -0.012 min
Response: 5048499
Conc: 25.01 ng/ml

Instrument :
ECD_O
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 3.627 min
Delta R.T.: -0.018 min
Response: 6191122
Conc: 25.20 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.071 min
Delta R.T.: -0.019 min
Response: 3446214
Conc: 21.13 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.607 min
Delta R.T.: -0.038 min
Response: 3320991
Conc: 21.13 ng/ml



#3 AR-1016-1


R.T.: 5.304 min
Delta R.T.: 0.005 min
Response: 10521
Conc: 2.20 ng/ml

Instrument :
ECD_O
ClientSampleId :




#3 AR-1016-1

R.T.: 4.472 min
Delta R.T.: -0.039 min
Response: 145727
Conc: 25.49 ng/ml




#4 AR-1016-2

R.T.: 5.657 min
Delta R.T.: 0.006 min
Response: 7351
Conc: 1.25 ng/ml



#4 AR-1016-2


R.T.: 4.952 min
Delta R.T.: 0.026 min
Response: 38215
Conc: 7.28 ng/ml



#5 AR-1016-3


R.T.: 5.717 min
Delta R.T.: -0.032 min
Response: 5803
Conc: 1.17 ng/ml

Instrument :
ECD_O
ClientSampleId :




#5 AR-1016-3

R.T.: 4.952 min
Delta R.T.: -0.015 min
Response: 38215
Conc: 8.70 ng/ml




#6 AR-1016-4

R.T.: 6.061 min
Delta R.T.: 0.019 min
Response: 3090
Conc: 0.66 ng/ml



#6 AR-1016-4


R.T.: 5.053 min
Delta R.T.: 0.044 min
Response: 6142
Conc: 1.18 ng/ml



#7 AR-1016-5


R.T.: 6.180 min
Delta R.T.: -0.003 min
Response: 10988
Conc: 2.11 ng/ml

Instrument :
ECD_O
ClientSampleId :




#7 AR-1016-5

R.T.: 5.250 min
Delta R.T.: 0.070 min
Response: 23598
Conc: 4.02 ng/ml




#8 AR-1221-1

R.T.: 0.000 min
Exp R.T.: 4.608 min
Response: 0
Conc: N.D.



#8 AR-1221-1


R.T.: 3.927 min
Delta R.T.: 0.066 min
Response: 43790
Conc: 18.56 ng/ml



#9 AR-1221-2


R.T.: 4.691 min
Delta R.T.: -0.003 min
Response: 69048
Conc: 42.23 ng/ml

Instrument :
ECD_O
ClientSampleId :




#9 AR-1221-2

R.T.: 3.927 min
Delta R.T.: -0.019 min
Response: 43790
Conc: 24.14 ng/ml




#10 AR-1221-3

R.T.: 4.766 min
Delta R.T.: -0.006 min
Response: 18043
Conc: 3.49 ng/ml



#10 AR-1221-3


R.T.: 0.000 min
Exp R.T.: 4.022 min
Response: 0
Conc: N.D.



#11 AR-1232-1


R.T.: 5.088 min
Delta R.T.: -0.017 min
Response: 53151
Conc: 24.72 ng/ml

Instrument :
ECD_O
ClientSampleId :




#11 AR-1232-1

R.T.: 4.292 min
Delta R.T.: -0.028 min
Response: 155326
Conc: 66.05 ng/ml




#12 AR-1232-2

R.T.: 5.617 min
Delta R.T.: 0.051 min
Response: 4863
Conc: 1.65 ng/ml



#12 AR-1232-2


R.T.: 0.000 min
Exp R.T.: 4.730 min
Response: 0
Conc: N.D.



#13 AR-1232-3


R.T.: 5.617 min
Delta R.T.: 0.029 min
Response: 4863
Conc: 1.13 ng/ml

Instrument :
ECD_O
ClientSampleId :




#13 AR-1232-3

R.T.: 0.000 min
Exp R.T.: 4.749 min
Response: 0
Conc: N.D.




#14 AR-1232-4

R.T.: 5.657 min
Delta R.T.: 0.007 min
Response: 7351
Conc: 2.66 ng/ml



#14 AR-1232-4


R.T.: 0.000 min
Exp R.T.: 4.805 min
Response: 0
Conc: N.D.



#15 AR-1232-5


R.T.: 5.717 min
Delta R.T.: -0.032 min
Response: 5803
Conc: 2.60 ng/ml

Instrument :
ECD_O
ClientSampleId :




#15 AR-1232-5

R.T.: 4.952 min
Delta R.T.: -0.014 min
Response: 38215
Conc: 21.35 ng/ml




#16 AR-1242-1

R.T.: 5.617 min
Delta R.T.: 0.029 min
Response: 4863
Conc: 0.66 ng/ml



#16 AR-1242-1


R.T.: 0.000 min
Exp R.T.: 4.749 min
Response: 0
Conc: N.D.



#17 AR-1242-2


R.T.: 5.657 min
Delta R.T.: 0.006 min
Response: 7351
Conc: 1.59 ng/ml

Instrument :
ECD_O
ClientSampleId :




#17 AR-1242-2

R.T.: 4.952 min
Delta R.T.: 0.027 min
Response: 38215
Conc: 9.28 ng/ml




#18 AR-1242-3

R.T.: 5.717 min
Delta R.T.: -0.032 min
Response: 5803
Conc: 1.51 ng/ml



#18 AR-1242-3


R.T.: 5.053 min
Delta R.T.: 0.045 min
Response: 6142
Conc: 1.46 ng/ml



#19 AR-1242-4


R.T.: 6.061 min
Delta R.T.: 0.019 min
Response: 3090
Conc: 0.80 ng/ml

Instrument :
ECD_O
ClientSampleId :




#19 AR-1242-4

R.T.: 0.000 min
Exp R.T.: 5.180 min
Response: 0
Conc: N.D.




#20 AR-1242-5

R.T.: 6.180 min
Delta R.T.: -0.003 min
Response: 10988
Conc: 2.57 ng/ml



#20 AR-1242-5


R.T.: 5.284 min
Delta R.T.: -0.044 min
Response: 9401
Conc: 2.43 ng/ml



#21 AR-1248-1


R.T.: 6.061 min
Delta R.T.: 0.018 min
Response: 3090
Conc: 0.49 ng/ml

Instrument :
ECD_O
ClientSampleId :




#21 AR-1248-1

R.T.: 5.250 min
Delta R.T.: 0.070 min
Response: 23598
Conc: 3.16 ng/ml




#22 AR-1248-2

R.T.: 6.180 min
Delta R.T.: -0.002 min
Response: 10988
Conc: 2.02 ng/ml



#22 AR-1248-2


R.T.: 5.284 min
Delta R.T.: -0.044 min
Response: 9401
Conc: 1.76 ng/ml



#23 AR-1248-3


R.T.: 6.405 min
Delta R.T.: -0.040 min
Response: 23972
Conc: 3.41 ng/ml

Instrument :
ECD_O
ClientSampleId :




#23 AR-1248-3

R.T.: 5.532 min
Delta R.T.: 0.000 min
Response: 62793
Conc: 6.31 ng/ml




#24 AR-1248-4

R.T.: 0.000 min
Exp R.T.: 6.483 min
Response: 0
Conc: N.D.



#24 AR-1248-4


R.T.: 5.532 min
Delta R.T.: -0.040 min
Response: 62793
Conc: 8.96 ng/ml



#25 AR-1248-5


R.T.: 6.627 min
Delta R.T.: -0.013 min
Response: 8485
Conc: 1.20 ng/ml

Instrument :
ECD_O
ClientSampleId :




#25 AR-1248-5

R.T.: 6.052 min
Delta R.T.: -0.029 min
Response: 454912
Conc: 95.45 ng/ml




#26 AR-1254-1

R.T.: 6.627 min
Delta R.T.: -0.009 min
Response: 8485
Conc: 0.69 ng/ml



#26 AR-1254-1


R.T.: 5.532 min
Delta R.T.: 0.000 min
Response: 62793
Conc: 5.10 ng/ml



#27 AR-1254-2


R.T.: 6.932 min
Delta R.T.: 0.016 min
Response: 25395
Conc: 3.41 ng/ml

Instrument :
ECD_O
ClientSampleId :




#27 AR-1254-2

R.T.: 5.655 min
Delta R.T.: -0.023 min
Response: 3738
Conc: 0.36 ng/ml




#28 AR-1254-3

R.T.: 6.998 min
Delta R.T.: -0.004 min
Response: 388665
Conc: 29.80 ng/ml



#28 AR-1254-3


R.T.: 6.052 min
Delta R.T.: -0.030 min
Response: 454912
Conc: 26.21 ng/ml



#29 AR-1254-4


R.T.: 7.273 min
Delta R.T.: -0.013 min
Response: 80598
Conc: 8.27 ng/ml

Instrument :
ECD_O
ClientSampleId :




#29 AR-1254-4

R.T.: 6.280 min
Delta R.T.: -0.028 min
Response: 138306
Conc: 12.76 ng/ml




#30 AR-1254-5

R.T.: 7.542 min
Delta R.T.: -0.017 min
Response: 106974
Conc: 14.48 ng/ml



#30 AR-1254-5


R.T.: 6.580 min
Delta R.T.: -0.044 min
Response: 44772
Conc: 5.85 ng/ml



#31 AR-1260-1


R.T.: 7.132 min
Delta R.T.: -0.032 min
Response: 1416
Conc: 0.15 ng/ml

Instrument :
ECD_O
ClientSampleId :




#31 AR-1260-1

R.T.: 6.180 min
Delta R.T.: -0.031 min
Response: 218717
Conc: 19.79 ng/ml




#32 AR-1260-2

R.T.: 7.404 min
Delta R.T.: -0.017 min
Response: 69042
Conc: 6.19 ng/ml



#32 AR-1260-2


R.T.: 6.360 min
Delta R.T.: -0.037 min
Response: 428195
Conc: 31.94 ng/ml



#33 AR-1260-3


R.T.: 7.688 min
Delta R.T.: -0.016 min
Response: 100417
Conc: 7.80 ng/ml

Instrument :
ECD_O
ClientSampleId :




#33 AR-1260-3

R.T.: 6.697 min
Delta R.T.: -0.028 min
Response: 94657
Conc: 6.51 ng/ml




#34 AR-1260-4

R.T.: 8.330 min
Delta R.T.: 0.012 min
Response: 12289
Conc: 0.69 ng/ml



#34 AR-1260-4


R.T.: 7.229 min
Delta R.T.: -0.033 min
Response: 78595
Conc: 3.57 ng/ml



#35 AR-1260-5


R.T.: 8.626 min
Delta R.T.: -0.015 min
Response: 100444
Conc: 8.80 ng/ml

Instrument :
ECD_O
ClientSampleId :




#35 AR-1260-5

R.T.: 7.579 min
Delta R.T.: -0.030 min
Response: 54315
Conc: 3.48 ng/ml




#36 AR-1262-1

R.T.: 7.132 min
Delta R.T.: -0.032 min
Response: 1416
Conc: 0.17 ng/ml



#36 AR-1262-1


R.T.: 6.360 min
Delta R.T.: -0.036 min
Response: 428195
Conc: 37.77 ng/ml



#37 AR-1262-2


R.T.: 7.404 min
Delta R.T.: -0.016 min
Response: 69042
Conc: 7.12 ng/ml

Instrument :
ECD_O
ClientSampleId :




#37 AR-1262-2

R.T.: 6.580 min
Delta R.T.: 0.026 min
Response: 44772
Conc: 3.97 ng/ml




#38 AR-1262-3

R.T.: 7.781 min
Delta R.T.: 0.004 min
Response: 14929
Conc: 1.22 ng/ml



#38 AR-1262-3


R.T.: 6.697 min
Delta R.T.: -0.066 min
Response: 94657
Conc: 6.27 ng/ml



#39 AR-1262-4


R.T.: 8.008 min
Delta R.T.: 0.004 min
Response: 1838
Conc: 0.16 ng/ml

Instrument :
ECD_O
ClientSampleId :




#39 AR-1262-4

R.T.: 7.025 min
Delta R.T.: 0.003 min
Response: 32945
Conc: 2.50 ng/ml




#40 AR-1262-5

R.T.: 8.330 min
Delta R.T.: 0.012 min
Response: 12289
Conc: 0.57 ng/ml



#40 AR-1262-5


R.T.: 7.229 min
Delta R.T.: -0.032 min
Response: 78595
Conc: 3.04 ng/ml



#41 AR-1268-1


R.T.: 8.626 min
Delta R.T.: 0.003 min
Response: 100444
Conc: 4.33 ng/ml

Instrument :
ECD_O
ClientSampleId :




#41 AR-1268-1

R.T.: 7.526 min
Delta R.T.: -0.020 min
Response: 29018
Conc: 1.12 ng/ml




#42 AR-1268-2

R.T.: 8.728 min
Delta R.T.: 0.012 min
Response: 17001
Conc: 0.79 ng/ml



#42 AR-1268-2


R.T.: 7.579 min
Delta R.T.: -0.031 min
Response: 54315
Conc: 2.18 ng/ml



#43 AR-1268-3


R.T.: 8.905 min
Delta R.T.: -0.033 min
Response: 9753
Conc: 0.54 ng/ml

Instrument :
ECD_O
ClientSampleId :




#43 AR-1268-3

R.T.: 7.783 min
Delta R.T.: -0.034 min
Response: 22374
Conc: 1.13 ng/ml




#44 AR-1268-4

R.T.: 9.377 min
Delta R.T.: 0.019 min
Response: 20161
Conc: 2.53 ng/ml



#44 AR-1268-4


R.T.: 8.070 min
Delta R.T.: -0.030 min
Response: 40239
Conc: 4.80 ng/ml



#45 AR-1268-5

R.T.: 9.743 min
Delta R.T.: -0.019 min
Response: 98758
Conc: 1.81 ng/ml

Instrument :
ECD_O
ClientSampleId :



#45 AR-1268-5

R.T.: 8.357 min
Delta R.T.: -0.033 min
Response: 65543
Conc: 1.20 ng/ml