

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0083019\
 Data File : P0060088.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 30 Aug 2019 13:15
 Operator : SM/AJ
 Sample : K4568-20MS
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :
 SB-38-COMPMS

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Aug 30 16:49:30 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0081719.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Wed Aug 28 13:30:59 2019
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.123	3.497	930434	841646	26.574	23.382
2)	SA Decachlor...	9.583	8.354	1154020	925361	21.692	22.950
Target Compounds							
3)	L1 AR-1016-1	5.272	4.547	484832	350730	302.288	259.427
4)	L1 AR-1016-2	5.292	4.564	720211	510707	301.029	254.970
5)	L1 AR-1016-3	5.354	4.736	452392	240482	303.716	222.286 #
6)	L1 AR-1016-4	0.000	4.776	0	203311	N.D.	225.153 #
7)	L1 AR-1016-5	5.777	4.984	-90156	285373	N.D.	247.735 #
8)	L2 AR-1221-1	4.420	3.701	53053	26235	125.281	65.361 #
9)	L2 AR-1221-2	4.420	3.787	53053	44439	163.343	145.882
10)	L2 AR-1221-3	4.495	3.859	213382	156864	202.861	160.319
11)	L3 AR-1232-1	4.495	3.859	213382	156864	171.194	137.584
12)	L3 AR-1232-2	5.009	4.564	316859	510707	448.557	401.003
13)	L3 AR-1232-3	5.292	4.736	720211	240482	470.306	353.177
14)	L3 AR-1232-4	5.537	4.845	-28953	84308	N.D.	138.196 #
15)	L3 AR-1232-5	5.580	4.984	320487	285373	533.141	419.212
16)	L4 AR-1242-1	5.292	4.564	720211	510707	567.311	496.478
17)	L4 AR-1242-2	5.292	4.564	720211	510707	388.117	335.311
18)	L4 AR-1242-3	5.354	4.736	452392	240482	387.043	287.829 #
19)	L4 AR-1242-4	5.537	4.845	-28953	84308	N.D.	101.042 #
20)	L4 AR-1242-5	6.257	5.326	45674	251431	36.348	224.772 #
21)	L5 AR-1248-1	5.272	4.547	484832	350730	483.597	423.575
22)	L5 AR-1248-2	5.537	4.776	-28953	203311	N.D.	176.313 #
23)	L5 AR-1248-3	5.689	4.816	1194	259520	0.718	218.498 #
24)	L5 AR-1248-4	6.137	4.984	66647	285373	32.605	196.391 #
25)	L5 AR-1248-5	6.173	5.326	55779	251431	28.128	175.668 #
26)	L6 AR-1254-1	6.107	5.326	323070	251431	154.844	106.008 #
27)	L6 AR-1254-2	6.321	5.471	361311	237860	108.298	113.358
28)	L6 AR-1254-3	6.687	5.877	186006	442720	52.419	131.664 #
29)	L6 AR-1254-4	6.968	6.093	130720	38923	44.379	18.878 #
30)	L6 AR-1254-5	7.384	6.501	1136793	810080	367.609	260.898 #
31)	L7 AR-1260-1	6.844	5.991	811078	617931	300.865	271.152
32)	L7 AR-1260-2	7.100	6.179	986853	771720	265.964	263.397
33)	L7 AR-1260-3	7.454	6.328	715151	700771	218.278	264.528
34)	L7 AR-1260-4	7.680	6.789	755235	505345	245.899	223.349
35)	L7 AR-1260-5	7.987	7.033	1485682	1179361	209.815	214.300
36)	L8 AR-1262-1	7.511	6.534	406070	621535	83.676	166.741 #
37)	L8 AR-1262-2	8.030	7.033	209429	1179361	27.143	200.604 #
38)	L8 AR-1262-3	8.287	7.306	632348	246554	123.934	97.031
39)	L8 AR-1262-4	8.334	7.372	686309	804257	178.043	182.002
40)	L8 AR-1262-5	8.941	7.864	466317	226870	181.689	125.651 #
41)	L9 AR-1268-1	8.287	7.306	632348	246554	67.195	34.624 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0083019\
 Data File : P0060088.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 30 Aug 2019 13:15
 Operator : SM/AJ
 Sample : K4568-20MS
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :
 SB-38-COMPMS

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Aug 30 16:49:30 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0081719.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Wed Aug 28 13:30:59 2019
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42) L9	AR-1268-2	8.334	7.372	686309	804257	87.065	124.730 #
43) L9	AR-1268-3	8.646	7.566	228964	23012	32.483	4.206 #
44) L9	AR-1268-4	8.941	7.864	466317	226870	167.737	111.140 #
45) L9	AR-1268-5	9.299	8.130	224957	94033	12.198	6.472 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0083019\
Data File : P0060088.D
Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
Acq On : 30 Aug 2019 13:15
Operator : SM/AJ
Sample : K4568-20MS
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
ECD_O
ClientSampled :
SB-38-COMPMS

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Aug 30 16:49:30 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0081719.M
Quant Title : GC EXTRACTABLES
QLast Update : Wed Aug 28 13:30:59 2019
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.123 min
Delta R.T.: -0.001 min
Response: 930434
Conc: 26.57 ng/ml

Instrument :
ECD_O
ClientSampleId :
SB-38-COMPMS




#1 Tetrachloro-m-xylene

R.T.: 3.497 min
Delta R.T.: -0.002 min
Response: 841646
Conc: 23.38 ng/ml




#2 Decachlorobiphenyl

R.T.: 9.583 min
Delta R.T.: -0.010 min
Response: 1154020
Conc: 21.69 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.354 min
Delta R.T.: -0.005 min
Response: 925361
Conc: 22.95 ng/ml



#3 AR-1016-1


R.T.: 5.272 min
Delta R.T.: -0.003 min
Response: 484832
Conc: 302.29 ng/ml

Instrument :
ECD_O
ClientSampleId :
SB-38-COMPMS




#3 AR-1016-1

R.T.: 4.547 min
Delta R.T.: -0.003 min
Response: 350730
Conc: 259.43 ng/ml




#4 AR-1016-2

R.T.: 5.292 min
Delta R.T.: -0.003 min
Response: 720211
Conc: 301.03 ng/ml



#4 AR-1016-2


R.T.: 4.564 min
Delta R.T.: -0.003 min
Response: 510707
Conc: 254.97 ng/ml



#5 AR-1016-3


R.T.: 5.354 min
Delta R.T.: -0.003 min
Response: 452392
Conc: 303.72 ng/ml

Instrument :
ECD_O
ClientSampleId :
SB-38-COMPMS




#5 AR-1016-3

R.T.: 4.736 min
Delta R.T.: -0.003 min
Response: 240482
Conc: 222.29 ng/ml




#6 AR-1016-4

R.T.: 0.000 min
Exp R.T. : 5.460 min
Response: 0
Conc: N.D.



#6 AR-1016-4


R.T.: 4.776 min
Delta R.T.: -0.003 min
Response: 203311
Conc: 225.15 ng/ml



#7 AR-1016-5


R.T.: 5.777 min
Delta R.T.: 0.037 min
Response: -90156
Conc: N.D.

Instrument :
ECD_O
ClientSampleId :
SB-38-COMPMS




#7 AR-1016-5

R.T.: 4.984 min
Delta R.T.: -0.003 min
Response: 285373
Conc: 247.73 ng/ml




#8 AR-1221-1

R.T.: 4.420 min
Delta R.T.: 0.043 min
Response: 53053
Conc: 125.28 ng/ml



#8 AR-1221-1


R.T.: 3.701 min
Delta R.T.: -0.015 min
Response: 26235
Conc: 65.36 ng/ml



#9 AR-1221-2


R.T.: 4.420 min
Delta R.T.: -0.002 min
Response: 53053
Conc: 163.34 ng/ml

Instrument :
ECD_O
ClientSampleId :
SB-38-COMPMS




#9 AR-1221-2

R.T.: 3.787 min
Delta R.T.: -0.002 min
Response: 44439
Conc: 145.88 ng/ml




#10 AR-1221-3

R.T.: 4.495 min
Delta R.T.: -0.002 min
Response: 213382
Conc: 202.86 ng/ml



#10 AR-1221-3


R.T.: 3.859 min
Delta R.T.: -0.003 min
Response: 156864
Conc: 160.32 ng/ml



#11 AR-1232-1


R.T.: 4.495 min
Delta R.T.: -0.002 min
Response: 213382
Conc: 171.19 ng/ml

Instrument :
ECD_O
ClientSampleId :
SB-38-COMPMS




#11 AR-1232-1

R.T.: 3.859 min
Delta R.T.: -0.003 min
Response: 156864
Conc: 137.58 ng/ml




#12 AR-1232-2

R.T.: 5.009 min
Delta R.T.: -0.003 min
Response: 316859
Conc: 448.56 ng/ml



#12 AR-1232-2


R.T.: 4.564 min
Delta R.T.: -0.003 min
Response: 510707
Conc: 401.00 ng/ml



#13 AR-1232-3


R.T.: 5.292 min
Delta R.T.: -0.003 min
Response: 720211
Conc: 470.31 ng/ml

Instrument :
ECD_O
ClientSampleId :
SB-38-COMPMS




#13 AR-1232-3

R.T.: 4.736 min
Delta R.T.: -0.003 min
Response: 240482
Conc: 353.18 ng/ml




#14 AR-1232-4

R.T.: 5.537 min
Delta R.T.: -0.003 min
Response: -28953
Conc: N.D.



#14 AR-1232-4


R.T.: 4.845 min
Delta R.T.: -0.003 min
Response: 84308
Conc: 138.20 ng/ml



#15 AR-1232-5


R.T.: 5.580 min
Delta R.T.: -0.003 min
Response: 320487
Conc: 533.14 ng/ml

Instrument :
ECD_O
ClientSampleId :
SB-38-COMPMS




#15 AR-1232-5

R.T.: 4.984 min
Delta R.T.: -0.003 min
Response: 285373
Conc: 419.21 ng/ml




#16 AR-1242-1

R.T.: 5.292 min
Delta R.T.: -0.003 min
Response: 720211
Conc: 567.31 ng/ml



#16 AR-1242-1


R.T.: 4.564 min
Delta R.T.: -0.003 min
Response: 510707
Conc: 496.48 ng/ml



#17 AR-1242-2


R.T.: 5.292 min
Delta R.T.: -0.003 min
Response: 720211
Conc: 388.12 ng/ml

Instrument :
ECD_O
ClientSampleId :
SB-38-COMPMS




#17 AR-1242-2

R.T.: 4.564 min
Delta R.T.: -0.003 min
Response: 510707
Conc: 335.31 ng/ml




#18 AR-1242-3

R.T.: 5.354 min
Delta R.T.: -0.003 min
Response: 452392
Conc: 387.04 ng/ml



#18 AR-1242-3


R.T.: 4.736 min
Delta R.T.: -0.003 min
Response: 240482
Conc: 287.83 ng/ml



#19 AR-1242-4


R.T.: 5.537 min
Delta R.T.: -0.003 min
Response: -28953
Conc: N.D.

Instrument :
ECD_O
ClientSampleId :
SB-38-COMPMS




#19 AR-1242-4

R.T.: 4.845 min
Delta R.T.: -0.003 min
Response: 84308
Conc: 101.04 ng/ml




#20 AR-1242-5

R.T.: 6.257 min
Delta R.T.: 0.038 min
Response: 45674
Conc: 36.35 ng/ml



#20 AR-1242-5


R.T.: 5.326 min
Delta R.T.: -0.004 min
Response: 251431
Conc: 224.77 ng/ml



#21 AR-1248-1


R.T.: 5.272 min
Delta R.T.: -0.003 min
Response: 484832
Conc: 483.60 ng/ml

Instrument :
ECD_O
ClientSampleId :
SB-38-COMPMS




#21 AR-1248-1

R.T.: 4.547 min
Delta R.T.: -0.003 min
Response: 350730
Conc: 423.57 ng/ml




#22 AR-1248-2

R.T.: 5.537 min
Delta R.T.: -0.003 min
Response: -28953
Conc: N.D.



#22 AR-1248-2


R.T.: 4.776 min
Delta R.T.: -0.003 min
Response: 203311
Conc: 176.31 ng/ml



#23 AR-1248-3


R.T.: 5.689 min
Delta R.T.: -0.016 min
Response: 1194
Conc: 0.72 ng/ml

Instrument :
ECD_O
ClientSampleId :
SB-38-COMPMS




#23 AR-1248-3

R.T.: 4.816 min
Delta R.T.: -0.003 min
Response: 259520
Conc: 218.50 ng/ml




#24 AR-1248-4

R.T.: 6.137 min
Delta R.T.: -0.004 min
Response: 66647
Conc: 32.60 ng/ml



#24 AR-1248-4


R.T.: 4.984 min
Delta R.T.: -0.003 min
Response: 285373
Conc: 196.39 ng/ml



#25 AR-1248-5


R.T.: 6.173 min
Delta R.T.: -0.004 min
Response: 55779
Conc: 28.13 ng/ml

Instrument :
ECD_O
ClientSampleId :
SB-38-COMPMS




#25 AR-1248-5

R.T.: 5.326 min
Delta R.T.: -0.004 min
Response: 251431
Conc: 175.67 ng/ml




#26 AR-1254-1

R.T.: 6.107 min
Delta R.T.: -0.004 min
Response: 323070
Conc: 154.84 ng/ml



#26 AR-1254-1


R.T.: 5.326 min
Delta R.T.: -0.004 min
Response: 251431
Conc: 106.01 ng/ml



#27 AR-1254-2


R.T.: 6.321 min
Delta R.T.: -0.004 min
Response: 361311
Conc: 108.30 ng/ml

Instrument :
ECD_O
ClientSampleId :
SB-38-COMPMS




#27 AR-1254-2

R.T.: 5.471 min
Delta R.T.: -0.003 min
Response: 237860
Conc: 113.36 ng/ml




#28 AR-1254-3

R.T.: 6.687 min
Delta R.T.: -0.005 min
Response: 186006
Conc: 52.42 ng/ml



#28 AR-1254-3


R.T.: 5.877 min
Delta R.T.: -0.004 min
Response: 442720
Conc: 131.66 ng/ml



#29 AR-1254-4


R.T.: 6.968 min
Delta R.T.: -0.006 min
Response: 130720
Conc: 44.38 ng/ml

Instrument :
ECD_O
ClientSampleId :
SB-38-COMPMS




#29 AR-1254-4

R.T.: 6.093 min
Delta R.T.: -0.004 min
Response: 38923
Conc: 18.88 ng/ml




#30 AR-1254-5

R.T.: 7.384 min
Delta R.T.: -0.006 min
Response: 1136793
Conc: 367.61 ng/ml



#30 AR-1254-5


R.T.: 6.501 min
Delta R.T.: -0.003 min
Response: 810080
Conc: 260.90 ng/ml



#31 AR-1260-1


R.T.: 6.844 min
Delta R.T.: -0.006 min
Response: 811078
Conc: 300.87 ng/ml

Instrument :
ECD_O
ClientSampleId :
SB-38-COMPMS




#31 AR-1260-1

R.T.: 5.991 min
Delta R.T.: -0.004 min
Response: 617931
Conc: 271.15 ng/ml




#32 AR-1260-2

R.T.: 7.100 min
Delta R.T.: -0.006 min
Response: 986853
Conc: 265.96 ng/ml



#32 AR-1260-2


R.T.: 6.179 min
Delta R.T.: -0.004 min
Response: 771720
Conc: 263.40 ng/ml



#33 AR-1260-3


R.T.: 7.454 min
Delta R.T.: -0.006 min
Response: 715151
Conc: 218.28 ng/ml

Instrument :
ECD_O
ClientSampleId :
SB-38-COMPMS




#33 AR-1260-3

R.T.: 6.328 min
Delta R.T.: -0.003 min
Response: 700771
Conc: 264.53 ng/ml




#34 AR-1260-4

R.T.: 7.680 min
Delta R.T.: -0.006 min
Response: 755235
Conc: 245.90 ng/ml



#34 AR-1260-4


R.T.: 6.789 min
Delta R.T.: -0.005 min
Response: 505345
Conc: 223.35 ng/ml



#35 AR-1260-5


R.T.: 7.987 min
Delta R.T.: -0.007 min
Response: 1485682
Conc: 209.82 ng/ml

Instrument :
ECD_O
ClientSampleId :
SB-38-COMPMS




#35 AR-1260-5

R.T.: 7.033 min
Delta R.T.: -0.004 min
Response: 1179361
Conc: 214.30 ng/ml




#36 AR-1262-1

R.T.: 7.511 min
Delta R.T.: -0.006 min
Response: 406070
Conc: 83.68 ng/ml



#36 AR-1262-1


R.T.: 6.534 min
Delta R.T.: -0.004 min
Response: 621535
Conc: 166.74 ng/ml



#37 AR-1262-2


R.T.: 8.030 min
Delta R.T.: -0.007 min
Response: 209429
Conc: 27.14 ng/ml

Instrument :
ECD_O
ClientSampleId :
SB-38-COMPMS




#37 AR-1262-2

R.T.: 7.033 min
Delta R.T.: -0.004 min
Response: 1179361
Conc: 200.60 ng/ml




#38 AR-1262-3

R.T.: 8.287 min
Delta R.T.: -0.007 min
Response: 632348
Conc: 123.93 ng/ml



#38 AR-1262-3


R.T.: 7.306 min
Delta R.T.: -0.004 min
Response: 246554
Conc: 97.03 ng/ml



#39 AR-1262-4


R.T.: 8.334 min
Delta R.T.: -0.007 min
Response: 686309
Conc: 178.04 ng/ml

Instrument :
ECD_O
ClientSampleId :
SB-38-COMPMS




#39 AR-1262-4

R.T.: 7.372 min
Delta R.T.: -0.004 min
Response: 804257
Conc: 182.00 ng/ml




#40 AR-1262-5

R.T.: 8.941 min
Delta R.T.: -0.008 min
Response: 466317
Conc: 181.69 ng/ml



#40 AR-1262-5


R.T.: 7.864 min
Delta R.T.: -0.004 min
Response: 226870
Conc: 125.65 ng/ml



#41 AR-1268-1


R.T.: 8.287 min
Delta R.T.: -0.007 min
Response: 632348
Conc: 67.19 ng/ml

Instrument :
ECD_O
ClientSampleId :
SB-38-COMPMS




#41 AR-1268-1

R.T.: 7.306 min
Delta R.T.: -0.004 min
Response: 246554
Conc: 34.62 ng/ml




#42 AR-1268-2

R.T.: 8.334 min
Delta R.T.: -0.007 min
Response: 686309
Conc: 87.07 ng/ml



#42 AR-1268-2


R.T.: 7.372 min
Delta R.T.: -0.004 min
Response: 804257
Conc: 124.73 ng/ml



#43 AR-1268-3


R.T.: 8.646 min
Delta R.T.: 0.044 min
Response: 228964
Conc: 32.48 ng/ml

Instrument :
ECD_O
ClientSampleId :
SB-38-COMPMS




#43 AR-1268-3

R.T.: 7.566 min
Delta R.T.: -0.026 min
Response: 23012
Conc: 4.21 ng/ml




#44 AR-1268-4

R.T.: 8.941 min
Delta R.T.: -0.008 min
Response: 466317
Conc: 167.74 ng/ml



#44 AR-1268-4


R.T.: 7.864 min
Delta R.T.: -0.004 min
Response: 226870
Conc: 111.14 ng/ml



#45 AR-1268-5

R.T.: 9.299 min
Delta R.T.: -0.049 min
Response: 224957
Conc: 12.20 ng/ml

Instrument :
ECD_O
ClientSampleId :
SB-38-COMPMS



#45 AR-1268-5

R.T.: 8.130 min
Delta R.T.: -0.004 min
Response: 94033
Conc: 6.47 ng/ml