

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0083120\
 Data File : P0071028.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 31 Aug 2020 12:47
 Operator : DD\AJ
 Sample : PB131288BS
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Aug 31 16:19:13 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0082820.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Fri Aug 28 17:10:07 2020
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.352	3.538	1629400	917839	21.099	20.704
2)	SA Decachlor...	9.972	8.721	1895160	1168519	20.711	20.344
Target Compounds							
3)	L1 AR-1016-1	5.656	4.763	632881	381664	209.769	202.685
4)	L1 AR-1016-2	5.678	4.781	907686	525724	208.419	197.622
5)	L1 AR-1016-3	5.741	4.965	534918	284833	205.125	208.126
6)	L1 AR-1016-4	5.847	5.023	454522	243672	206.442	214.751
7)	L1 AR-1016-5	6.155	5.243	429302	296578	215.347	205.992
8)	L2 AR-1221-1	4.603	0.000	45960	0	60.079	N.D. #
9)	L2 AR-1221-2	4.703	3.884	90691	44203	151.727	110.614 #
10)	L2 AR-1221-3	4.789	3.970	292248	181814	147.626	148.554
11)	L3 AR-1232-1	4.789	3.970	292248	181814	175.749	178.063
12)	L3 AR-1232-2	5.363	4.781	414228	525724	439.421	467.537
13)	L3 AR-1232-3	5.678	4.965	907686	284833	500.735	527.156
14)	L3 AR-1232-4	5.847	5.065	454522	263722	501.395	541.519
15)	L3 AR-1232-5	5.945	5.243	350159	296578	600.243	507.072
16)	L4 AR-1242-1	5.656	4.763	632881	381664	266.530	264.397
17)	L4 AR-1242-2	5.678	4.781	907686	525724	265.519	260.529
18)	L4 AR-1242-3	5.741	4.965	534918	284833	262.749	262.871
19)	L4 AR-1242-4	5.847	5.065	454522	263722	260.866	269.387
20)	L4 AR-1242-5	6.618	5.617	78504	245803	37.919	186.234 #
21)	L5 AR-1248-1	5.656	4.763	632881	381664	356.457	340.045
22)	L5 AR-1248-2	5.945	5.023	350159	243672	151.553	164.182
23)	L5 AR-1248-3	6.155	5.065	429302	263722	156.575	190.071
24)	L5 AR-1248-4	6.581	5.243	98035	296578	26.732	166.702 #
25)	L5 AR-1248-5	6.618	5.660	78504	33967	23.534	19.598
26)	L6 AR-1254-1	6.547	5.617	387621	245803	106.770	86.289
27)	L6 AR-1254-2	6.775	5.778	411654	244426	73.174	97.498 #
28)	L6 AR-1254-3	7.150	6.188	220039	127728	38.208	31.834
29)	L6 AR-1254-4	7.442	6.428	201352	65201	36.864	22.287 #
30)	L6 AR-1254-5	7.866	6.849	1502840	897815	285.641	231.378
31)	L7 AR-1260-1	7.313	6.324	962073	622581	225.798	221.637
32)	L7 AR-1260-2	7.580	6.525	1404239	799981	210.865	214.838
33)	L7 AR-1260-3	7.937	6.672	963945	696168	173.073	217.959 #
34)	L7 AR-1260-4	8.164	7.148	982866	535237	185.496	192.793
35)	L7 AR-1260-5	8.479	7.400	2137044	1400307	174.852	178.810
36)	L8 AR-1262-1	7.937	6.849	963945	897815	120.856	423.898 #
37)	L8 AR-1262-2	8.479	7.400	2137044	1400307	161.784	170.664
38)	L8 AR-1262-3	8.747	7.680	407085	289818	70.524	83.883
39)	L8 AR-1262-4	8.813f	7.741	706431	977035	215.325	164.492
40)	L8 AR-1262-5	9.380	8.240	449847	299968	102.565	102.709
41)	L9 AR-1268-1	8.747	7.680	407085	289818	25.410	28.324

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0083120\
 Data File : P0071028.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 31 Aug 2020 12:47
 Operator : DD\AJ
 Sample : PB131288BS
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Aug 31 16:19:13 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0082820.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Fri Aug 28 17:10:07 2020
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42) L9	AR-1268-2	8.813f	7.741	706431	977035	52.405	112.003 #
43) L9	AR-1268-3	9.010	0.000	49941	0	4.353	N.D. #
44) L9	AR-1268-4	9.380	8.240	449847	299968	90.305	91.693
45) L9	AR-1268-5	9.710	8.507	154505	94094	4.581	4.297



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\PO083120\
Data File : PO071028.D
Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
Acq On : 31 Aug 2020 12:47
Operator : DD\AJ
Sample : PB131288BS
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
ECD_O
ClientSampled :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Aug 31 16:19:13 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\PO082820.M
Quant Title : GC EXTRACTABLES
QLast Update : Fri Aug 28 17:10:07 2020
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.352 min
Delta R.T.: -0.002 min
Response: 1629400
Conc: 21.10 ng/ml

Instrument :
ECD_O
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 3.538 min
Delta R.T.: 0.000 min
Response: 917839
Conc: 20.70 ng/ml




#2 Decachlorobiphenyl

R.T.: 9.972 min
Delta R.T.: -0.005 min
Response: 1895160
Conc: 20.71 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.721 min
Delta R.T.: -0.003 min
Response: 1168519
Conc: 20.34 ng/ml



#3 AR-1016-1


R.T.: 5.656 min
Delta R.T.: -0.002 min
Response: 632881
Conc: 209.77 ng/ml

Instrument :
ECD_O
ClientSampleId :




#3 AR-1016-1

R.T.: 4.763 min
Delta R.T.: -0.001 min
Response: 381664
Conc: 202.69 ng/ml




#4 AR-1016-2

R.T.: 5.678 min
Delta R.T.: -0.002 min
Response: 907686
Conc: 208.42 ng/ml



#4 AR-1016-2


R.T.: 4.781 min
Delta R.T.: -0.002 min
Response: 525724
Conc: 197.62 ng/ml



#5 AR-1016-3


R.T.: 5.741 min
Delta R.T.: -0.003 min
Response: 534918
Conc: 205.13 ng/ml

Instrument :
ECD_O
ClientSampleId :




#5 AR-1016-3

R.T.: 4.965 min
Delta R.T.: -0.002 min
Response: 284833
Conc: 208.13 ng/ml




#6 AR-1016-4

R.T.: 5.847 min
Delta R.T.: -0.002 min
Response: 454522
Conc: 206.44 ng/ml



#6 AR-1016-4


R.T.: 5.023 min
Delta R.T.: -0.002 min
Response: 243672
Conc: 214.75 ng/ml



#7 AR-1016-5


R.T.: 6.155 min
Delta R.T.: -0.003 min
Response: 429302
Conc: 215.35 ng/ml

Instrument :
ECD_O
ClientSampleId :




#7 AR-1016-5

R.T.: 5.243 min
Delta R.T.: -0.002 min
Response: 296578
Conc: 205.99 ng/ml




#8 AR-1221-1

R.T.: 4.603 min
Delta R.T.: -0.006 min
Response: 45960
Conc: 60.08 ng/ml



#8 AR-1221-1


R.T.: 0.000 min
Exp R.T. : 3.789 min
Response: 0
Conc: N.D.



#9 AR-1221-2


R.T.: 4.703 min
Delta R.T.: -0.002 min
Response: 90691
Conc: 151.73 ng/ml

Instrument :
ECD_O
ClientSampleId :




#9 AR-1221-2

R.T.: 3.884 min
Delta R.T.: -0.001 min
Response: 44203
Conc: 110.61 ng/ml




#10 AR-1221-3

R.T.: 4.789 min
Delta R.T.: -0.001 min
Response: 292248
Conc: 147.63 ng/ml



#10 AR-1221-3


R.T.: 3.970 min
Delta R.T.: 0.000 min
Response: 181814
Conc: 148.55 ng/ml



#11 AR-1232-1


R.T.: 4.789 min
Delta R.T.: -0.003 min
Response: 292248
Conc: 175.75 ng/ml

Instrument :
ECD_O
ClientSampleId :




#11 AR-1232-1

R.T.: 3.970 min
Delta R.T.: -0.002 min
Response: 181814
Conc: 178.06 ng/ml




#12 AR-1232-2

R.T.: 5.363 min
Delta R.T.: -0.004 min
Response: 414228
Conc: 439.42 ng/ml



#12 AR-1232-2


R.T.: 4.781 min
Delta R.T.: -0.003 min
Response: 525724
Conc: 467.54 ng/ml



#13 AR-1232-3


R.T.: 5.678 min
Delta R.T.: -0.004 min
Response: 907686
Conc: 500.73 ng/ml

Instrument :
ECD_O
ClientSampleId :




#13 AR-1232-3

R.T.: 4.965 min
Delta R.T.: -0.003 min
Response: 284833
Conc: 527.16 ng/ml




#14 AR-1232-4

R.T.: 5.847 min
Delta R.T.: -0.004 min
Response: 454522
Conc: 501.39 ng/ml



#14 AR-1232-4


R.T.: 5.065 min
Delta R.T.: -0.003 min
Response: 263722
Conc: 541.52 ng/ml



#15 AR-1232-5


R.T.: 5.945 min
Delta R.T.: -0.004 min
Response: 350159
Conc: 600.24 ng/ml

Instrument :
ECD_O
ClientSampleId :




#15 AR-1232-5

R.T.: 5.243 min
Delta R.T.: -0.003 min
Response: 296578
Conc: 507.07 ng/ml




#16 AR-1242-1

R.T.: 5.656 min
Delta R.T.: -0.002 min
Response: 632881
Conc: 266.53 ng/ml



#16 AR-1242-1


R.T.: 4.763 min
Delta R.T.: -0.002 min
Response: 381664
Conc: 264.40 ng/ml



#17 AR-1242-2


R.T.: 5.678 min
Delta R.T.: -0.002 min
Response: 907686
Conc: 265.52 ng/ml

Instrument :
ECD_O
ClientSampleId :




#17 AR-1242-2

R.T.: 4.781 min
Delta R.T.: -0.001 min
Response: 525724
Conc: 260.53 ng/ml




#18 AR-1242-3

R.T.: 5.741 min
Delta R.T.: -0.002 min
Response: 534918
Conc: 262.75 ng/ml



#18 AR-1242-3


R.T.: 4.965 min
Delta R.T.: -0.002 min
Response: 284833
Conc: 262.87 ng/ml



#19 AR-1242-4


R.T.: 5.847 min
Delta R.T.: -0.002 min
Response: 454522
Conc: 260.87 ng/ml

Instrument :
ECD_O
ClientSampleId :




#19 AR-1242-4

R.T.: 5.065 min
Delta R.T.: -0.002 min
Response: 263722
Conc: 269.39 ng/ml




#20 AR-1242-5

R.T.: 6.618 min
Delta R.T.: -0.002 min
Response: 78504
Conc: 37.92 ng/ml



#20 AR-1242-5


R.T.: 5.617 min
Delta R.T.: -0.004 min
Response: 245803
Conc: 186.23 ng/ml



#21 AR-1248-1


R.T.: 5.656 min
Delta R.T.: -0.002 min
Response: 632881
Conc: 356.46 ng/ml

Instrument :
ECD_O
ClientSampleId :




#21 AR-1248-1

R.T.: 4.763 min
Delta R.T.: 0.000 min
Response: 381664
Conc: 340.05 ng/ml




#22 AR-1248-2

R.T.: 5.945 min
Delta R.T.: -0.002 min
Response: 350159
Conc: 151.55 ng/ml



#22 AR-1248-2


R.T.: 5.023 min
Delta R.T.: -0.001 min
Response: 243672
Conc: 164.18 ng/ml



#23 AR-1248-3


R.T.: 6.155 min
Delta R.T.: -0.003 min
Response: 429302
Conc: 156.58 ng/ml

Instrument :
ECD_O
ClientSampleId :




#23 AR-1248-3

R.T.: 5.065 min
Delta R.T.: -0.001 min
Response: 263722
Conc: 190.07 ng/ml




#24 AR-1248-4

R.T.: 6.581 min
Delta R.T.: -0.003 min
Response: 98035
Conc: 26.73 ng/ml



#24 AR-1248-4


R.T.: 5.243 min
Delta R.T.: -0.002 min
Response: 296578
Conc: 166.70 ng/ml



#25 AR-1248-5


R.T.: 6.618 min
Delta R.T.: -0.002 min
Response: 78504
Conc: 23.53 ng/ml

Instrument :
ECD_O
ClientSampleId :




#25 AR-1248-5

R.T.: 5.660 min
Delta R.T.: -0.001 min
Response: 33967
Conc: 19.60 ng/ml




#26 AR-1254-1

R.T.: 6.547 min
Delta R.T.: -0.003 min
Response: 387621
Conc: 106.77 ng/ml



#26 AR-1254-1


R.T.: 5.617 min
Delta R.T.: -0.002 min
Response: 245803
Conc: 86.29 ng/ml



#27 AR-1254-2


R.T.: 6.775 min
Delta R.T.: -0.003 min
Response: 411654
Conc: 73.17 ng/ml

Instrument :
ECD_O
ClientSampleId :




#27 AR-1254-2

R.T.: 5.778 min
Delta R.T.: -0.002 min
Response: 244426
Conc: 97.50 ng/ml




#28 AR-1254-3

R.T.: 7.150 min
Delta R.T.: -0.004 min
Response: 220039
Conc: 38.21 ng/ml



#28 AR-1254-3


R.T.: 6.188 min
Delta R.T.: -0.002 min
Response: 127728
Conc: 31.83 ng/ml



#29 AR-1254-4


R.T.: 7.442 min
Delta R.T.: -0.007 min
Response: 201352
Conc: 36.86 ng/ml

Instrument :
ECD_O
ClientSampleId :




#29 AR-1254-4

R.T.: 6.428 min
Delta R.T.: -0.003 min
Response: 65201
Conc: 22.29 ng/ml




#30 AR-1254-5

R.T.: 7.866 min
Delta R.T.: -0.005 min
Response: 1502840
Conc: 285.64 ng/ml



#30 AR-1254-5


R.T.: 6.849 min
Delta R.T.: -0.003 min
Response: 897815
Conc: 231.38 ng/ml



#31 AR-1260-1


R.T.: 7.313 min
Delta R.T.: -0.003 min
Response: 962073
Conc: 225.80 ng/ml

Instrument :
ECD_O
ClientSampleId :




#31 AR-1260-1

R.T.: 6.324 min
Delta R.T.: -0.002 min
Response: 622581
Conc: 221.64 ng/ml




#32 AR-1260-2

R.T.: 7.580 min
Delta R.T.: -0.003 min
Response: 1404239
Conc: 210.87 ng/ml



#32 AR-1260-2


R.T.: 6.525 min
Delta R.T.: -0.002 min
Response: 799981
Conc: 214.84 ng/ml



#33 AR-1260-3


R.T.: 7.937 min
Delta R.T.: -0.004 min
Response: 963945
Conc: 173.07 ng/ml

Instrument :
ECD_O
ClientSampleId :




#33 AR-1260-3

R.T.: 6.672 min
Delta R.T.: -0.003 min
Response: 696168
Conc: 217.96 ng/ml




#34 AR-1260-4

R.T.: 8.164 min
Delta R.T.: -0.003 min
Response: 982866
Conc: 185.50 ng/ml



#34 AR-1260-4


R.T.: 7.148 min
Delta R.T.: -0.003 min
Response: 535237
Conc: 192.79 ng/ml



#35 AR-1260-5


R.T.: 8.479 min
Delta R.T.: -0.004 min
Response: 2137044
Conc: 174.85 ng/ml

Instrument :
ECD_O
ClientSampleId :




#35 AR-1260-5

R.T.: 7.400 min
Delta R.T.: -0.002 min
Response: 1400307
Conc: 178.81 ng/ml




#36 AR-1262-1

R.T.: 7.937 min
Delta R.T.: -0.004 min
Response: 963945
Conc: 120.86 ng/ml



#36 AR-1262-1


R.T.: 6.849 min
Delta R.T.: -0.002 min
Response: 897815
Conc: 423.90 ng/ml



#37 AR-1262-2


R.T.: 8.479 min
Delta R.T.: -0.005 min
Response: 2137044
Conc: 161.78 ng/ml

Instrument :
ECD_O
ClientSampleId :




#37 AR-1262-2

R.T.: 7.400 min
Delta R.T.: -0.002 min
Response: 1400307
Conc: 170.66 ng/ml




#38 AR-1262-3

R.T.: 8.747 min
Delta R.T.: -0.003 min
Response: 407085
Conc: 70.52 ng/ml



#38 AR-1262-3


R.T.: 7.680 min
Delta R.T.: -0.003 min
Response: 289818
Conc: 83.88 ng/ml



#39 AR-1262-4


R.T.: 8.813 min
Delta R.T.: -0.018 min
Response: 706431
Conc: 215.33 ng/ml

Instrument :
ECD_O
ClientSampleId :




#39 AR-1262-4

R.T.: 7.741 min
Delta R.T.: -0.005 min
Response: 977035
Conc: 164.49 ng/ml




#40 AR-1262-5

R.T.: 9.380 min
Delta R.T.: -0.005 min
Response: 449847
Conc: 102.57 ng/ml



#40 AR-1262-5


R.T.: 8.240 min
Delta R.T.: -0.003 min
Response: 299968
Conc: 102.71 ng/ml



#41 AR-1268-1


R.T.: 8.747 min
Delta R.T.: -0.003 min
Response: 407085
Conc: 25.41 ng/ml

Instrument :
ECD_O
ClientSampleId :




#41 AR-1268-1

R.T.: 7.680 min
Delta R.T.: -0.003 min
Response: 289818
Conc: 28.32 ng/ml




#42 AR-1268-2

R.T.: 8.813 min
Delta R.T.: -0.020 min
Response: 706431
Conc: 52.40 ng/ml



#42 AR-1268-2


R.T.: 7.741 min
Delta R.T.: -0.008 min
Response: 977035
Conc: 112.00 ng/ml



#43 AR-1268-3


R.T.: 9.010 min
Delta R.T.: -0.003 min
Response: 49941
Conc: 4.35 ng/ml

Instrument :
ECD_O
ClientSampleId :




#43 AR-1268-3

R.T.: 0.000 min
Exp R.T. : 7.948 min
Response: 0
Conc: N.D.




#44 AR-1268-4

R.T.: 9.380 min
Delta R.T.: -0.005 min
Response: 449847
Conc: 90.31 ng/ml



#44 AR-1268-4


R.T.: 8.240 min
Delta R.T.: -0.003 min
Response: 299968
Conc: 91.69 ng/ml



#45 AR-1268-5

R.T.: 9.710 min
Delta R.T.: -0.004 min
Response: 154505
Conc: 4.58 ng/ml

Instrument :
ECD_O
ClientSampleId :



#45 AR-1268-5

R.T.: 8.507 min
Delta R.T.: -0.004 min
Response: 94094
Conc: 4.30 ng/ml