

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_0\Data\P0090319\
 Data File : P0060260.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 03 Sep 2019 21:17
 Operator : SM/AJ
 Sample : K4623-17
 Misc :
 ALS Vial : 39 Sample Multiplier: 1

Instrument :
 ECD_0
 ClientSampleId :
 PAR-11-E1-E4-(0-4)

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Sep 04 03:41:48 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_0\methods\P0081719.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Fri Aug 30 18:12:46 2019
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.112	3.492	904919	702660	25.846	19.521
2)	SA Decachlor...	9.562	8.343	777307	642393	14.611	15.932
Target Compounds							
3)	L1 AR-1016-1	5.260	0.000	4072	0	2.539	N.D. #
4)	L1 AR-1016-2	5.279	0.000	6589	0	2.754	N.D. #
5)	L1 AR-1016-3	5.338	0.000	3499	0	2.349	N.D. #
6)	L1 AR-1016-4	5.437	0.000	2525	0	2.087	N.D. #
7)	L1 AR-1016-5	5.726	0.000	6533	0	5.088	N.D. #
8)	L2 AR-1221-1	4.412	0.000	13825	0	32.646	N.D. #
9)	L2 AR-1221-2	4.412	0.000	13825	0	42.565	N.D. #
10)	L2 AR-1221-3	4.487	3.899	7066	132580	6.717	135.501 #
11)	L3 AR-1232-1	4.487	3.899	7066	132580	5.669	116.285 #
12)	L3 AR-1232-2	5.026	0.000	6602	0	9.346	N.D. #
13)	L3 AR-1232-3	5.279	0.000	6589	0	4.303	N.D. #
14)	L3 AR-1232-4	5.525	0.000	10236	0	13.092	N.D. #
15)	L3 AR-1232-5	5.572	0.000	2567	0	4.271	N.D. #
16)	L4 AR-1242-1	5.279	0.000	6589	0	5.190	N.D. #
17)	L4 AR-1242-2	5.279	0.000	6589	0	3.551	N.D. #
18)	L4 AR-1242-3	5.364	0.000	2087	0	1.785	N.D. #
19)	L4 AR-1242-4	5.525	0.000	10236	0	10.576	N.D. #
20)	L4 AR-1242-5	6.244	5.318	12737	58198	10.136	52.027 #
21)	L5 AR-1248-1	5.279	0.000	6589	0	6.572	N.D. #
22)	L5 AR-1248-2	5.525	0.000	10236	0	7.055	N.D. #
23)	L5 AR-1248-3	5.701	0.000	193	0	0.116	N.D. #
24)	L5 AR-1248-4	6.122	0.000	16971	0	8.302	N.D. #
25)	L5 AR-1248-5	6.194	5.318	5147	58198	2.595	40.661 #
26)	L6 AR-1254-1	6.122	5.318	16971	58198	8.134	24.537 #
27)	L6 AR-1254-2	6.309	5.464	70983	35203	21.276	16.777
28)	L6 AR-1254-3	6.674	5.869	125695	277103	35.422	82.410 #
29)	L6 AR-1254-4	6.952	6.085	88983	20669	30.209	10.024 #
30)	L6 AR-1254-5	7.401	6.491	150125	655148	48.547	210.999 #
31)	L7 AR-1260-1	6.831	5.984	745717	514402	276.620	225.723
32)	L7 AR-1260-2	7.085	6.171	450090	313225	121.302	106.907
33)	L7 AR-1260-3	7.439	6.318	811391	443759	247.652	167.511 #
34)	L7 AR-1260-4	7.704	6.781	21330	591462	6.945	261.411 #
35)	L7 AR-1260-5	7.973	7.025	1863433	1486394	263.163	270.090
36)	L8 AR-1262-1	7.496	6.526	451262	644175	92.988	172.815 #
37)	L8 AR-1262-2	8.018	7.025	163916	1486394	21.244	252.829 #
38)	L8 AR-1262-3	8.272	7.297	901484	301816	176.682	118.780 #
39)	L8 AR-1262-4	8.317	7.362	726149	1099518	188.379	248.819 #
40)	L8 AR-1262-5	8.922	7.854	468882	357442	182.689	197.967
41)	L9 AR-1268-1	8.272	7.297	901484	301816	95.794	42.384 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0090319\
Data File : P0060260.D
Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
Acq On : 03 Sep 2019 21:17
Operator : SM/AJ
Sample : K4623-17
Misc :
ALS Vial : 39 Sample Multiplier: 1

Instrument :
ECD_O
ClientSampleId :
PAR-11-E1-E4-(0-4)

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 04 03:41:48 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0081719.M
Quant Title : GC EXTRACTABLES
QLast Update : Fri Aug 30 18:12:46 2019
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42)	L9 AR-1268-2	8.317	7.362	726149	1099518	92.119	170.521 #
43)	L9 AR-1268-3	8.585	7.622	61216	24787	8.685	4.530 #
44)	L9 AR-1268-4	8.922	7.854	468882	357442	168.660	175.105
45)	L9 AR-1268-5	9.395	8.120	63406	77908	3.438	5.362 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0090319\
Data File : P0060260.D
Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
Acq On : 03 Sep 2019 21:17
Operator : SM/AJ
Sample : K4623-17
Misc :
ALS Vial : 39 Sample Multiplier: 1

Instrument :
ECD_O
ClientSampleId :
PAR-11-E1-E4-(0-4)

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 04 03:41:48 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0081719.M
Quant Title : GC EXTRACTABLES
QLast Update : Fri Aug 30 18:12:46 2019
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µm Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.112 min
Delta R.T.: -0.012 min
Response: 904919
Conc: 25.85 ng/ml

Instrument :
ECD_O
ClientSampleId :
PAR-11-E1-E4-(0-4)




#1 Tetrachloro-m-xylene

R.T.: 3.492 min
Delta R.T.: -0.007 min
Response: 702660
Conc: 19.52 ng/ml




#2 Decachlorobiphenyl

R.T.: 9.562 min
Delta R.T.: -0.031 min
Response: 777307
Conc: 14.61 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.343 min
Delta R.T.: -0.016 min
Response: 642393
Conc: 15.93 ng/ml



#3 AR-1016-1


R.T.: 5.260 min
Delta R.T.: 0.000 min
Response: 4072
Conc: 2.54 ng/ml

Instrument :
ECD_O
ClientSampleId :
PAR-11-E1-E4-(0-4)




#3 AR-1016-1

R.T.: 0.000 min
Exp R.T. : 4.540 min
Response: 0
Conc: N.D.




#4 AR-1016-2

R.T.: 5.279 min
Delta R.T.: 0.000 min
Response: 6589
Conc: 2.75 ng/ml



#4 AR-1016-2


R.T.: 0.000 min
Exp R.T. : 4.560 min
Response: 0
Conc: N.D.



#5 AR-1016-3


R.T.: 5.338 min
Delta R.T.: -0.002 min
Response: 3499
Conc: 2.35 ng/ml

Instrument :
ECD_O
ClientSampleId :
PAR-11-E1-E4-(0-4)




#5 AR-1016-3

R.T.: 0.000 min
Exp R.T. : 4.730 min
Response: 0
Conc: N.D.




#6 AR-1016-4

R.T.: 5.437 min
Delta R.T.: -0.003 min
Response: 2525
Conc: 2.09 ng/ml



#6 AR-1016-4


R.T.: 0.000 min
Exp R.T. : 4.770 min
Response: 0
Conc: N.D.



#7 AR-1016-5


R.T.: 5.726 min
Delta R.T.: -0.004 min
Response: 6533
Conc: 5.09 ng/ml

Instrument :
ECD_O
ClientSampleId :
PAR-11-E1-E4-(0-4)




#7 AR-1016-5

R.T.: 0.000 min
Exp R.T. : 4.980 min
Response: 0
Conc: N.D.




#8 AR-1221-1

R.T.: 4.412 min
Delta R.T.: 0.035 min
Response: 13825
Conc: 32.65 ng/ml



#8 AR-1221-1


R.T.: 0.000 min
Exp R.T. : 3.717 min
Response: 0
Conc: N.D.



#9 AR-1221-2


R.T.: 4.412 min
Delta R.T.: -0.010 min
Response: 13825
Conc: 42.56 ng/ml

Instrument :
ECD_O
ClientSampleId :
PAR-11-E1-E4-(0-4)




#9 AR-1221-2

R.T.: 0.000 min
Exp R.T. : 3.789 min
Response: 0
Conc: N.D.




#10 AR-1221-3

R.T.: 4.487 min
Delta R.T.: -0.010 min
Response: 7066
Conc: 6.72 ng/ml



#10 AR-1221-3


R.T.: 3.899 min
Delta R.T.: 0.038 min
Response: 132580
Conc: 135.50 ng/ml



#11 AR-1232-1


R.T.: 4.487 min
Delta R.T.: -0.010 min
Response: 7066
Conc: 5.67 ng/ml

Instrument :
ECD_O
ClientSampleId :
PAR-11-E1-E4-(0-4)




#11 AR-1232-1

R.T.: 3.899 min
Delta R.T.: 0.038 min
Response: 132580
Conc: 116.29 ng/ml




#12 AR-1232-2

R.T.: 5.026 min
Delta R.T.: 0.014 min
Response: 6602
Conc: 9.35 ng/ml



#12 AR-1232-2


R.T.: 0.000 min
Exp R.T.: 4.566 min
Response: 0
Conc: N.D.



#13 AR-1232-3


R.T.: 5.279 min
Delta R.T.: -0.016 min
Response: 6589
Conc: 4.30 ng/ml

Instrument :
ECD_O
ClientSampleId :
PAR-11-E1-E4-(0-4)




#13 AR-1232-3

R.T.: 0.000 min
Exp R.T. : 4.738 min
Response: 0
Conc: N.D.




#14 AR-1232-4

R.T.: 5.525 min
Delta R.T.: -0.014 min
Response: 10236
Conc: 13.09 ng/ml



#14 AR-1232-4


R.T.: 0.000 min
Exp R.T. : 4.848 min
Response: 0
Conc: N.D.



#15 AR-1232-5


R.T.: 5.572 min
Delta R.T.: -0.011 min
Response: 2567
Conc: 4.27 ng/ml

Instrument :
ECD_O
ClientSampleId :
PAR-11-E1-E4-(0-4)




#15 AR-1232-5

R.T.: 0.000 min
Exp R.T. : 4.987 min
Response: 0
Conc: N.D.




#16 AR-1242-1

R.T.: 5.279 min
Delta R.T.: -0.016 min
Response: 6589
Conc: 5.19 ng/ml



#16 AR-1242-1


R.T.: 0.000 min
Exp R.T. : 4.566 min
Response: 0
Conc: N.D.



#17 AR-1242-2


R.T.: 5.279 min
Delta R.T.: -0.016 min
Response: 6589
Conc: 3.55 ng/ml

Instrument :
ECD_O
ClientSampleId :
PAR-11-E1-E4-(0-4)




#17 AR-1242-2

R.T.: 0.000 min
Exp R.T. : 4.566 min
Response: 0
Conc: N.D.




#18 AR-1242-3

R.T.: 5.364 min
Delta R.T.: 0.008 min
Response: 2087
Conc: 1.79 ng/ml



#18 AR-1242-3


R.T.: 0.000 min
Exp R.T. : 4.738 min
Response: 0
Conc: N.D.



#19 AR-1242-4


R.T.: 5.525 min
Delta R.T.: -0.014 min
Response: 10236
Conc: 10.58 ng/ml

Instrument :
ECD_O
ClientSampleId :
PAR-11-E1-E4-(0-4)




#19 AR-1242-4

R.T.: 0.000 min
Exp R.T. : 4.848 min
Response: 0
Conc: N.D.




#20 AR-1242-5

R.T.: 6.244 min
Delta R.T.: 0.025 min
Response: 12737
Conc: 10.14 ng/ml



#20 AR-1242-5


R.T.: 5.318 min
Delta R.T.: -0.011 min
Response: 58198
Conc: 52.03 ng/ml



#21 AR-1248-1


R.T.: 5.279 min
Delta R.T.: 0.005 min
Response: 6589
Conc: 6.57 ng/ml

Instrument :
ECD_O
ClientSampleId :
PAR-11-E1-E4-(0-4)




#21 AR-1248-1

R.T.: 0.000 min
Exp R.T. : 4.550 min
Response: 0
Conc: N.D.




#22 AR-1248-2

R.T.: 5.525 min
Delta R.T.: -0.014 min
Response: 10236
Conc: 7.05 ng/ml



#22 AR-1248-2


R.T.: 0.000 min
Exp R.T. : 4.779 min
Response: 0
Conc: N.D.



#23 AR-1248-3


R.T.: 5.701 min
Delta R.T.: -0.004 min
Response: 193
Conc: 0.12 ng/ml

Instrument :
ECD_O
ClientSampleId :
PAR-11-E1-E4-(0-4)




#23 AR-1248-3

R.T.: 0.000 min
Exp R.T. : 4.819 min
Response: 0
Conc: N.D.




#24 AR-1248-4

R.T.: 6.122 min
Delta R.T.: -0.019 min
Response: 16971
Conc: 8.30 ng/ml



#24 AR-1248-4


R.T.: 0.000 min
Exp R.T. : 4.987 min
Response: 0
Conc: N.D.



#25 AR-1248-5


R.T.: 6.194 min
Delta R.T.: 0.016 min
Response: 5147
Conc: 2.60 ng/ml

Instrument :
ECD_O
ClientSampleId :
PAR-11-E1-E4-(0-4)




#25 AR-1248-5

R.T.: 5.318 min
Delta R.T.: -0.011 min
Response: 58198
Conc: 40.66 ng/ml




#26 AR-1254-1

R.T.: 6.122 min
Delta R.T.: 0.011 min
Response: 16971
Conc: 8.13 ng/ml



#26 AR-1254-1


R.T.: 5.318 min
Delta R.T.: -0.011 min
Response: 58198
Conc: 24.54 ng/ml



#27 AR-1254-2


R.T.: 6.309 min
Delta R.T.: -0.016 min
Response: 70983
Conc: 21.28 ng/ml

Instrument :
ECD_O
ClientSampleId :
PAR-11-E1-E4-(0-4)




#27 AR-1254-2

R.T.: 5.464 min
Delta R.T.: -0.010 min
Response: 35203
Conc: 16.78 ng/ml




#28 AR-1254-3

R.T.: 6.674 min
Delta R.T.: -0.018 min
Response: 125695
Conc: 35.42 ng/ml



#28 AR-1254-3


R.T.: 5.869 min
Delta R.T.: -0.012 min
Response: 277103
Conc: 82.41 ng/ml



#29 AR-1254-4


R.T.: 6.952 min
Delta R.T.: -0.022 min
Response: 88983
Conc: 30.21 ng/ml

Instrument :
ECD_O
ClientSampleId :
PAR-11-E1-E4-(0-4)




#29 AR-1254-4

R.T.: 6.085 min
Delta R.T.: -0.011 min
Response: 20669
Conc: 10.02 ng/ml




#30 AR-1254-5

R.T.: 7.401 min
Delta R.T.: 0.011 min
Response: 150125
Conc: 48.55 ng/ml



#30 AR-1254-5


R.T.: 6.491 min
Delta R.T.: -0.012 min
Response: 655148
Conc: 211.00 ng/ml



#31 AR-1260-1


R.T.: 6.831 min
Delta R.T.: -0.019 min
Response: 745717
Conc: 276.62 ng/ml

Instrument :
ECD_O
ClientSampleId :
PAR-11-E1-E4-(0-4)




#31 AR-1260-1

R.T.: 5.984 min
Delta R.T.: -0.011 min
Response: 514402
Conc: 225.72 ng/ml




#32 AR-1260-2

R.T.: 7.085 min
Delta R.T.: -0.020 min
Response: 450090
Conc: 121.30 ng/ml



#32 AR-1260-2


R.T.: 6.171 min
Delta R.T.: -0.012 min
Response: 313225
Conc: 106.91 ng/ml



#33 AR-1260-3


R.T.: 7.439 min
Delta R.T.: -0.020 min
Response: 811391
Conc: 247.65 ng/ml

Instrument :
ECD_O
ClientSampleId :
PAR-11-E1-E4-(0-4)




#33 AR-1260-3

R.T.: 6.318 min
Delta R.T.: -0.013 min
Response: 443759
Conc: 167.51 ng/ml




#34 AR-1260-4

R.T.: 7.704 min
Delta R.T.: 0.017 min
Response: 21330
Conc: 6.94 ng/ml



#34 AR-1260-4


R.T.: 6.781 min
Delta R.T.: -0.013 min
Response: 591462
Conc: 261.41 ng/ml



#35 AR-1260-5


R.T.: 7.973 min
Delta R.T.: -0.021 min
Response: 1863433
Conc: 263.16 ng/ml

Instrument :
ECD_O
ClientSampleId :
PAR-11-E1-E4-(0-4)




#35 AR-1260-5

R.T.: 7.025 min
Delta R.T.: -0.012 min
Response: 1486394
Conc: 270.09 ng/ml




#36 AR-1262-1

R.T.: 7.496 min
Delta R.T.: -0.021 min
Response: 451262
Conc: 92.99 ng/ml



#36 AR-1262-1


R.T.: 6.526 min
Delta R.T.: -0.012 min
Response: 644175
Conc: 172.81 ng/ml



#37 AR-1262-2


R.T.: 8.018 min
Delta R.T.: -0.020 min
Response: 163916
Conc: 21.24 ng/ml

Instrument :
ECD_O
ClientSampleId :
PAR-11-E1-E4-(0-4)




#37 AR-1262-2

R.T.: 7.025 min
Delta R.T.: -0.012 min
Response: 1486394
Conc: 252.83 ng/ml




#38 AR-1262-3

R.T.: 8.272 min
Delta R.T.: -0.022 min
Response: 901484
Conc: 176.68 ng/ml



#38 AR-1262-3


R.T.: 7.297 min
Delta R.T.: -0.013 min
Response: 301816
Conc: 118.78 ng/ml



#39 AR-1262-4


R.T.: 8.317 min
Delta R.T.: -0.024 min
Response: 726149
Conc: 188.38 ng/ml

Instrument :
ECD_O
ClientSampleId :
PAR-11-E1-E4-(0-4)




#39 AR-1262-4

R.T.: 7.362 min
Delta R.T.: -0.014 min
Response: 1099518
Conc: 248.82 ng/ml




#40 AR-1262-5

R.T.: 8.922 min
Delta R.T.: -0.027 min
Response: 468882
Conc: 182.69 ng/ml



#40 AR-1262-5


R.T.: 7.854 min
Delta R.T.: -0.014 min
Response: 357442
Conc: 197.97 ng/ml



#41 AR-1268-1


R.T.: 8.272 min
Delta R.T.: -0.022 min
Response: 901484
Conc: 95.79 ng/ml

Instrument :
ECD_O
ClientSampleId :
PAR-11-E1-E4-(0-4)




#41 AR-1268-1

R.T.: 7.297 min
Delta R.T.: -0.013 min
Response: 301816
Conc: 42.38 ng/ml




#42 AR-1268-2

R.T.: 8.317 min
Delta R.T.: -0.024 min
Response: 726149
Conc: 92.12 ng/ml



#42 AR-1268-2


R.T.: 7.362 min
Delta R.T.: -0.014 min
Response: 1099518
Conc: 170.52 ng/ml



#43 AR-1268-3


R.T.: 8.585 min
Delta R.T.: -0.018 min
Response: 61216
Conc: 8.68 ng/ml

Instrument :
ECD_O
ClientSampleId :
PAR-11-E1-E4-(0-4)




#43 AR-1268-3

R.T.: 7.622 min
Delta R.T.: 0.030 min
Response: 24787
Conc: 4.53 ng/ml




#44 AR-1268-4

R.T.: 8.922 min
Delta R.T.: -0.027 min
Response: 468882
Conc: 168.66 ng/ml



#44 AR-1268-4


R.T.: 7.854 min
Delta R.T.: -0.014 min
Response: 357442
Conc: 175.11 ng/ml



#45 AR-1268-5

R.T.: 9.395 min
Delta R.T.: 0.047 min
Response: 63406
Conc: 3.44 ng/ml

Instrument :
ECD_O
ClientSampleId :
PAR-11-E1-E4-(0-4)



#45 AR-1268-5

R.T.: 8.120 min
Delta R.T.: -0.014 min
Response: 77908
Conc: 5.36 ng/ml