

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0090425\
 Data File : P0113486.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 04 Sep 2025 21:50
 Operator : YP/AJ
 Sample : Q3017-04
 Misc :
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :
 TT-078-IDWGW-20250903

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Sep 05 01:36:30 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0081825.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Tue Aug 19 06:08:32 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds						
1) SA Tetrachlo...	3.660	3.653	167.7E6	98801978	20.490	19.524
2) SA Decachlor...	8.675	8.620	35725099	10532629	5.154	5.559

Target Compounds


(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\PO090425\
Data File : PO113486.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 04 Sep 2025 21:50
Operator : YP/AJ
Sample : Q3017-04
Misc :
ALS Vial : 20 Sample Multiplier: 1

Instrument :
ECD_O
ClientSampleId :
TT-078-IDWGW-20250903

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 05 01:36:30 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\PO081825.M
Quant Title : GC EXTRACTABLES
QLast Update : Tue Aug 19 06:08:32 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µm Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.660 min
Delta R.T.: -0.003 min
Response: 167742386
Conc: 20.49 ng/ml

Instrument :
ECD_O
ClientSampleId :
TT-078-IDWGW-20250903




#1 Tetrachloro-m-xylene

R.T.: 3.653 min
Delta R.T.: -0.002 min
Response: 98801978
Conc: 19.52 ng/ml



#2 Decachlorobiphenyl

R.T.: 8.675 min
Delta R.T.: -0.007 min
Response: 35725099
Conc: 5.15 ng/ml



#2 Decachlorobiphenyl

R.T.: 8.620 min
Delta R.T.: -0.009 min
Response: 10532629
Conc: 5.56 ng/ml