

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0090619\
 Data File : P0060452.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 06 Sep 2019 21:39
 Operator : SM/AJ
 Sample : K4692-10
 Misc :
 ALS Vial : 32 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Sep 06 23:09:04 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0081719.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Fri Sep 06 17:58:59 2019
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.102	3.486	1359131	1024880	38.818	28.472 #
2)	SA Decachlor...	9.546	8.335	1777297	1366668	33.408	33.895
Target Compounds							
3)	L1 AR-1016-1	5.270	4.475	18769	12996	11.702	9.613
4)	L1 AR-1016-2	5.270	0.000	18769	0	7.845	N.D. #
5)	L1 AR-1016-3	5.336	4.743	2887	67648	1.938	62.529 #
6)	L1 AR-1016-4	5.460	4.743	14912	67648	12.327	74.915 #
7)	L1 AR-1016-5	5.709	5.011	67600	33989	52.642	29.507 #
8)	L2 AR-1221-1	4.401	3.779	102219	45265	241.384	112.771 #
9)	L2 AR-1221-2	4.401	3.779	102219	45265	314.719	148.591 #
10)	L2 AR-1221-3	4.478	3.893	46239	6206	43.959	6.342 #
11)	L3 AR-1232-1	4.478	3.893	46239	6206	37.097	5.443 #
12)	L3 AR-1232-2	4.982	0.000	103074	0	145.915	N.D. #
13)	L3 AR-1232-3	5.312	4.743	20370	67648	13.302	99.349 #
14)	L3 AR-1232-4	5.523	4.830	-10452	39875	N.D.	65.362 #
15)	L3 AR-1232-5	5.564	5.011	30528	33989	50.785	49.930
16)	L4 AR-1242-1	5.312	0.000	20370	0	16.045	N.D. #
17)	L4 AR-1242-2	5.312	0.000	20370	0	10.977	N.D. #
18)	L4 AR-1242-3	5.336	4.743	2887	67648	2.470	80.967 #
19)	L4 AR-1242-4	5.523	4.830	-10452	39875	N.D.	47.790 #
20)	L4 AR-1242-5	6.238	5.302	39270	118896	31.251	106.290 #
21)	L5 AR-1248-1	5.270	0.000	18769	0	18.721	N.D. #
22)	L5 AR-1248-2	5.523	4.743	-10452	67648	N.D.	58.665 #
23)	L5 AR-1248-3	5.709	4.830	67600	39875	40.673	33.572
24)	L5 AR-1248-4	6.119	5.011	13409	33989	6.560	23.391 #
25)	L5 AR-1248-5	6.180	5.302	54653	118896	27.560	83.070 #
26)	L6 AR-1254-1	6.119	5.302	13409	118896	6.427	50.129 #
27)	L6 AR-1254-2	6.301	5.480	103568	82035	31.043	39.096 #
28)	L6 AR-1254-3	6.678	5.853	87034	80364	24.527	23.900
29)	L6 AR-1254-4	6.947	6.079	26964	62068	9.154	30.103 #
30)	L6 AR-1254-5	7.358	6.484	156838	243683	50.717	78.481 #
31)	L7 AR-1260-1	6.846	5.990	26888	95238	9.974	41.791 #
32)	L7 AR-1260-2	7.082	6.166	362891	122212	97.802	41.712 #
33)	L7 AR-1260-3	7.428	6.310	113064	153533	34.509	57.956 #
34)	L7 AR-1260-4	7.657	6.770	146921	64025	47.836	28.297 #
35)	L7 AR-1260-5	7.963	7.019	217416	164384	30.705	29.870
36)	L8 AR-1262-1	7.498	6.517	148762	72672	30.654	19.496 #
37)	L8 AR-1262-2	8.001	7.019	114907	164384	14.892	27.961 #
38)	L8 AR-1262-3	8.322	7.290	245293	186205	48.075	73.281 #
39)	L8 AR-1262-4	8.360	7.357	34328	165523	8.905	37.457 #
40)	L8 AR-1262-5	8.969	7.848	48781	64267	19.007	35.594 #
41)	L9 AR-1268-1	8.322	7.290	245293	186205	26.065	26.149

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0090619\
 Data File : P0060452.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 06 Sep 2019 21:39
 Operator : SM/AJ
 Sample : K4692-10
 Misc :
 ALS Vial : 32 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Sep 06 23:09:04 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0081719.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Fri Sep 06 17:58:59 2019
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42) L9	AR-1268-2	8.360	7.357	34328	165523	4.355	25.670 #
43) L9	AR-1268-3	8.617	7.603	172642	15824	24.492	2.892 #
44) L9	AR-1268-4	8.969	7.848	48781	64267	17.547	31.483 #
45) L9	AR-1268-5	9.379	8.112	134452	401378	7.290	27.625 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0090619\
Data File : P0060452.D
Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
Acq On : 06 Sep 2019 21:39
Operator : SM/AJ
Sample : K4692-10
Misc :
ALS Vial : 32 Sample Multiplier: 1

Instrument :
ECD_O
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 06 23:09:04 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0081719.M
Quant Title : GC EXTRACTABLES
QLast Update : Fri Sep 06 17:58:59 2019
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.102 min
Delta R.T.: -0.007 min
Response: 1359131
Conc: 38.82 ng/ml

Instrument :
ECD_O
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 3.486 min
Delta R.T.: 0.000 min
Response: 1024880
Conc: 28.47 ng/ml




#2 Decachlorobiphenyl

R.T.: 9.546 min
Delta R.T.: -0.011 min
Response: 1777297
Conc: 33.41 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.335 min
Delta R.T.: -0.049 min
Response: 1366668
Conc: 33.89 ng/ml



#3 AR-1016-1


R.T.: 5.270 min
Delta R.T.: 0.010 min
Response: 18769
Conc: 11.70 ng/ml

Instrument :
ECD_O
ClientSampleId :




#3 AR-1016-1

R.T.: 4.475 min
Delta R.T.: -0.065 min
Response: 12996
Conc: 9.61 ng/ml




#4 AR-1016-2

R.T.: 5.270 min
Delta R.T.: -0.010 min
Response: 18769
Conc: 7.84 ng/ml



#4 AR-1016-2


R.T.: 0.000 min
Exp R.T.: 4.550 min
Response: 0
Conc: N.D.



#5 AR-1016-3


R.T.: 5.336 min
Delta R.T.: -0.004 min
Response: 2887
Conc: 1.94 ng/ml

Instrument :
ECD_O
ClientSampleId :




#5 AR-1016-3

R.T.: 4.743 min
Delta R.T.: 0.023 min
Response: 67648
Conc: 62.53 ng/ml




#6 AR-1016-4

R.T.: 5.460 min
Delta R.T.: 0.020 min
Response: 14912
Conc: 12.33 ng/ml



#6 AR-1016-4


R.T.: 4.743 min
Delta R.T.: -0.017 min
Response: 67648
Conc: 74.92 ng/ml



#7 AR-1016-5


R.T.: 5.709 min
Delta R.T.: -0.011 min
Response: 67600
Conc: 52.64 ng/ml

Instrument :
ECD_O
ClientSampleId :




#7 AR-1016-5

R.T.: 5.011 min
Delta R.T.: 0.041 min
Response: 33989
Conc: 29.51 ng/ml




#8 AR-1221-1

R.T.: 4.401 min
Delta R.T.: 0.024 min
Response: 102219
Conc: 241.38 ng/ml



#8 AR-1221-1


R.T.: 3.779 min
Delta R.T.: 0.063 min
Response: 45265
Conc: 112.77 ng/ml



#9 AR-1221-2


R.T.: 4.401 min
Delta R.T.: -0.021 min
Response: 102219
Conc: 314.72 ng/ml

Instrument :
ECD_O
ClientSampleId :




#9 AR-1221-2

R.T.: 3.779 min
Delta R.T.: -0.010 min
Response: 45265
Conc: 148.59 ng/ml




#10 AR-1221-3

R.T.: 4.478 min
Delta R.T.: -0.019 min
Response: 46239
Conc: 43.96 ng/ml



#10 AR-1221-3


R.T.: 3.893 min
Delta R.T.: 0.032 min
Response: 6206
Conc: 6.34 ng/ml



#11 AR-1232-1


R.T.: 4.478 min
Delta R.T.: -0.019 min
Response: 46239
Conc: 37.10 ng/ml

Instrument :
ECD_O
ClientSampleId :




#11 AR-1232-1

R.T.: 3.893 min
Delta R.T.: 0.032 min
Response: 6206
Conc: 5.44 ng/ml




#12 AR-1232-2

R.T.: 4.982 min
Delta R.T.: -0.030 min
Response: 103074
Conc: 145.92 ng/ml



#12 AR-1232-2


R.T.: 0.000 min
Exp R.T.: 4.566 min
Response: 0
Conc: N.D.



#13 AR-1232-3


R.T.: 5.312 min
Delta R.T.: 0.017 min
Response: 20370
Conc: 13.30 ng/ml

Instrument :
ECD_O
ClientSampleId :




#13 AR-1232-3

R.T.: 4.743 min
Delta R.T.: 0.005 min
Response: 67648
Conc: 99.35 ng/ml




#14 AR-1232-4

R.T.: 5.523 min
Delta R.T.: -0.017 min
Response: -10452
Conc: N.D.



#14 AR-1232-4


R.T.: 4.830 min
Delta R.T.: -0.018 min
Response: 39875
Conc: 65.36 ng/ml



#15 AR-1232-5


R.T.: 5.564 min
Delta R.T.: -0.019 min
Response: 30528
Conc: 50.78 ng/ml

Instrument :
ECD_O
ClientSampleId :




#15 AR-1232-5

R.T.: 5.011 min
Delta R.T.: 0.023 min
Response: 33989
Conc: 49.93 ng/ml




#16 AR-1242-1

R.T.: 5.312 min
Delta R.T.: 0.017 min
Response: 20370
Conc: 16.05 ng/ml



#16 AR-1242-1


R.T.: 0.000 min
Exp R.T.: 4.566 min
Response: 0
Conc: N.D.



#17 AR-1242-2


R.T.: 5.312 min
Delta R.T.: 0.017 min
Response: 20370
Conc: 10.98 ng/ml

Instrument :
ECD_O
ClientSampleId :




#17 AR-1242-2

R.T.: 0.000 min
Exp R.T. : 4.566 min
Response: 0
Conc: N.D.




#18 AR-1242-3

R.T.: 5.336 min
Delta R.T.: -0.020 min
Response: 2887
Conc: 2.47 ng/ml



#18 AR-1242-3


R.T.: 4.743 min
Delta R.T.: 0.005 min
Response: 67648
Conc: 80.97 ng/ml



#19 AR-1242-4


R.T.: 5.523 min
Delta R.T.: -0.017 min
Response: -10452
Conc: N.D.

Instrument :
ECD_O
ClientSampleId :




#19 AR-1242-4

R.T.: 4.830 min
Delta R.T.: -0.018 min
Response: 39875
Conc: 47.79 ng/ml




#20 AR-1242-5

R.T.: 6.238 min
Delta R.T.: 0.019 min
Response: 39270
Conc: 31.25 ng/ml



#20 AR-1242-5


R.T.: 5.302 min
Delta R.T.: -0.027 min
Response: 118896
Conc: 106.29 ng/ml



#21 AR-1248-1


R.T.: 5.270 min
Delta R.T.: -0.004 min
Response: 18769
Conc: 18.72 ng/ml

Instrument :
ECD_O
ClientSampleId :




#21 AR-1248-1

R.T.: 0.000 min
Exp R.T. : 4.550 min
Response: 0
Conc: N.D.




#22 AR-1248-2

R.T.: 5.523 min
Delta R.T.: -0.017 min
Response: -10452
Conc: N.D.



#22 AR-1248-2


R.T.: 4.743 min
Delta R.T.: -0.036 min
Response: 67648
Conc: 58.66 ng/ml



#23 AR-1248-3


R.T.: 5.709 min
Delta R.T.: 0.004 min
Response: 67600
Conc: 40.67 ng/ml

Instrument :
ECD_O
ClientSampleId :




#23 AR-1248-3

R.T.: 4.830 min
Delta R.T.: 0.012 min
Response: 39875
Conc: 33.57 ng/ml




#24 AR-1248-4

R.T.: 6.119 min
Delta R.T.: -0.021 min
Response: 13409
Conc: 6.56 ng/ml



#24 AR-1248-4


R.T.: 5.011 min
Delta R.T.: 0.023 min
Response: 33989
Conc: 23.39 ng/ml



#25 AR-1248-5


R.T.: 6.180 min
Delta R.T.: 0.003 min
Response: 54653
Conc: 27.56 ng/ml

Instrument :
ECD_O
ClientSampleId :




#25 AR-1248-5

R.T.: 5.302 min
Delta R.T.: -0.027 min
Response: 118896
Conc: 83.07 ng/ml




#26 AR-1254-1

R.T.: 6.119 min
Delta R.T.: 0.019 min
Response: 13409
Conc: 6.43 ng/ml



#26 AR-1254-1


R.T.: 5.302 min
Delta R.T.: -0.018 min
Response: 118896
Conc: 50.13 ng/ml



#27 AR-1254-2


R.T.: 6.301 min
Delta R.T.: -0.009 min
Response: 103568
Conc: 31.04 ng/ml

Instrument :
ECD_O
ClientSampleId :




#27 AR-1254-2

R.T.: 5.480 min
Delta R.T.: 0.020 min
Response: 82035
Conc: 39.10 ng/ml




#28 AR-1254-3

R.T.: 6.678 min
Delta R.T.: -0.002 min
Response: 87034
Conc: 24.53 ng/ml



#28 AR-1254-3


R.T.: 5.853 min
Delta R.T.: -0.007 min
Response: 80364
Conc: 23.90 ng/ml



#29 AR-1254-4


R.T.: 6.947 min
Delta R.T.: -0.013 min
Response: 26964
Conc: 9.15 ng/ml

Instrument :
ECD_O
ClientSampleId :




#29 AR-1254-4

R.T.: 6.079 min
Delta R.T.: -0.001 min
Response: 62068
Conc: 30.10 ng/ml




#30 AR-1254-5

R.T.: 7.358 min
Delta R.T.: -0.012 min
Response: 156838
Conc: 50.72 ng/ml



#30 AR-1254-5


R.T.: 6.484 min
Delta R.T.: -0.006 min
Response: 243683
Conc: 78.48 ng/ml



#31 AR-1260-1


R.T.: 6.846 min
Delta R.T.: 0.016 min
Response: 26888
Conc: 9.97 ng/ml

Instrument :
ECD_O
ClientSampleId :




#31 AR-1260-1

R.T.: 5.990 min
Delta R.T.: 0.010 min
Response: 95238
Conc: 41.79 ng/ml




#32 AR-1260-2

R.T.: 7.082 min
Delta R.T.: 0.002 min
Response: 362891
Conc: 97.80 ng/ml



#32 AR-1260-2


R.T.: 6.166 min
Delta R.T.: -0.004 min
Response: 122212
Conc: 41.71 ng/ml



#33 AR-1260-3


R.T.: 7.428 min
Delta R.T.: -0.012 min
Response: 113064
Conc: 34.51 ng/ml

Instrument :
ECD_O
ClientSampleId :




#33 AR-1260-3

R.T.: 6.310 min
Delta R.T.: 0.000 min
Response: 153533
Conc: 57.96 ng/ml




#34 AR-1260-4

R.T.: 7.657 min
Delta R.T.: -0.003 min
Response: 146921
Conc: 47.84 ng/ml



#34 AR-1260-4


R.T.: 6.770 min
Delta R.T.: -0.010 min
Response: 64025
Conc: 28.30 ng/ml



#35 AR-1260-5


R.T.: 7.963 min
Delta R.T.: -0.007 min
Response: 217416
Conc: 30.70 ng/ml

Instrument :
ECD_O
ClientSampleId :




#35 AR-1260-5

R.T.: 7.019 min
Delta R.T.: -0.001 min
Response: 164384
Conc: 29.87 ng/ml




#36 AR-1262-1

R.T.: 7.498 min
Delta R.T.: -0.019 min
Response: 148762
Conc: 30.65 ng/ml



#36 AR-1262-1


R.T.: 6.517 min
Delta R.T.: -0.021 min
Response: 72672
Conc: 19.50 ng/ml



#37 AR-1262-2


R.T.: 8.001 min
Delta R.T.: -0.036 min
Response: 114907
Conc: 14.89 ng/ml

Instrument :
ECD_O
ClientSampleId :




#37 AR-1262-2

R.T.: 7.019 min
Delta R.T.: -0.019 min
Response: 164384
Conc: 27.96 ng/ml




#38 AR-1262-3

R.T.: 8.322 min
Delta R.T.: 0.028 min
Response: 245293
Conc: 48.07 ng/ml



#38 AR-1262-3


R.T.: 7.290 min
Delta R.T.: -0.021 min
Response: 186205
Conc: 73.28 ng/ml



#39 AR-1262-4


R.T.: 8.360 min
Delta R.T.: 0.019 min
Response: 34328
Conc: 8.91 ng/ml

Instrument :
ECD_O
ClientSampleId :




#39 AR-1262-4

R.T.: 7.357 min
Delta R.T.: -0.019 min
Response: 165523
Conc: 37.46 ng/ml




#40 AR-1262-5

R.T.: 8.969 min
Delta R.T.: 0.019 min
Response: 48781
Conc: 19.01 ng/ml



#40 AR-1262-5


R.T.: 7.848 min
Delta R.T.: -0.020 min
Response: 64267
Conc: 35.59 ng/ml



#41 AR-1268-1


R.T.: 8.322 min
Delta R.T.: 0.028 min
Response: 245293
Conc: 26.07 ng/ml

Instrument :
ECD_O
ClientSampleId :




#41 AR-1268-1

R.T.: 7.290 min
Delta R.T.: -0.021 min
Response: 186205
Conc: 26.15 ng/ml




#42 AR-1268-2

R.T.: 8.360 min
Delta R.T.: 0.019 min
Response: 34328
Conc: 4.35 ng/ml



#42 AR-1268-2


R.T.: 7.357 min
Delta R.T.: -0.019 min
Response: 165523
Conc: 25.67 ng/ml



#43 AR-1268-3


R.T.: 8.617 min
Delta R.T.: 0.015 min
Response: 172642
Conc: 24.49 ng/ml

Instrument :
ECD_O
ClientSampleId :




#43 AR-1268-3

R.T.: 7.603 min
Delta R.T.: 0.011 min
Response: 15824
Conc: 2.89 ng/ml




#44 AR-1268-4

R.T.: 8.969 min
Delta R.T.: 0.019 min
Response: 48781
Conc: 17.55 ng/ml



#44 AR-1268-4


R.T.: 7.848 min
Delta R.T.: -0.020 min
Response: 64267
Conc: 31.48 ng/ml



#45 AR-1268-5

R.T.: 9.379 min
Delta R.T.: 0.031 min
Response: 134452
Conc: 7.29 ng/ml

Instrument :
ECD_O
ClientSampleId :



#45 AR-1268-5

R.T.: 8.112 min
Delta R.T.: -0.022 min
Response: 401378
Conc: 27.63 ng/ml