

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0090723\
 Data File : P0097785.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 07 Sep 2023 16:25
 Operator : YP/AJ
 Sample : HEXANE
 Misc :
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Sep 08 01:55:07 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0090623.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Thu Sep 07 02:56:18 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds						
1) SA Tetrachlo...	4.451	3.621	237032	95276	0.059	0.099 #
2) SA Decachlor...	10.297	8.668	149962	501396	0.080	0.587 #
Target Compounds						
3) L1 AR-1016-1	5.632	4.710	1224583	84386	11.341	2.624 #
4) L1 AR-1016-2	5.651	4.749	1180407	202533	7.294	4.459 #
5) L1 AR-1016-3	5.698	4.913	570936	28849	5.734	1.185 #
6) L1 AR-1016-4	5.805	4.944	31285	42075	0.397	2.003 #
7) L1 AR-1016-5	6.102	5.177	-55217	342126	N.D.	12.310 #
8) L2 AR-1221-1	4.661	3.861	53522	154841	1.123	12.823 #
9) L2 AR-1221-2	4.747	3.882f	115980	64752	3.264	7.591 #
10) L2 AR-1221-3	4.806	4.007	12203	1098	0.118	0.041 #
11) L3 AR-1232-1	4.806	4.007	12203	1098	0.142	0.050 #
12) L3 AR-1232-2	5.349	4.749	34778	202533	0.796	9.872 #
13) L3 AR-1232-3	5.651	4.913	1180407	28849	16.287	2.653 #
14) L3 AR-1232-4	5.805	4.977	31285	159120	0.907	14.656 #
15) L3 AR-1232-5	5.908	5.177	395943	342126	12.675	28.220 #
16) L4 AR-1242-1	5.632	4.710	1224583	84386	13.147	3.007 #
17) L4 AR-1242-2	5.651	4.749	1180407	202533	8.414	5.103 #
18) L4 AR-1242-3	5.698	4.913	570936	28849	6.597	1.365 #
19) L4 AR-1242-4	5.805	4.977	31285	159120	0.461	6.943 #
20) L4 AR-1242-5	6.553	5.524	162394	702847	2.308	26.979 #
21) L5 AR-1248-1	5.632	4.710	1224583	84386	18.047	4.108 #
22) L5 AR-1248-2	5.908	4.944	395943	42075	3.661	1.381 #
23) L5 AR-1248-3	6.102	4.977	-55217	159120	N.D.	4.996 #
24) L5 AR-1248-4	6.499	5.177	419307	342126	4.056	9.142 #
25) L5 AR-1248-5	6.553	5.564	162394	871970	1.457	26.168 #
26) L6 AR-1254-1	6.499	5.524	419307	702847	3.420	12.929 #
27) L6 AR-1254-2	6.715	5.667	266882	358263	1.488	7.440 #
28) L6 AR-1254-3	7.088	6.082	3002415	192861	16.954	2.610 #
29) L6 AR-1254-4	7.350	6.303	1332264	66081	12.377	1.667 #
30) L6 AR-1254-5	7.799	6.720	318896	230550	2.652	3.743 #
31) L7 AR-1260-1	7.249	6.203	491282	105060	3.476	1.975 #
32) L7 AR-1260-2	7.525	6.380	2195099	816911	14.522	13.046
33) L7 AR-1260-3	7.865	6.538	87716	310538	0.774	5.385 #
34) L7 AR-1260-4	8.089	7.021	283261	186104	2.383	3.967 #
35) L7 AR-1260-5	8.418	7.271	44073	110319	0.215	1.113 #
36) L8 AR-1262-1	7.865	6.814	87716	105586	0.577	3.897 #
37) L8 AR-1262-2	8.418	7.021	44073	186104	0.202	3.193 #
39) L8 AR-1262-4	8.808	7.610	232172	65849	2.764	0.865 #
40) L8 AR-1262-5	9.506	8.109	46157	33288	0.640	1.061 #
42) L9 AR-1268-2	8.808	7.610	232172	65849	0.909	0.571 #
43) L9 AR-1268-3	9.067	7.938	29587	110997	0.132	4.015 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0090723\
 Data File : P0097785.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 07 Sep 2023 16:25
 Operator : YP/AJ
 Sample : HEXANE
 Misc :
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Sep 08 01:55:07 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0090623.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Thu Sep 07 02:56:18 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
44) L9	AR-1268-4	9.506	8.109	46157	33288	0.565	0.945 #
45) L9	AR-1268-5	9.936	8.404	44857	54658	0.068	0.174 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\PO090723\
Data File : PO097785.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 07 Sep 2023 16:25
Operator : YP/AJ
Sample : HEXANE
Misc :
ALS Vial : 1 Sample Multiplier: 1

Instrument :
ECD_O
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 08 01:55:07 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\PO090623.M
Quant Title : GC EXTRACTABLES
QLast Update : Thu Sep 07 02:56:18 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.451 min
Delta R.T.: 0.008 min
Response: 237032
Conc: 0.06 ng/ml

Instrument :
ECD_O
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 3.621 min
Delta R.T.: -0.002 min
Response: 95276
Conc: 0.10 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.297 min
Delta R.T.: 0.002 min
Response: 149962
Conc: 0.08 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.668 min
Delta R.T.: 0.005 min
Response: 501396
Conc: 0.59 ng/ml



#3 AR-1016-1


R.T.: 5.632 min
Delta R.T.: 0.011 min
Response: 1224583
Conc: 11.34 ng/ml

Instrument :
ECD_O
ClientSampleId :




#3 AR-1016-1

R.T.: 4.710 min
Delta R.T.: -0.004 min
Response: 84386
Conc: 2.62 ng/ml




#4 AR-1016-2

R.T.: 5.651 min
Delta R.T.: 0.007 min
Response: 1180407
Conc: 7.29 ng/ml



#4 AR-1016-2


R.T.: 4.749 min
Delta R.T.: 0.016 min
Response: 202533
Conc: 4.46 ng/ml



#5 AR-1016-3


R.T.: 5.698 min
Delta R.T.: -0.008 min
Response: 570936
Conc: 5.73 ng/ml

Instrument :
ECD_O
ClientSampleId :




#5 AR-1016-3

R.T.: 4.913 min
Delta R.T.: 0.003 min
Response: 28849
Conc: 1.18 ng/ml




#6 AR-1016-4

R.T.: 5.805 min
Delta R.T.: 0.000 min
Response: 31285
Conc: 0.40 ng/ml



#6 AR-1016-4


R.T.: 4.944 min
Delta R.T.: -0.009 min
Response: 42075
Conc: 2.00 ng/ml



#7 AR-1016-5


R.T.: 6.102 min
Delta R.T.: 0.000 min
Response: -55217
Conc: N.D.

Instrument :
ECD_O
ClientSampleId :




#7 AR-1016-5

R.T.: 5.177 min
Delta R.T.: 0.010 min
Response: 342126
Conc: 12.31 ng/ml




#8 AR-1221-1

R.T.: 4.661 min
Delta R.T.: 0.008 min
Response: 53522
Conc: 1.12 ng/ml



#8 AR-1221-1


R.T.: 3.861 min
Delta R.T.: 0.022 min
Response: 154841
Conc: 12.82 ng/ml



#9 AR-1221-2


R.T.: 4.747 min
Delta R.T.: 0.006 min
Response: 115980
Conc: 3.26 ng/ml

Instrument :
ECD_O
ClientSampleId :




#9 AR-1221-2

R.T.: 3.882 min
Delta R.T.: -0.043 min
Response: 64752
Conc: 7.59 ng/ml




#10 AR-1221-3

R.T.: 4.806 min
Delta R.T.: -0.011 min
Response: 12203
Conc: 0.12 ng/ml



#10 AR-1221-3


R.T.: 4.007 min
Delta R.T.: 0.006 min
Response: 1098
Conc: 0.04 ng/ml



#11 AR-1232-1


R.T.: 4.806 min
Delta R.T.: -0.011 min
Response: 12203
Conc: 0.14 ng/ml

Instrument :
ECD_O
ClientSampleId :




#11 AR-1232-1

R.T.: 4.007 min
Delta R.T.: 0.005 min
Response: 1098
Conc: 0.05 ng/ml




#12 AR-1232-2

R.T.: 5.349 min
Delta R.T.: -0.002 min
Response: 34778
Conc: 0.80 ng/ml



#12 AR-1232-2


R.T.: 4.749 min
Delta R.T.: 0.016 min
Response: 202533
Conc: 9.87 ng/ml



#13 AR-1232-3


R.T.: 5.651 min
Delta R.T.: 0.007 min
Response: 1180407
Conc: 16.29 ng/ml

Instrument :
ECD_O
ClientSampleId :




#13 AR-1232-3

R.T.: 4.913 min
Delta R.T.: 0.002 min
Response: 28849
Conc: 2.65 ng/ml




#14 AR-1232-4

R.T.: 5.805 min
Delta R.T.: 0.000 min
Response: 31285
Conc: 0.91 ng/ml



#14 AR-1232-4


R.T.: 4.977 min
Delta R.T.: -0.018 min
Response: 159120
Conc: 14.66 ng/ml



#15 AR-1232-5


R.T.: 5.908 min
Delta R.T.: 0.010 min
Response: 395943
Conc: 12.67 ng/ml

Instrument :
ECD_O
ClientSampleId :




#15 AR-1232-5

R.T.: 5.177 min
Delta R.T.: 0.010 min
Response: 342126
Conc: 28.22 ng/ml




#16 AR-1242-1

R.T.: 5.632 min
Delta R.T.: 0.011 min
Response: 1224583
Conc: 13.15 ng/ml



#16 AR-1242-1


R.T.: 4.710 min
Delta R.T.: -0.004 min
Response: 84386
Conc: 3.01 ng/ml



#17 AR-1242-2


R.T.: 5.651 min
Delta R.T.: 0.007 min
Response: 1180407
Conc: 8.41 ng/ml

Instrument :
ECD_O
ClientSampleId :




#17 AR-1242-2

R.T.: 4.749 min
Delta R.T.: 0.016 min
Response: 202533
Conc: 5.10 ng/ml




#18 AR-1242-3

R.T.: 5.698 min
Delta R.T.: -0.009 min
Response: 570936
Conc: 6.60 ng/ml



#18 AR-1242-3


R.T.: 4.913 min
Delta R.T.: 0.003 min
Response: 28849
Conc: 1.37 ng/ml



#19 AR-1242-4


R.T.: 5.805 min
Delta R.T.: 0.000 min
Response: 31285
Conc: 0.46 ng/ml

Instrument :
ECD_O
ClientSampleId :




#19 AR-1242-4

R.T.: 4.977 min
Delta R.T.: -0.017 min
Response: 159120
Conc: 6.94 ng/ml




#20 AR-1242-5

R.T.: 6.553 min
Delta R.T.: 0.004 min
Response: 162394
Conc: 2.31 ng/ml



#20 AR-1242-5


R.T.: 5.524 min
Delta R.T.: 0.003 min
Response: 702847
Conc: 26.98 ng/ml



#21 AR-1248-1


R.T.: 5.632 min
Delta R.T.: 0.010 min
Response: 1224583
Conc: 18.05 ng/ml

Instrument :
ECD_O
ClientSampleId :




#21 AR-1248-1

R.T.: 4.710 min
Delta R.T.: -0.004 min
Response: 84386
Conc: 4.11 ng/ml




#22 AR-1248-2

R.T.: 5.908 min
Delta R.T.: 0.010 min
Response: 395943
Conc: 3.66 ng/ml



#22 AR-1248-2


R.T.: 4.944 min
Delta R.T.: -0.008 min
Response: 42075
Conc: 1.38 ng/ml



#23 AR-1248-3


R.T.: 6.102 min
Delta R.T.: 0.000 min
Response: -55217
Conc: N.D.

Instrument :
ECD_O
ClientSampleId :




#23 AR-1248-3

R.T.: 4.977 min
Delta R.T.: -0.017 min
Response: 159120
Conc: 5.00 ng/ml




#24 AR-1248-4

R.T.: 6.498 min
Delta R.T.: -0.013 min
Response: 419307
Conc: 4.06 ng/ml



#24 AR-1248-4


R.T.: 5.177 min
Delta R.T.: 0.010 min
Response: 342126
Conc: 9.14 ng/ml



#25 AR-1248-5


R.T.: 6.553 min
Delta R.T.: 0.002 min
Response: 162394
Conc: 1.46 ng/ml

Instrument :
ECD_O
ClientSampleId :




#25 AR-1248-5

R.T.: 5.564 min
Delta R.T.: 0.003 min
Response: 871970
Conc: 26.17 ng/ml




#26 AR-1254-1

R.T.: 6.499 min
Delta R.T.: 0.016 min
Response: 419307
Conc: 3.42 ng/ml



#26 AR-1254-1


R.T.: 5.524 min
Delta R.T.: 0.004 min
Response: 702847
Conc: 12.93 ng/ml



#27 AR-1254-2


R.T.: 6.715 min
Delta R.T.: 0.011 min
Response: 266882
Conc: 1.49 ng/ml

Instrument :
ECD_O
ClientSampleId :




#27 AR-1254-2

R.T.: 5.667 min
Delta R.T.: 0.000 min
Response: 358263
Conc: 7.44 ng/ml




#28 AR-1254-3

R.T.: 7.088 min
Delta R.T.: 0.015 min
Response: 3002415
Conc: 16.95 ng/ml



#28 AR-1254-3


R.T.: 6.082 min
Delta R.T.: 0.008 min
Response: 192861
Conc: 2.61 ng/ml



#29 AR-1254-4


R.T.: 7.350 min
Delta R.T.: -0.013 min
Response: 1332264
Conc: 12.38 ng/ml

Instrument :
ECD_O
ClientSampleId :




#29 AR-1254-4

R.T.: 6.303 min
Delta R.T.: 0.000 min
Response: 66081
Conc: 1.67 ng/ml




#30 AR-1254-5

R.T.: 7.799 min
Delta R.T.: 0.013 min
Response: 318896
Conc: 2.65 ng/ml



#30 AR-1254-5


R.T.: 6.720 min
Delta R.T.: -0.003 min
Response: 230550
Conc: 3.74 ng/ml



#31 AR-1260-1


R.T.: 7.249 min
Delta R.T.: 0.009 min
Response: 491282
Conc: 3.48 ng/ml

Instrument :
ECD_O
ClientSampleId :




#31 AR-1260-1

R.T.: 6.203 min
Delta R.T.: -0.003 min
Response: 105060
Conc: 1.97 ng/ml




#32 AR-1260-2

R.T.: 7.525 min
Delta R.T.: 0.024 min
Response: 2195099
Conc: 14.52 ng/ml



#32 AR-1260-2


R.T.: 6.380 min
Delta R.T.: -0.014 min
Response: 816911
Conc: 13.05 ng/ml



#33 AR-1260-3


R.T.: 7.865 min
Delta R.T.: 0.002 min
Response: 87716
Conc: 0.77 ng/ml

Instrument :
ECD_O
ClientSampleId :




#33 AR-1260-3

R.T.: 6.538 min
Delta R.T.: -0.011 min
Response: 310538
Conc: 5.39 ng/ml




#34 AR-1260-4

R.T.: 8.089 min
Delta R.T.: -0.004 min
Response: 283261
Conc: 2.38 ng/ml



#34 AR-1260-4


R.T.: 7.021 min
Delta R.T.: -0.003 min
Response: 186104
Conc: 3.97 ng/ml



#35 AR-1260-5


R.T.: 8.418 min
Delta R.T.: -0.003 min
Response: 44073
Conc: 0.22 ng/ml

Instrument :
ECD_O
ClientSampleId :




#35 AR-1260-5

R.T.: 7.271 min
Delta R.T.: 0.005 min
Response: 110319
Conc: 1.11 ng/ml




#36 AR-1262-1

R.T.: 7.865 min
Delta R.T.: 0.002 min
Response: 87716
Conc: 0.58 ng/ml



#36 AR-1262-1


R.T.: 6.814 min
Delta R.T.: -0.002 min
Response: 105586
Conc: 3.90 ng/ml



#37 AR-1262-2


R.T.: 8.418 min
Delta R.T.: -0.001 min
Response: 44073
Conc: 0.20 ng/ml

Instrument :
ECD_O
ClientSampleId :




#37 AR-1262-2

R.T.: 7.021 min
Delta R.T.: -0.002 min
Response: 186104
Conc: 3.19 ng/ml




#38 AR-1262-3

R.T.: 8.742 min
Delta R.T.: 0.000 min
Response: 31546
Conc: 0.20 ng/ml



#38 AR-1262-3


R.T.: 7.546 min
Delta R.T.: -0.004 min
Response: -33063
Conc: N.D.



#39 AR-1262-4


R.T.: 8.808 min
Delta R.T.: -0.024 min
Response: 232172
Conc: 2.76 ng/ml

Instrument :
ECD_O
ClientSampleId :




#39 AR-1262-4

R.T.: 7.610 min
Delta R.T.: -0.004 min
Response: 65849
Conc: 0.87 ng/ml




#40 AR-1262-5

R.T.: 9.506 min
Delta R.T.: -0.005 min
Response: 46157
Conc: 0.64 ng/ml



#40 AR-1262-5


R.T.: 8.109 min
Delta R.T.: -0.001 min
Response: 33288
Conc: 1.06 ng/ml



#41 AR-1268-1


R.T.: 8.735 min
Delta R.T.: -0.003 min
Response: 38548
Conc: 0.14 ng/ml

Instrument :
ECD_O
ClientSampleId :




#41 AR-1268-1

R.T.: 7.546 min
Delta R.T.: -0.004 min
Response: -33063
Conc: N.D.




#42 AR-1268-2

R.T.: 8.808 min
Delta R.T.: -0.027 min
Response: 232172
Conc: 0.91 ng/ml



#42 AR-1268-2


R.T.: 7.610 min
Delta R.T.: -0.005 min
Response: 65849
Conc: 0.57 ng/ml



#43 AR-1268-3


R.T.: 9.067 min
Delta R.T.: -0.004 min
Response: 29587
Conc: 0.13 ng/ml

Instrument :
ECD_O
ClientSampleId :




#43 AR-1268-3

R.T.: 7.938 min
Delta R.T.: 0.023 min
Response: 110997
Conc: 4.02 ng/ml




#44 AR-1268-4

R.T.: 9.506 min
Delta R.T.: -0.004 min
Response: 46157
Conc: 0.56 ng/ml



#44 AR-1268-4


R.T.: 8.109 min
Delta R.T.: -0.001 min
Response: 33288
Conc: 0.95 ng/ml



#45 AR-1268-5

R.T.: 9.936 min
Delta R.T.: -0.003 min
Response: 44857
Conc: 0.07 ng/ml

Instrument :
ECD_O
ClientSampleId :



#45 AR-1268-5

R.T.: 8.404 min
Delta R.T.: 0.000 min
Response: 54658
Conc: 0.17 ng/ml