

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_0\Data\P0090823\
 Data File : P0097821.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 08 Sep 2023 08:46
 Operator : YP/AJ
 Sample : HEXANE
 Misc :
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 ECD_0
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Sep 08 15:08:33 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_0\methods\P0090623.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Thu Sep 07 02:56:18 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.450	3.620	402907	57803	0.101	0.060 #
2)	SA Decachlor...	10.292	8.662	83450	491564	0.045	0.575 #
Target Compounds							
3)	L1 AR-1016-1	5.622	4.687	1457357	53994	13.497	1.679 #
4)	L1 AR-1016-2	5.655	4.761	821398	311434	5.076	6.856 #
5)	L1 AR-1016-3	5.712	4.910	554618	72915	5.570	2.995 #
6)	L1 AR-1016-4	5.811	4.938	66764	113529	0.847	5.404 #
7)	L1 AR-1016-5	6.107	5.160	73623	656923	0.897	23.637 #
8)	L2 AR-1221-1	4.637	3.833	489713	22894	10.279	1.896 #
9)	L2 AR-1221-2	4.740	3.922	29072	90521	0.818	10.612 #
10)	L2 AR-1221-3	4.801	3.995	52102	25183	0.503	0.940 #
11)	L3 AR-1232-1	4.801	3.995	52102	25183	0.607	1.142 #
12)	L3 AR-1232-2	5.360	4.761	201377	311434	4.608	15.180 #
13)	L3 AR-1232-3	5.655	4.910	821398	72915	11.333	6.706 #
14)	L3 AR-1232-4	5.811	4.989	66764	172572	1.936	15.895 #
15)	L3 AR-1232-5	5.903	5.160	260349	656923	8.334	54.186 #
16)	L4 AR-1242-1	5.622	4.687	1457357	53994	15.647	1.924 #
17)	L4 AR-1242-2	5.655	4.761	821398	311434	5.855	7.847 #
18)	L4 AR-1242-3	5.712	4.910	554618	72915	6.408	3.450 #
19)	L4 AR-1242-4	5.811	4.989	66764	172572	0.984	7.530 #
20)	L4 AR-1242-5	6.553	5.504	357571	648058	5.081	24.876 #
21)	L5 AR-1248-1	5.622	4.687	1457357	53994	21.478	2.628 #
22)	L5 AR-1248-2	5.903	4.938	260349	113529	2.407	3.726 #
23)	L5 AR-1248-3	6.107	4.989	73623	172572	0.656	5.419 #
24)	L5 AR-1248-4	6.495	5.160	1016824	656923	9.836	17.554 #
25)	L5 AR-1248-5	6.553	5.569	357571	978913	3.208	29.377 #
26)	L6 AR-1254-1	6.495	5.504	1016824	648058	8.294	11.921 #
27)	L6 AR-1254-2	6.710	5.665	111346	654505	0.621	13.592 #
28)	L6 AR-1254-3	7.083	6.074	2141105	179282	12.091	2.427 #
29)	L6 AR-1254-4	7.369	6.304	629203	67377	5.846	1.700 #
30)	L6 AR-1254-5	7.794	6.715	270702	209158	2.251	3.396 #
31)	L7 AR-1260-1	7.250	6.205	868396	53044	6.145	0.997 #
32)	L7 AR-1260-2	7.479	6.375	213793	573343	1.414	9.156 #
33)	L7 AR-1260-3	7.856	6.536	59646	271138	0.527	4.702 #
34)	L7 AR-1260-4	8.098	7.019	432860	237806	3.641	5.069 #
35)	L7 AR-1260-5	8.426	7.269	149113	128947	0.728	1.301 #
36)	L8 AR-1262-1	7.856	6.828	59646	241713	0.392	8.920 #
37)	L8 AR-1262-2	8.426	7.019	149113	237806	0.683	4.081 #
38)	L8 AR-1262-3	8.730	7.552	46418	69980	0.300	1.604 #
39)	L8 AR-1262-4	8.815	7.611	128938	190006	1.535	2.497 #
40)	L8 AR-1262-5	9.517	8.115	120151	26226	1.667	0.836 #
41)	L9 AR-1268-1	8.730	7.552	46418	69980	0.164	0.532 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0090823\
 Data File : P0097821.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 08 Sep 2023 08:46
 Operator : YP/AJ
 Sample : HEXANE
 Misc :
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Sep 08 15:08:33 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0090623.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Thu Sep 07 02:56:18 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42) L9	AR-1268-2	8.815	7.611	128938	190006	0.505	1.649 #
43) L9	AR-1268-3	9.068	7.907	39683	80389	0.178	2.908 #
44) L9	AR-1268-4	9.517	8.115	120151	26226	1.470	0.745 #
45) L9	AR-1268-5	9.935	8.381	40751	232704	0.061	0.742 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\PO090823\
Data File : PO097821.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 08 Sep 2023 08:46
Operator : YP/AJ
Sample : HEXANE
Misc :
ALS Vial : 1 Sample Multiplier: 1

Instrument :
ECD_O
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 08 15:08:33 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\PO090623.M
Quant Title : GC EXTRACTABLES
QLast Update : Thu Sep 07 02:56:18 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.450 min
Delta R.T.: 0.007 min
Response: 402907
Conc: 0.10 ng/ml

Instrument :
ECD_O
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 3.620 min
Delta R.T.: -0.003 min
Response: 57803
Conc: 0.06 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.292 min
Delta R.T.: -0.003 min
Response: 83450
Conc: 0.04 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.662 min
Delta R.T.: -0.001 min
Response: 491564
Conc: 0.58 ng/ml



#3 AR-1016-1


R.T.: 5.622 min
Delta R.T.: 0.001 min
Response: 1457357
Conc: 13.50 ng/ml

Instrument :
ECD_O
ClientSampleId :




#3 AR-1016-1

R.T.: 4.687 min
Delta R.T.: -0.027 min
Response: 53994
Conc: 1.68 ng/ml




#4 AR-1016-2

R.T.: 5.655 min
Delta R.T.: 0.012 min
Response: 821398
Conc: 5.08 ng/ml



#4 AR-1016-2


R.T.: 4.761 min
Delta R.T.: 0.028 min
Response: 311434
Conc: 6.86 ng/ml



#5 AR-1016-3


R.T.: 5.712 min
Delta R.T.: 0.006 min
Response: 554618
Conc: 5.57 ng/ml

Instrument :
ECD_O
ClientSampleId :




#5 AR-1016-3

R.T.: 4.910 min
Delta R.T.: 0.000 min
Response: 72915
Conc: 2.99 ng/ml




#6 AR-1016-4

R.T.: 5.811 min
Delta R.T.: 0.006 min
Response: 66764
Conc: 0.85 ng/ml



#6 AR-1016-4


R.T.: 4.938 min
Delta R.T.: -0.015 min
Response: 113529
Conc: 5.40 ng/ml



#7 AR-1016-5


R.T.: 6.107 min
Delta R.T.: 0.004 min
Response: 73623
Conc: 0.90 ng/ml

Instrument :
ECD_O
ClientSampleId :




#7 AR-1016-5

R.T.: 5.160 min
Delta R.T.: -0.007 min
Response: 656923
Conc: 23.64 ng/ml




#8 AR-1221-1

R.T.: 4.637 min
Delta R.T.: -0.017 min
Response: 489713
Conc: 10.28 ng/ml



#8 AR-1221-1


R.T.: 3.833 min
Delta R.T.: -0.006 min
Response: 22894
Conc: 1.90 ng/ml



#9 AR-1221-2


R.T.: 4.740 min
Delta R.T.: 0.000 min
Response: 29072
Conc: 0.82 ng/ml

Instrument :
ECD_O
ClientSampleId :




#9 AR-1221-2

R.T.: 3.922 min
Delta R.T.: -0.004 min
Response: 90521
Conc: 10.61 ng/ml




#10 AR-1221-3

R.T.: 4.801 min
Delta R.T.: -0.016 min
Response: 52102
Conc: 0.50 ng/ml



#10 AR-1221-3


R.T.: 3.995 min
Delta R.T.: -0.007 min
Response: 25183
Conc: 0.94 ng/ml



#11 AR-1232-1


R.T.: 4.801 min
Delta R.T.: -0.017 min
Response: 52102
Conc: 0.61 ng/ml

Instrument :
ECD_O
ClientSampleId :




#11 AR-1232-1

R.T.: 3.995 min
Delta R.T.: -0.007 min
Response: 25183
Conc: 1.14 ng/ml




#12 AR-1232-2

R.T.: 5.360 min
Delta R.T.: 0.009 min
Response: 201377
Conc: 4.61 ng/ml



#12 AR-1232-2


R.T.: 4.761 min
Delta R.T.: 0.028 min
Response: 311434
Conc: 15.18 ng/ml



#13 AR-1232-3


R.T.: 5.655 min
Delta R.T.: 0.011 min
Response: 821398
Conc: 11.33 ng/ml

Instrument :
ECD_O
ClientSampleId :




#13 AR-1232-3

R.T.: 4.910 min
Delta R.T.: 0.000 min
Response: 72915
Conc: 6.71 ng/ml




#14 AR-1232-4

R.T.: 5.811 min
Delta R.T.: 0.005 min
Response: 66764
Conc: 1.94 ng/ml



#14 AR-1232-4


R.T.: 4.989 min
Delta R.T.: -0.006 min
Response: 172572
Conc: 15.89 ng/ml



#15 AR-1232-5


R.T.: 5.903 min
Delta R.T.: 0.005 min
Response: 260349
Conc: 8.33 ng/ml

Instrument :
ECD_O
ClientSampleId :




#15 AR-1232-5

R.T.: 5.160 min
Delta R.T.: -0.007 min
Response: 656923
Conc: 54.19 ng/ml




#16 AR-1242-1

R.T.: 5.622 min
Delta R.T.: 0.000 min
Response: 1457357
Conc: 15.65 ng/ml



#16 AR-1242-1


R.T.: 4.687 min
Delta R.T.: -0.027 min
Response: 53994
Conc: 1.92 ng/ml



#17 AR-1242-2


R.T.: 5.655 min
Delta R.T.: 0.012 min
Response: 821398
Conc: 5.85 ng/ml

Instrument :
ECD_O
ClientSampleId :




#17 AR-1242-2

R.T.: 4.761 min
Delta R.T.: 0.028 min
Response: 311434
Conc: 7.85 ng/ml




#18 AR-1242-3

R.T.: 5.712 min
Delta R.T.: 0.005 min
Response: 554618
Conc: 6.41 ng/ml



#18 AR-1242-3


R.T.: 4.910 min
Delta R.T.: 0.000 min
Response: 72915
Conc: 3.45 ng/ml



#19 AR-1242-4


R.T.: 5.811 min
Delta R.T.: 0.006 min
Response: 66764
Conc: 0.98 ng/ml

Instrument :
ECD_O
ClientSampleId :




#19 AR-1242-4

R.T.: 4.989 min
Delta R.T.: -0.006 min
Response: 172572
Conc: 7.53 ng/ml




#20 AR-1242-5

R.T.: 6.553 min
Delta R.T.: 0.004 min
Response: 357571
Conc: 5.08 ng/ml



#20 AR-1242-5


R.T.: 5.504 min
Delta R.T.: -0.016 min
Response: 648058
Conc: 24.88 ng/ml



#21 AR-1248-1


R.T.: 5.622 min
Delta R.T.: 0.000 min
Response: 1457357
Conc: 21.48 ng/ml

Instrument :
ECD_O
ClientSampleId :




#21 AR-1248-1

R.T.: 4.687 min
Delta R.T.: -0.027 min
Response: 53994
Conc: 2.63 ng/ml




#22 AR-1248-2

R.T.: 5.903 min
Delta R.T.: 0.005 min
Response: 260349
Conc: 2.41 ng/ml



#22 AR-1248-2


R.T.: 4.938 min
Delta R.T.: -0.014 min
Response: 113529
Conc: 3.73 ng/ml



#23 AR-1248-3


R.T.: 6.107 min
Delta R.T.: 0.004 min
Response: 73623
Conc: 0.66 ng/ml

Instrument :
ECD_O
ClientSampleId :




#23 AR-1248-3

R.T.: 4.989 min
Delta R.T.: -0.005 min
Response: 172572
Conc: 5.42 ng/ml




#24 AR-1248-4

R.T.: 6.495 min
Delta R.T.: -0.017 min
Response: 1016824
Conc: 9.84 ng/ml



#24 AR-1248-4


R.T.: 5.160 min
Delta R.T.: -0.006 min
Response: 656923
Conc: 17.55 ng/ml



#25 AR-1248-5


R.T.: 6.553 min
Delta R.T.: 0.002 min
Response: 357571
Conc: 3.21 ng/ml

Instrument :
ECD_O
ClientSampleId :




#25 AR-1248-5

R.T.: 5.569 min
Delta R.T.: 0.007 min
Response: 978913
Conc: 29.38 ng/ml




#26 AR-1254-1

R.T.: 6.495 min
Delta R.T.: 0.012 min
Response: 1016824
Conc: 8.29 ng/ml



#26 AR-1254-1


R.T.: 5.504 min
Delta R.T.: -0.016 min
Response: 648058
Conc: 11.92 ng/ml



#27 AR-1254-2


R.T.: 6.710 min
Delta R.T.: 0.006 min
Response: 111346
Conc: 0.62 ng/ml

Instrument :
ECD_O
ClientSampleId :




#27 AR-1254-2

R.T.: 5.665 min
Delta R.T.: -0.003 min
Response: 654505
Conc: 13.59 ng/ml




#28 AR-1254-3

R.T.: 7.083 min
Delta R.T.: 0.010 min
Response: 2141105
Conc: 12.09 ng/ml



#28 AR-1254-3


R.T.: 6.074 min
Delta R.T.: 0.000 min
Response: 179282
Conc: 2.43 ng/ml



#29 AR-1254-4


R.T.: 7.369 min
Delta R.T.: 0.006 min
Response: 629203
Conc: 5.85 ng/ml

Instrument :
ECD_O
ClientSampleId :




#29 AR-1254-4

R.T.: 6.304 min
Delta R.T.: 0.000 min
Response: 67377
Conc: 1.70 ng/ml




#30 AR-1254-5

R.T.: 7.794 min
Delta R.T.: 0.008 min
Response: 270702
Conc: 2.25 ng/ml



#30 AR-1254-5


R.T.: 6.715 min
Delta R.T.: -0.008 min
Response: 209158
Conc: 3.40 ng/ml



#31 AR-1260-1


R.T.: 7.250 min
Delta R.T.: 0.010 min
Response: 868396
Conc: 6.14 ng/ml

Instrument :
ECD_O
ClientSampleId :




#31 AR-1260-1

R.T.: 6.205 min
Delta R.T.: -0.001 min
Response: 53044
Conc: 1.00 ng/ml




#32 AR-1260-2

R.T.: 7.479 min
Delta R.T.: -0.022 min
Response: 213793
Conc: 1.41 ng/ml



#32 AR-1260-2


R.T.: 6.375 min
Delta R.T.: -0.020 min
Response: 573343
Conc: 9.16 ng/ml



#33 AR-1260-3


R.T.: 7.856 min
Delta R.T.: -0.007 min
Response: 59646
Conc: 0.53 ng/ml

Instrument :
ECD_O
ClientSampleId :




#33 AR-1260-3

R.T.: 6.536 min
Delta R.T.: -0.014 min
Response: 271138
Conc: 4.70 ng/ml




#34 AR-1260-4

R.T.: 8.098 min
Delta R.T.: 0.005 min
Response: 432860
Conc: 3.64 ng/ml



#34 AR-1260-4


R.T.: 7.019 min
Delta R.T.: -0.005 min
Response: 237806
Conc: 5.07 ng/ml



#35 AR-1260-5


R.T.: 8.426 min
Delta R.T.: 0.005 min
Response: 149113
Conc: 0.73 ng/ml

Instrument :
ECD_O
ClientSampleId :




#35 AR-1260-5

R.T.: 7.269 min
Delta R.T.: 0.003 min
Response: 128947
Conc: 1.30 ng/ml




#36 AR-1262-1

R.T.: 7.856 min
Delta R.T.: -0.006 min
Response: 59646
Conc: 0.39 ng/ml



#36 AR-1262-1


R.T.: 6.828 min
Delta R.T.: 0.012 min
Response: 241713
Conc: 8.92 ng/ml



#37 AR-1262-2


R.T.: 8.426 min
Delta R.T.: 0.007 min
Response: 149113
Conc: 0.68 ng/ml

Instrument :
ECD_O
ClientSampleId :




#37 AR-1262-2

R.T.: 7.019 min
Delta R.T.: -0.003 min
Response: 237806
Conc: 4.08 ng/ml




#38 AR-1262-3

R.T.: 8.730 min
Delta R.T.: -0.011 min
Response: 46418
Conc: 0.30 ng/ml



#38 AR-1262-3


R.T.: 7.552 min
Delta R.T.: 0.001 min
Response: 69980
Conc: 1.60 ng/ml



#39 AR-1262-4


R.T.: 8.815 min
Delta R.T.: -0.016 min
Response: 128938
Conc: 1.53 ng/ml

Instrument :
ECD_O
ClientSampleId :




#39 AR-1262-4

R.T.: 7.611 min
Delta R.T.: -0.003 min
Response: 190006
Conc: 2.50 ng/ml




#40 AR-1262-5

R.T.: 9.517 min
Delta R.T.: 0.007 min
Response: 120151
Conc: 1.67 ng/ml



#40 AR-1262-5


R.T.: 8.115 min
Delta R.T.: 0.004 min
Response: 26226
Conc: 0.84 ng/ml



#41 AR-1268-1


R.T.: 8.730 min
Delta R.T.: -0.008 min
Response: 46418
Conc: 0.16 ng/ml

Instrument :
ECD_O
ClientSampleId :




#41 AR-1268-1

R.T.: 7.552 min
Delta R.T.: 0.002 min
Response: 69980
Conc: 0.53 ng/ml




#42 AR-1268-2

R.T.: 8.815 min
Delta R.T.: -0.020 min
Response: 128938
Conc: 0.50 ng/ml



#42 AR-1268-2


R.T.: 7.611 min
Delta R.T.: -0.004 min
Response: 190006
Conc: 1.65 ng/ml



#43 AR-1268-3


R.T.: 9.068 min
Delta R.T.: -0.003 min
Response: 39683
Conc: 0.18 ng/ml

Instrument :
ECD_O
ClientSampleId :




#43 AR-1268-3

R.T.: 7.907 min
Delta R.T.: -0.007 min
Response: 80389
Conc: 2.91 ng/ml




#44 AR-1268-4

R.T.: 9.517 min
Delta R.T.: 0.008 min
Response: 120151
Conc: 1.47 ng/ml



#44 AR-1268-4


R.T.: 8.115 min
Delta R.T.: 0.004 min
Response: 26226
Conc: 0.74 ng/ml



#45 AR-1268-5

R.T.: 9.935 min
Delta R.T.: -0.003 min
Response: 40751
Conc: 0.06 ng/ml

Instrument :
ECD_O
ClientSampleId :



#45 AR-1268-5

R.T.: 8.381 min
Delta R.T.: -0.022 min
Response: 232704
Conc: 0.74 ng/ml