

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0091819\
 Data File : P0061095.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 18 Sep 2019 20:29
 Operator : SM/AJ
 Sample : K4668-08
 Misc :
 ALS Vial : 35 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :
 SU-01-091719

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Sep 19 01:12:28 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0091319.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Sat Sep 14 00:06:36 2019
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.362	3.525	700115	558141	19.030	19.989
2)	SA Decachlor...	10.021	8.401	849885	601699	18.497	17.166
Target Compounds							
3)	L1 AR-1016-1	0.000	4.595	0	22704	N.D.	18.366 #
4)	L1 AR-1016-2	0.000	4.595	0	22704	N.D.	13.345 #
5)	L1 AR-1016-3	5.684	4.773	22106	25172	15.399	25.965 #
6)	L1 AR-1016-4	5.684	4.823	22106	29110	18.741	35.564 #
7)	L1 AR-1016-5	5.961	4.967	16728	53402	13.344	50.987 #
8)	L2 AR-1221-1	0.000	3.681	0	474	N.D.	1.340 #
9)	L2 AR-1221-2	0.000	3.814	0	9930	N.D.	35.334 #
10)	L2 AR-1221-3	0.000	3.890	0	8094	N.D.	9.750 #
11)	L3 AR-1232-1	0.000	3.890	0	8094	N.D.	8.881 #
12)	L3 AR-1232-2	5.267	4.595	43418	22704	66.963	22.487 #
13)	L3 AR-1232-3	0.000	4.773	0	25172	N.D.	44.854 #
14)	L3 AR-1232-4	5.684	4.854	22106	35795	32.171	68.543 #
15)	L3 AR-1232-5	5.872	4.967	16847	53402	30.765	94.361 #
16)	L4 AR-1242-1	0.000	4.595	0	22704	N.D.	24.940 #
17)	L4 AR-1242-2	0.000	4.595	0	22704	N.D.	18.137 #
18)	L4 AR-1242-3	5.684	4.773	22106	25172	20.414	35.227 #
19)	L4 AR-1242-4	5.684	4.854	22106	35795	25.041	49.152 #
20)	L4 AR-1242-5	6.412	5.360	133445	50418	119.075	50.932 #
21)	L5 AR-1248-1	0.000	4.595	0	22704	N.D.	32.011 #
22)	L5 AR-1248-2	5.872	4.823	16847	29110	12.598	30.129 #
23)	L5 AR-1248-3	5.961	4.854	16728	35795	11.053	35.541 #
24)	L5 AR-1248-4	6.412	4.967	133445	53402	73.246	44.467 #
25)	L5 AR-1248-5	6.412	5.398	133445	14685	76.272	11.617 #
26)	L6 AR-1254-1	6.363	5.360	75761	50418	39.323	24.464 #
27)	L6 AR-1254-2	6.596	5.502	108348	31164	34.430	16.515 #
28)	L6 AR-1254-3	6.969	5.897	151575	44502	43.037	13.997 #
29)	L6 AR-1254-4	7.244	6.122	50114	35389	18.512	16.998
30)	L6 AR-1254-5	7.680	6.532	174462	144641	59.164	45.701
31)	L7 AR-1260-1	7.121	6.026	33616	60950	13.807	28.977 #
32)	L7 AR-1260-2	7.371	6.210	350422	25405	115.905	9.849 #
33)	L7 AR-1260-3	7.680	6.359	174462	31403	73.106	13.041 #
34)	L7 AR-1260-4	7.954	6.825	42922	17492	15.342	8.173 #
35)	L7 AR-1260-5	8.273	7.064	29207	29200	5.364	6.042
36)	L8 AR-1262-1	7.680	6.568	174462	61313	49.390	20.527 #
37)	L8 AR-1262-2	8.273	7.064	29207	29200	4.685	5.616
38)	L8 AR-1262-3	0.000	7.346	0	11040	N.D.	5.202 #
39)	L8 AR-1262-4	0.000	7.405	0	40171	N.D.	10.517 #
40)	L8 AR-1262-5	0.000	7.896	0	6180	N.D.	3.692 #
41)	L9 AR-1268-1	0.000	7.346	0	11040	N.D.	1.883 #
42)	L9 AR-1268-2	0.000	7.405	0	40171	N.D.	7.537 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0091819\
 Data File : P0061095.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 18 Sep 2019 20:29
 Operator : SM/AJ
 Sample : K4668-08
 Misc :
 ALS Vial : 35 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :
 SU-01-091719

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Sep 19 01:12:28 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0091319.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Sat Sep 14 00:06:36 2019
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
43) L9	AR-1268-3	0.000	7.659	0	9774	N.D.	2.205 #
44) L9	AR-1268-4	0.000	7.896	0	6180	N.D.	3.234 #
45) L9	AR-1268-5	0.000	8.168	0	1350	N.D.	0.112 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\PO091819\
Data File : PO061095.D
Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
Acq On : 18 Sep 2019 20:29
Operator : SM/AJ
Sample : K4668-08
Misc :
ALS Vial : 35 Sample Multiplier: 1

Instrument :
ECD_O
ClientSampleId :
SU-01-091719

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 19 01:12:28 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\PO091319.M
Quant Title : GC EXTRACTABLES
QLast Update : Sat Sep 14 00:06:36 2019
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.362 min
Delta R.T.: -0.008 min
Response: 700115
Conc: 19.03 ng/ml

Instrument :
ECD_O
ClientSampleId :
SU-01-091719




#1 Tetrachloro-m-xylene

R.T.: 3.525 min
Delta R.T.: -0.006 min
Response: 558141
Conc: 19.99 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.021 min
Delta R.T.: -0.006 min
Response: 849885
Conc: 18.50 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.401 min
Delta R.T.: -0.012 min
Response: 601699
Conc: 17.17 ng/ml



#3 AR-1016-1


R.T.: 0.000 min
Exp R.T.: 5.533 min
Response: 0
Conc: N.D.

Instrument :
ECD_O
ClientSampleId :
SU-01-091719




#3 AR-1016-1

R.T.: 4.595 min
Delta R.T.: 0.009 min
Response: 22704
Conc: 18.37 ng/ml




#4 AR-1016-2

R.T.: 0.000 min
Exp R.T.: 5.556 min
Response: 0
Conc: N.D.



#4 AR-1016-2


R.T.: 4.595 min
Delta R.T.: -0.010 min
Response: 22704
Conc: 13.35 ng/ml



#5 AR-1016-3


R.T.: 5.684 min
Delta R.T.: 0.067 min
Response: 22106
Conc: 15.40 ng/ml

Instrument :
ECD_O
ClientSampleId :
SU-01-091719




#5 AR-1016-3

R.T.: 4.773 min
Delta R.T.: -0.002 min
Response: 25172
Conc: 25.96 ng/ml




#6 AR-1016-4

R.T.: 5.684 min
Delta R.T.: -0.032 min
Response: 22106
Conc: 18.74 ng/ml



#6 AR-1016-4


R.T.: 4.823 min
Delta R.T.: 0.006 min
Response: 29110
Conc: 35.56 ng/ml



#7 AR-1016-5


R.T.: 5.961 min
Delta R.T.: -0.047 min
Response: 16728
Conc: 13.34 ng/ml

Instrument :
ECD_O
ClientSampleId :
SU-01-091719




#7 AR-1016-5

R.T.: 4.967 min
Delta R.T.: -0.057 min
Response: 53402
Conc: 50.99 ng/ml




#8 AR-1221-1

R.T.: 0.000 min
Exp R.T. : 4.578 min
Response: 0
Conc: N.D.



#8 AR-1221-1


R.T.: 3.681 min
Delta R.T.: -0.060 min
Response: 474
Conc: 1.34 ng/ml



#9 AR-1221-2


R.T.: 0.000 min
Exp R.T. : 4.664 min
Response: 0
Conc: N.D.

Instrument :
ECD_O
ClientSampleId :
SU-01-091719




#9 AR-1221-2

R.T.: 3.814 min
Delta R.T.: -0.008 min
Response: 9930
Conc: 35.33 ng/ml




#10 AR-1221-3

R.T.: 0.000 min
Exp R.T. : 4.741 min
Response: 0
Conc: N.D.



#10 AR-1221-3


R.T.: 3.890 min
Delta R.T.: -0.007 min
Response: 8094
Conc: 9.75 ng/ml



#11 AR-1232-1


R.T.: 0.000 min
Exp R.T.: 4.741 min
Response: 0
Conc: N.D.

Instrument :
ECD_O
ClientSampleId :
SU-01-091719




#11 AR-1232-1

R.T.: 3.890 min
Delta R.T.: -0.007 min
Response: 8094
Conc: 8.88 ng/ml




#12 AR-1232-2

R.T.: 5.267 min
Delta R.T.: 0.000 min
Response: 43418
Conc: 66.96 ng/ml



#12 AR-1232-2


R.T.: 4.595 min
Delta R.T.: -0.010 min
Response: 22704
Conc: 22.49 ng/ml



#13 AR-1232-3


R.T.: 0.000 min
Exp R.T.: 5.555 min
Response: 0
Conc: N.D.

Instrument :
ECD_O
ClientSampleId :
SU-01-091719




#13 AR-1232-3

R.T.: 4.773 min
Delta R.T.: -0.002 min
Response: 25172
Conc: 44.85 ng/ml




#14 AR-1232-4

R.T.: 5.684 min
Delta R.T.: -0.031 min
Response: 22106
Conc: 32.17 ng/ml



#14 AR-1232-4


R.T.: 4.854 min
Delta R.T.: -0.003 min
Response: 35795
Conc: 68.54 ng/ml



#15 AR-1232-5


R.T.: 5.872 min
Delta R.T.: 0.067 min
Response: 16847
Conc: 30.76 ng/ml

Instrument :
ECD_O
ClientSampleId :
SU-01-091719




#15 AR-1232-5

R.T.: 4.967 min
Delta R.T.: -0.057 min
Response: 53402
Conc: 94.36 ng/ml




#16 AR-1242-1

R.T.: 0.000 min
Exp R.T. : 5.533 min
Response: 0
Conc: N.D.



#16 AR-1242-1


R.T.: 4.595 min
Delta R.T.: 0.008 min
Response: 22704
Conc: 24.94 ng/ml



#17 AR-1242-2


R.T.: 0.000 min
Exp R.T.: 5.556 min
Response: 0
Conc: N.D.

Instrument :
ECD_O
ClientSampleId :
SU-01-091719




#17 AR-1242-2

R.T.: 4.595 min
Delta R.T.: -0.010 min
Response: 22704
Conc: 18.14 ng/ml




#18 AR-1242-3

R.T.: 5.684 min
Delta R.T.: 0.066 min
Response: 22106
Conc: 20.41 ng/ml



#18 AR-1242-3


R.T.: 4.773 min
Delta R.T.: -0.003 min
Response: 25172
Conc: 35.23 ng/ml



#19 AR-1242-4


R.T.: 5.684 min
Delta R.T.: -0.031 min
Response: 22106
Conc: 25.04 ng/ml

Instrument :
ECD_O
ClientSampleId :
SU-01-091719




#19 AR-1242-4

R.T.: 4.854 min
Delta R.T.: -0.004 min
Response: 35795
Conc: 49.15 ng/ml




#20 AR-1242-5

R.T.: 6.412 min
Delta R.T.: -0.037 min
Response: 133445
Conc: 119.07 ng/ml



#20 AR-1242-5


R.T.: 5.360 min
Delta R.T.: -0.007 min
Response: 50418
Conc: 50.93 ng/ml



#21 AR-1248-1


R.T.: 0.000 min
Exp R.T.: 5.532 min
Response: 0
Conc: N.D.

Instrument :
ECD_O
ClientSampleId :
SU-01-091719




#21 AR-1248-1

R.T.: 4.595 min
Delta R.T.: 0.008 min
Response: 22704
Conc: 32.01 ng/ml




#22 AR-1248-2

R.T.: 5.872 min
Delta R.T.: 0.069 min
Response: 16847
Conc: 12.60 ng/ml



#22 AR-1248-2


R.T.: 4.823 min
Delta R.T.: 0.006 min
Response: 29110
Conc: 30.13 ng/ml



#23 AR-1248-3


R.T.: 5.961 min
Delta R.T.: -0.046 min
Response: 16728
Conc: 11.05 ng/ml

Instrument :
ECD_O
ClientSampleId :
SU-01-091719




#23 AR-1248-3

R.T.: 4.854 min
Delta R.T.: -0.003 min
Response: 35795
Conc: 35.54 ng/ml




#24 AR-1248-4

R.T.: 6.412 min
Delta R.T.: 0.002 min
Response: 133445
Conc: 73.25 ng/ml



#24 AR-1248-4


R.T.: 4.967 min
Delta R.T.: -0.056 min
Response: 53402
Conc: 44.47 ng/ml



#25 AR-1248-5


R.T.: 6.412 min
Delta R.T.: -0.036 min
Response: 133445
Conc: 76.27 ng/ml

Instrument :
ECD_O
ClientSampleId :
SU-01-091719




#25 AR-1248-5

R.T.: 5.398 min
Delta R.T.: -0.008 min
Response: 14685
Conc: 11.62 ng/ml




#26 AR-1254-1

R.T.: 6.363 min
Delta R.T.: -0.019 min
Response: 75761
Conc: 39.32 ng/ml



#26 AR-1254-1


R.T.: 5.360 min
Delta R.T.: -0.007 min
Response: 50418
Conc: 24.46 ng/ml



#27 AR-1254-2


R.T.: 6.596 min
Delta R.T.: -0.004 min
Response: 108348
Conc: 34.43 ng/ml

Instrument :
ECD_O
ClientSampleId :
SU-01-091719




#27 AR-1254-2

R.T.: 5.502 min
Delta R.T.: -0.008 min
Response: 31164
Conc: 16.51 ng/ml




#28 AR-1254-3

R.T.: 6.969 min
Delta R.T.: 0.004 min
Response: 151575
Conc: 43.04 ng/ml



#28 AR-1254-3


R.T.: 5.897 min
Delta R.T.: -0.008 min
Response: 44502
Conc: 14.00 ng/ml



#29 AR-1254-4


R.T.: 7.244 min
Delta R.T.: -0.005 min
Response: 50114
Conc: 18.51 ng/ml

Instrument :
ECD_O
ClientSampleId :
SU-01-091719




#29 AR-1254-4

R.T.: 6.122 min
Delta R.T.: -0.007 min
Response: 35389
Conc: 17.00 ng/ml




#30 AR-1254-5

R.T.: 7.680 min
Delta R.T.: 0.013 min
Response: 174462
Conc: 59.16 ng/ml



#30 AR-1254-5


R.T.: 6.532 min
Delta R.T.: -0.008 min
Response: 144641
Conc: 45.70 ng/ml



#31 AR-1260-1


R.T.: 7.121 min
Delta R.T.: -0.007 min
Response: 33616
Conc: 13.81 ng/ml

Instrument :
ECD_O
ClientSampleId :
SU-01-091719




#31 AR-1260-1

R.T.: 6.026 min
Delta R.T.: -0.009 min
Response: 60950
Conc: 28.98 ng/ml




#32 AR-1260-2

R.T.: 7.371 min
Delta R.T.: -0.013 min
Response: 350422
Conc: 115.91 ng/ml



#32 AR-1260-2


R.T.: 6.210 min
Delta R.T.: -0.009 min
Response: 25405
Conc: 9.85 ng/ml



#33 AR-1260-3


R.T.: 7.680 min
Delta R.T.: -0.062 min
Response: 174462
Conc: 73.11 ng/ml

Instrument :
ECD_O
ClientSampleId :
SU-01-091719




#33 AR-1260-3

R.T.: 6.359 min
Delta R.T.: -0.010 min
Response: 31403
Conc: 13.04 ng/ml




#34 AR-1260-4

R.T.: 7.954 min
Delta R.T.: -0.012 min
Response: 42922
Conc: 15.34 ng/ml



#34 AR-1260-4


R.T.: 6.825 min
Delta R.T.: -0.009 min
Response: 17492
Conc: 8.17 ng/ml



#35 AR-1260-5


R.T.: 8.273 min
Delta R.T.: -0.006 min
Response: 29207
Conc: 5.36 ng/ml

Instrument :
ECD_O
ClientSampleId :
SU-01-091719




#35 AR-1260-5

R.T.: 7.064 min
Delta R.T.: -0.010 min
Response: 29200
Conc: 6.04 ng/ml




#36 AR-1262-1

R.T.: 7.680 min
Delta R.T.: -0.066 min
Response: 174462
Conc: 49.39 ng/ml



#36 AR-1262-1


R.T.: 6.568 min
Delta R.T.: -0.013 min
Response: 61313
Conc: 20.53 ng/ml



#37 AR-1262-2


R.T.: 8.273 min
Delta R.T.: -0.010 min
Response: 29207
Conc: 4.68 ng/ml

Instrument :
ECD_O
ClientSampleId :
SU-01-091719




#37 AR-1262-2

R.T.: 7.064 min
Delta R.T.: -0.011 min
Response: 29200
Conc: 5.62 ng/ml




#38 AR-1262-3

R.T.: 0.000 min
Exp R.T. : 8.587 min
Response: 0
Conc: N.D.



#38 AR-1262-3


R.T.: 7.346 min
Delta R.T.: -0.009 min
Response: 11040
Conc: 5.20 ng/ml



#39 AR-1262-4


R.T.: 0.000 min
Exp R.T. : 8.673 min
Response: 0
Conc: N.D.

Instrument :
ECD_O
ClientSampleId :
SU-01-091719




#39 AR-1262-4

R.T.: 7.405 min
Delta R.T.: -0.013 min
Response: 40171
Conc: 10.52 ng/ml




#40 AR-1262-5

R.T.: 0.000 min
Exp R.T. : 9.311 min
Response: 0
Conc: N.D.



#40 AR-1262-5


R.T.: 7.896 min
Delta R.T.: -0.010 min
Response: 6180
Conc: 3.69 ng/ml



#41 AR-1268-1


R.T.: 0.000 min
Exp R.T. : 8.580 min
Response: 0
Conc: N.D.

Instrument :
ECD_O
ClientSampleId :
SU-01-091719




#41 AR-1268-1

R.T.: 7.346 min
Delta R.T.: -0.007 min
Response: 11040
Conc: 1.88 ng/ml




#42 AR-1268-2

R.T.: 0.000 min
Exp R.T. : 8.673 min
Response: 0
Conc: N.D.



#42 AR-1268-2


R.T.: 7.405 min
Delta R.T.: -0.012 min
Response: 40171
Conc: 7.54 ng/ml



#43 AR-1268-3


R.T.: 0.000 min
Exp R.T. : 8.893 min
Response: 0
Conc: N.D.

Instrument :
ECD_O
ClientSampleId :
SU-01-091719




#43 AR-1268-3

R.T.: 7.659 min
Delta R.T.: 0.038 min
Response: 9774
Conc: 2.21 ng/ml




#44 AR-1268-4

R.T.: 0.000 min
Exp R.T. : 9.306 min
Response: 0
Conc: N.D.



#44 AR-1268-4


R.T.: 7.896 min
Delta R.T.: -0.008 min
Response: 6180
Conc: 3.23 ng/ml



#45 AR-1268-5

R.T.: 0.000 min
Exp R.T. : 9.704 min
Response: 0
Conc: N.D.

Instrument :
ECD_O
ClientSampleId :
SU-01-091719



#45 AR-1268-5

R.T.: 8.168 min
Delta R.T.: -0.008 min
Response: 1350
Conc: 0.11 ng/ml