

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0092319\
 Data File : P0061284.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 23 Sep 2019 20:30
 Operator : SM/AJ
 Sample : PB123299BS
 Misc :
 ALS Vial : 35 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :
 PB123299BS

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Sep 24 01:32:25 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0091319.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Sat Sep 14 00:06:36 2019
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.370	3.531	718484	572217	19.529	20.493
2)	SA Decachlor...	10.037	8.407	1046641	766646	22.780	21.872
Target Compounds							
3)	L1 AR-1016-1	5.534	4.584	380867	285997	238.318	231.344
4)	L1 AR-1016-2	5.556	4.602	542409	388672	236.927	228.452
5)	L1 AR-1016-3	5.618	4.772	337679	214556	235.221	221.313
6)	L1 AR-1016-4	5.716	4.815	281809	179091	238.908	218.798
7)	L1 AR-1016-5	6.009	5.021	287787	232956	229.577	222.421
8)	L2 AR-1221-1	4.574	3.739	27754	22908	63.232	64.715
9)	L2 AR-1221-2	4.665	3.822	41838	36874	122.493	131.205
10)	L2 AR-1221-3	4.741	3.896	160698	135633	151.715	163.400
11)	L3 AR-1232-1	4.741	3.896	160698	135633	137.729	148.828
12)	L3 AR-1232-2	5.267	4.602	245818	388672	379.121	384.952
13)	L3 AR-1232-3	5.556	4.772	542409	214556	404.978	382.316
14)	L3 AR-1232-4	5.716	4.855	281809	223441	410.117	427.867
15)	L3 AR-1232-5	5.805	5.021	253456	232956	462.855	411.633
16)	L4 AR-1242-1	5.534	4.584	380867	285997	319.140	314.150
17)	L4 AR-1242-2	5.556	4.602	542409	388672	317.366	310.476
18)	L4 AR-1242-3	5.618	4.772	337679	214556	311.834	300.265
19)	L4 AR-1242-4	5.716	4.855	281809	223441	319.221	306.823
20)	L4 AR-1242-5	6.451	5.364	46166	196847	41.194	198.855 #
21)	L5 AR-1248-1	5.534	4.584	380867	285997	413.716	403.223
22)	L5 AR-1248-2	5.805	4.815	253456	179091	189.535	185.357
23)	L5 AR-1248-3	6.009	4.855	287787	223441	190.154	221.860
24)	L5 AR-1248-4	6.412	5.021	49739	232956	27.301	193.981 #
25)	L5 AR-1248-5	6.451	5.403	46166	32540	26.387	25.741
26)	L6 AR-1254-1	6.385	5.364	236443	196847	122.723	95.513
27)	L6 AR-1254-2	6.602	5.508	275298	196631	87.482	104.201
28)	L6 AR-1254-3	6.970	5.918	214222	355057	60.824	111.670 #
29)	L6 AR-1254-4	7.253	6.126	104857	45044	38.735	21.635 #
30)	L6 AR-1254-5	7.671	6.537	947579	709119	321.342	224.057 #
31)	L7 AR-1260-1	7.131	6.031	638219	488218	262.144	232.109
32)	L7 AR-1260-2	7.388	6.216	776646	632993	256.883	245.394
33)	L7 AR-1260-3	7.745	6.365	523200	556424	219.239	231.066
34)	L7 AR-1260-4	7.971	6.830	653977	432766	233.756	202.204
35)	L7 AR-1260-5	8.285	7.070	1172598	955828	215.340	197.792
36)	L8 AR-1262-1	7.745	6.576	523200	450058	148.118	150.677
37)	L8 AR-1262-2	8.285	7.070	1172598	955828	188.084	183.832
38)	L8 AR-1262-3	8.604	7.349	768721	207197	180.413	97.623 #
39)	L8 AR-1262-4	8.674	7.411	179948	706280	55.192	184.915 #
40)	L8 AR-1262-5	9.315	7.900	261949	219008	128.825	130.846
41)	L9 AR-1268-1	8.604	7.349	768721	207197	104.156	35.345 #
42)	L9 AR-1268-2	8.674	7.411	179948	706280	26.639	132.511 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0092319\
 Data File : P0061284.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 23 Sep 2019 20:30
 Operator : SM/AJ
 Sample : PB123299BS
 Misc :
 ALS Vial : 35 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :
 PB123299BS

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Sep 24 01:32:25 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0091319.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Sat Sep 14 00:06:36 2019
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
43) L9	AR-1268-3	8.899	7.615	33886	26316	6.034	5.937
44) L9	AR-1268-4	9.315	7.900	261949	219008	113.559	114.612
45) L9	AR-1268-5	9.714	8.172	88250	78749	5.564	6.544



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\PO092319\
Data File : PO061284.D
Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
Acq On : 23 Sep 2019 20:30
Operator : SM/AJ
Sample : PB123299BS
Misc :
ALS Vial : 35 Sample Multiplier: 1

Instrument :
ECD_O
ClientSampleId :
PB123299BS

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 24 01:32:25 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\PO091319.M
Quant Title : GC EXTRACTABLES
QLast Update : Sat Sep 14 00:06:36 2019
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.370 min
Delta R.T.: 0.000 min
Response: 718484
Conc: 19.53 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB123299BS




#1 Tetrachloro-m-xylene

R.T.: 3.531 min
Delta R.T.: 0.000 min
Response: 572217
Conc: 20.49 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.037 min
Delta R.T.: 0.010 min
Response: 1046641
Conc: 22.78 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.407 min
Delta R.T.: -0.006 min
Response: 766646
Conc: 21.87 ng/ml



#3 AR-1016-1


R.T.: 5.534 min
Delta R.T.: 0.000 min
Response: 380867
Conc: 238.32 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB123299BS




#3 AR-1016-1

R.T.: 4.584 min
Delta R.T.: -0.002 min
Response: 285997
Conc: 231.34 ng/ml




#4 AR-1016-2

R.T.: 5.556 min
Delta R.T.: 0.000 min
Response: 542409
Conc: 236.93 ng/ml



#4 AR-1016-2


R.T.: 4.602 min
Delta R.T.: -0.003 min
Response: 388672
Conc: 228.45 ng/ml



#5 AR-1016-3


R.T.: 5.618 min
Delta R.T.: 0.000 min
Response: 337679
Conc: 235.22 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB123299BS




#5 AR-1016-3

R.T.: 4.772 min
Delta R.T.: -0.003 min
Response: 214556
Conc: 221.31 ng/ml




#6 AR-1016-4

R.T.: 5.716 min
Delta R.T.: 0.000 min
Response: 281809
Conc: 238.91 ng/ml



#6 AR-1016-4


R.T.: 4.815 min
Delta R.T.: -0.003 min
Response: 179091
Conc: 218.80 ng/ml



#7 AR-1016-5


R.T.: 6.009 min
Delta R.T.: 0.000 min
Response: 287787
Conc: 229.58 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB123299BS




#7 AR-1016-5

R.T.: 5.021 min
Delta R.T.: -0.003 min
Response: 232956
Conc: 222.42 ng/ml




#8 AR-1221-1

R.T.: 4.574 min
Delta R.T.: -0.004 min
Response: 27754
Conc: 63.23 ng/ml



#8 AR-1221-1


R.T.: 3.739 min
Delta R.T.: -0.002 min
Response: 22908
Conc: 64.72 ng/ml



#9 AR-1221-2


R.T.: 4.665 min
Delta R.T.: 0.001 min
Response: 41838
Conc: 122.49 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB123299BS




#9 AR-1221-2

R.T.: 3.822 min
Delta R.T.: -0.001 min
Response: 36874
Conc: 131.20 ng/ml




#10 AR-1221-3

R.T.: 4.741 min
Delta R.T.: 0.000 min
Response: 160698
Conc: 151.72 ng/ml



#10 AR-1221-3


R.T.: 3.896 min
Delta R.T.: -0.001 min
Response: 135633
Conc: 163.40 ng/ml



#11 AR-1232-1


R.T.: 4.741 min
Delta R.T.: 0.000 min
Response: 160698
Conc: 137.73 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB123299BS




#11 AR-1232-1

R.T.: 3.896 min
Delta R.T.: -0.002 min
Response: 135633
Conc: 148.83 ng/ml




#12 AR-1232-2

R.T.: 5.267 min
Delta R.T.: 0.000 min
Response: 245818
Conc: 379.12 ng/ml



#12 AR-1232-2


R.T.: 4.602 min
Delta R.T.: -0.002 min
Response: 388672
Conc: 384.95 ng/ml



#13 AR-1232-3


R.T.: 5.556 min
Delta R.T.: 0.000 min
Response: 542409
Conc: 404.98 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB123299BS




#13 AR-1232-3

R.T.: 4.772 min
Delta R.T.: -0.003 min
Response: 214556
Conc: 382.32 ng/ml




#14 AR-1232-4

R.T.: 5.716 min
Delta R.T.: 0.001 min
Response: 281809
Conc: 410.12 ng/ml



#14 AR-1232-4


R.T.: 4.855 min
Delta R.T.: -0.002 min
Response: 223441
Conc: 427.87 ng/ml



#15 AR-1232-5


R.T.: 5.805 min
Delta R.T.: 0.000 min
Response: 253456
Conc: 462.85 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB123299BS




#15 AR-1232-5

R.T.: 5.021 min
Delta R.T.: -0.003 min
Response: 232956
Conc: 411.63 ng/ml




#16 AR-1242-1

R.T.: 5.534 min
Delta R.T.: 0.000 min
Response: 380867
Conc: 319.14 ng/ml



#16 AR-1242-1


R.T.: 4.584 min
Delta R.T.: -0.003 min
Response: 285997
Conc: 314.15 ng/ml



#17 AR-1242-2


R.T.: 5.556 min
Delta R.T.: 0.000 min
Response: 542409
Conc: 317.37 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB123299BS




#17 AR-1242-2

R.T.: 4.602 min
Delta R.T.: -0.003 min
Response: 388672
Conc: 310.48 ng/ml




#18 AR-1242-3

R.T.: 5.618 min
Delta R.T.: 0.000 min
Response: 337679
Conc: 311.83 ng/ml



#18 AR-1242-3


R.T.: 4.772 min
Delta R.T.: -0.003 min
Response: 214556
Conc: 300.26 ng/ml



#19 AR-1242-4


R.T.: 5.716 min
Delta R.T.: 0.000 min
Response: 281809
Conc: 319.22 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB123299BS




#19 AR-1242-4

R.T.: 4.855 min
Delta R.T.: -0.003 min
Response: 223441
Conc: 306.82 ng/ml




#20 AR-1242-5

R.T.: 6.451 min
Delta R.T.: 0.003 min
Response: 46166
Conc: 41.19 ng/ml



#20 AR-1242-5


R.T.: 5.364 min
Delta R.T.: -0.003 min
Response: 196847
Conc: 198.86 ng/ml



#21 AR-1248-1


R.T.: 5.534 min
Delta R.T.: 0.001 min
Response: 380867
Conc: 413.72 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB123299BS




#21 AR-1248-1

R.T.: 4.584 min
Delta R.T.: -0.002 min
Response: 285997
Conc: 403.22 ng/ml




#22 AR-1248-2

R.T.: 5.805 min
Delta R.T.: 0.002 min
Response: 253456
Conc: 189.53 ng/ml



#22 AR-1248-2


R.T.: 4.815 min
Delta R.T.: -0.003 min
Response: 179091
Conc: 185.36 ng/ml



#23 AR-1248-3


R.T.: 6.009 min
Delta R.T.: 0.002 min
Response: 287787
Conc: 190.15 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB123299BS




#23 AR-1248-3

R.T.: 4.855 min
Delta R.T.: -0.002 min
Response: 223441
Conc: 221.86 ng/ml




#24 AR-1248-4

R.T.: 6.412 min
Delta R.T.: 0.002 min
Response: 49739
Conc: 27.30 ng/ml



#24 AR-1248-4


R.T.: 5.021 min
Delta R.T.: -0.003 min
Response: 232956
Conc: 193.98 ng/ml



#25 AR-1248-5


R.T.: 6.451 min
Delta R.T.: 0.003 min
Response: 46166
Conc: 26.39 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB123299BS




#25 AR-1248-5

R.T.: 5.403 min
Delta R.T.: -0.004 min
Response: 32540
Conc: 25.74 ng/ml




#26 AR-1254-1

R.T.: 6.385 min
Delta R.T.: 0.003 min
Response: 236443
Conc: 122.72 ng/ml



#26 AR-1254-1


R.T.: 5.364 min
Delta R.T.: -0.003 min
Response: 196847
Conc: 95.51 ng/ml



#27 AR-1254-2


R.T.: 6.602 min
Delta R.T.: 0.002 min
Response: 275298
Conc: 87.48 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB123299BS




#27 AR-1254-2

R.T.: 5.508 min
Delta R.T.: -0.003 min
Response: 196631
Conc: 104.20 ng/ml




#28 AR-1254-3

R.T.: 6.970 min
Delta R.T.: 0.005 min
Response: 214222
Conc: 60.82 ng/ml



#28 AR-1254-3


R.T.: 5.918 min
Delta R.T.: 0.013 min
Response: 355057
Conc: 111.67 ng/ml



#29 AR-1254-4


R.T.: 7.253 min
Delta R.T.: 0.003 min
Response: 104857
Conc: 38.73 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB123299BS




#29 AR-1254-4

R.T.: 6.126 min
Delta R.T.: -0.003 min
Response: 45044
Conc: 21.64 ng/ml




#30 AR-1254-5

R.T.: 7.671 min
Delta R.T.: 0.004 min
Response: 947579
Conc: 321.34 ng/ml



#30 AR-1254-5


R.T.: 6.537 min
Delta R.T.: -0.003 min
Response: 709119
Conc: 224.06 ng/ml



#31 AR-1260-1


R.T.: 7.131 min
Delta R.T.: 0.003 min
Response: 638219
Conc: 262.14 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB123299BS




#31 AR-1260-1

R.T.: 6.031 min
Delta R.T.: -0.004 min
Response: 488218
Conc: 232.11 ng/ml




#32 AR-1260-2

R.T.: 7.388 min
Delta R.T.: 0.004 min
Response: 776646
Conc: 256.88 ng/ml



#32 AR-1260-2


R.T.: 6.216 min
Delta R.T.: -0.004 min
Response: 632993
Conc: 245.39 ng/ml



#33 AR-1260-3


R.T.: 7.745 min
Delta R.T.: 0.004 min
Response: 523200
Conc: 219.24 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB123299BS




#33 AR-1260-3

R.T.: 6.365 min
Delta R.T.: -0.004 min
Response: 556424
Conc: 231.07 ng/ml




#34 AR-1260-4

R.T.: 7.971 min
Delta R.T.: 0.005 min
Response: 653977
Conc: 233.76 ng/ml



#34 AR-1260-4


R.T.: 6.830 min
Delta R.T.: -0.004 min
Response: 432766
Conc: 202.20 ng/ml



#35 AR-1260-5


R.T.: 8.285 min
Delta R.T.: 0.006 min
Response: 1172598
Conc: 215.34 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB123299BS




#35 AR-1260-5

R.T.: 7.070 min
Delta R.T.: -0.003 min
Response: 955828
Conc: 197.79 ng/ml




#36 AR-1262-1

R.T.: 7.745 min
Delta R.T.: 0.000 min
Response: 523200
Conc: 148.12 ng/ml



#36 AR-1262-1


R.T.: 6.576 min
Delta R.T.: -0.005 min
Response: 450058
Conc: 150.68 ng/ml



#37 AR-1262-2


R.T.: 8.285 min
Delta R.T.: 0.001 min
Response: 1172598
Conc: 188.08 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB123299BS




#37 AR-1262-2

R.T.: 7.070 min
Delta R.T.: -0.005 min
Response: 955828
Conc: 183.83 ng/ml




#38 AR-1262-3

R.T.: 8.604 min
Delta R.T.: 0.017 min
Response: 768721
Conc: 180.41 ng/ml



#38 AR-1262-3


R.T.: 7.349 min
Delta R.T.: -0.007 min
Response: 207197
Conc: 97.62 ng/ml



#39 AR-1262-4


R.T.: 8.674 min
Delta R.T.: 0.001 min
Response: 179948
Conc: 55.19 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB123299BS




#39 AR-1262-4

R.T.: 7.411 min
Delta R.T.: -0.007 min
Response: 706280
Conc: 184.92 ng/ml




#40 AR-1262-5

R.T.: 9.315 min
Delta R.T.: 0.004 min
Response: 261949
Conc: 128.82 ng/ml



#40 AR-1262-5


R.T.: 7.900 min
Delta R.T.: -0.005 min
Response: 219008
Conc: 130.85 ng/ml



#41 AR-1268-1


R.T.: 8.604 min
Delta R.T.: 0.024 min
Response: 768721
Conc: 104.16 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB123299BS




#41 AR-1268-1

R.T.: 7.349 min
Delta R.T.: -0.005 min
Response: 207197
Conc: 35.35 ng/ml




#42 AR-1268-2

R.T.: 8.674 min
Delta R.T.: 0.001 min
Response: 179948
Conc: 26.64 ng/ml



#42 AR-1268-2


R.T.: 7.411 min
Delta R.T.: -0.006 min
Response: 706280
Conc: 132.51 ng/ml



#43 AR-1268-3


R.T.: 8.899 min
Delta R.T.: 0.006 min
Response: 33886
Conc: 6.03 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB123299BS




#43 AR-1268-3

R.T.: 7.615 min
Delta R.T.: -0.006 min
Response: 26316
Conc: 5.94 ng/ml




#44 AR-1268-4

R.T.: 9.315 min
Delta R.T.: 0.009 min
Response: 261949
Conc: 113.56 ng/ml



#44 AR-1268-4


R.T.: 7.900 min
Delta R.T.: -0.003 min
Response: 219008
Conc: 114.61 ng/ml



#45 AR-1268-5

R.T.: 9.714 min
Delta R.T.: 0.010 min
Response: 88250
Conc: 5.56 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB123299BS



#45 AR-1268-5

R.T.: 8.172 min
Delta R.T.: -0.004 min
Response: 78749
Conc: 6.54 ng/ml