

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0092319\
 Data File : P0061289.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 23 Sep 2019 21:51
 Operator : SM/AJ
 Sample : K4665-01
 Misc :
 ALS Vial : 40 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :
 EO-01-091919MS

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Sep 24 01:35:07 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0091319.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Sat Sep 14 00:06:36 2019
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.371	3.531	908830	671368	24.703	24.044
2)	SA Decachlor...	10.038	8.408	824902	562808	17.954	16.056
Target Compounds							
3)	L1 AR-1016-1	5.534	4.585	451950	303052	282.797	245.140
4)	L1 AR-1016-2	5.557	4.603	627438	446747	274.068	262.587
5)	L1 AR-1016-3	5.619	4.773	403928	261349	281.369	269.580
6)	L1 AR-1016-4	5.716	4.816	309831	170976	262.664	208.883
7)	L1 AR-1016-5	6.010	5.021	260138	212706	207.521	203.086
8)	L2 AR-1221-1	4.575	3.737	74561	29167	169.874	82.398 #
9)	L2 AR-1221-2	4.666	3.823	183523	49031	537.310	174.465 #
10)	L2 AR-1221-3	4.742	3.896	296965	190908	280.365	229.990
11)	L3 AR-1232-1	4.742	3.896	296965	190908	254.518	209.479
12)	L3 AR-1232-2	5.268	4.603	296230	446747	456.870	442.470
13)	L3 AR-1232-3	5.557	4.773	627438	261349	468.464	465.697
14)	L3 AR-1232-4	5.716	4.855	309831	250388	450.898	479.467
15)	L3 AR-1232-5	5.807	5.021	265763	212706	485.329	375.851
16)	L4 AR-1242-1	5.534	4.585	451950	303052	378.703	332.885
17)	L4 AR-1242-2	5.557	4.603	627438	446747	367.117	356.867
18)	L4 AR-1242-3	5.619	4.773	403928	261349	373.012	365.751
19)	L4 AR-1242-4	5.716	4.855	309831	250388	350.963	343.826
20)	L4 AR-1242-5	6.419	5.366	526047	415022	469.398	419.255
21)	L5 AR-1248-1	5.534	4.585	451950	303052	490.930	427.270
22)	L5 AR-1248-2	5.807	4.816	265763	170976	198.738	176.958
23)	L5 AR-1248-3	6.010	4.855	260138	250388	171.885	248.616 #
24)	L5 AR-1248-4	6.419	5.021	526047	212706	288.740	177.118 #
25)	L5 AR-1248-5	6.419	5.404	526047	82353	300.669	65.145 #
26)	L6 AR-1254-1	6.390	5.366	702744	415022	364.750	201.375 #
27)	L6 AR-1254-2	6.603	5.508	1769158	198217	562.186	105.041 #
28)	L6 AR-1254-3	6.980	5.923	1981099	1385878	562.497	435.877
29)	L6 AR-1254-4	7.254	6.128	160168	57734	59.167	27.731 #
30)	L6 AR-1254-5	7.671	6.538	1203128	663684	408.003	209.701 #
31)	L7 AR-1260-1	7.131	6.031	682313	437133	280.255	207.823 #
32)	L7 AR-1260-2	7.383	6.216	2548075	454192	842.799	176.078 #
33)	L7 AR-1260-3	7.746	6.366	549646	475349	230.321	197.398
34)	L7 AR-1260-4	7.970	6.831	664822	355910	237.632	166.294 #
35)	L7 AR-1260-5	8.286	7.070	1124866	763311	206.574	157.954
36)	L8 AR-1262-1	7.746	6.576	549646	382649	155.605	128.109
37)	L8 AR-1262-2	8.286	7.070	1124866	763311	180.427	146.806
38)	L8 AR-1262-3	8.604	7.350	716067	169737	168.056	79.973 #
39)	L8 AR-1262-4	8.675	7.411	327406	568017	100.419	148.716 #
40)	L8 AR-1262-5	9.316	7.901	262103	221421	128.900	132.288
41)	L9 AR-1268-1	8.604	7.350	716067	169737	97.022	28.955 #
42)	L9 AR-1268-2	8.675	7.411	327406	568017	48.468	106.570 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0092319\
 Data File : P0061289.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 23 Sep 2019 21:51
 Operator : SM/AJ
 Sample : K4665-01
 Misc :
 ALS Vial : 40 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :
 EO-01-091919MS

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Sep 24 01:35:07 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0091319.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Sat Sep 14 00:06:36 2019
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
43) L9	AR-1268-3	8.901	7.616	126567	24450	22.538	5.516 #
44) L9	AR-1268-4	9.316	7.901	262103	221421	113.625	115.875
45) L9	AR-1268-5	9.713	8.173	43484	63740	2.741	5.297 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\PO092319\
 Data File : PO061289.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 23 Sep 2019 21:51
 Operator : SM/AJ
 Sample : K4665-01
 Misc :
 ALS Vial : 40 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :
 EO-01-091919MS

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Sep 24 01:35:07 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\PO091319.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Sat Sep 14 00:06:36 2019
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.371 min
Delta R.T.: 0.000 min
Response: 908830
Conc: 24.70 ng/ml

Instrument :
ECD_O
ClientSampleId :
EO-01-091919MS




#1 Tetrachloro-m-xylene

R.T.: 3.531 min
Delta R.T.: 0.000 min
Response: 671368
Conc: 24.04 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.038 min
Delta R.T.: 0.010 min
Response: 824902
Conc: 17.95 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.408 min
Delta R.T.: -0.005 min
Response: 562808
Conc: 16.06 ng/ml



#3 AR-1016-1


R.T.: 5.534 min
Delta R.T.: 0.000 min
Response: 451950
Conc: 282.80 ng/ml

Instrument :
ECD_O
ClientSampleId :
EO-01-091919MS




#3 AR-1016-1

R.T.: 4.585 min
Delta R.T.: -0.002 min
Response: 303052
Conc: 245.14 ng/ml




#4 AR-1016-2

R.T.: 5.557 min
Delta R.T.: 0.000 min
Response: 627438
Conc: 274.07 ng/ml



#4 AR-1016-2


R.T.: 4.603 min
Delta R.T.: -0.002 min
Response: 446747
Conc: 262.59 ng/ml



#5 AR-1016-3


R.T.: 5.619 min
Delta R.T.: 0.001 min
Response: 403928
Conc: 281.37 ng/ml

Instrument :
ECD_O
ClientSampleId :
EO-01-091919MS




#5 AR-1016-3

R.T.: 4.773 min
Delta R.T.: -0.002 min
Response: 261349
Conc: 269.58 ng/ml




#6 AR-1016-4

R.T.: 5.716 min
Delta R.T.: 0.000 min
Response: 309831
Conc: 262.66 ng/ml



#6 AR-1016-4


R.T.: 4.816 min
Delta R.T.: -0.001 min
Response: 170976
Conc: 208.88 ng/ml



#7 AR-1016-5


R.T.: 6.010 min
Delta R.T.: 0.001 min
Response: 260138
Conc: 207.52 ng/ml

Instrument :
ECD_O
ClientSampleId :
EO-01-091919MS




#7 AR-1016-5

R.T.: 5.021 min
Delta R.T.: -0.003 min
Response: 212706
Conc: 203.09 ng/ml




#8 AR-1221-1

R.T.: 4.575 min
Delta R.T.: -0.002 min
Response: 74561
Conc: 169.87 ng/ml



#8 AR-1221-1


R.T.: 3.737 min
Delta R.T.: -0.003 min
Response: 29167
Conc: 82.40 ng/ml



#9 AR-1221-2


R.T.: 4.666 min
Delta R.T.: 0.001 min
Response: 183523
Conc: 537.31 ng/ml

Instrument :
ECD_O
ClientSampleId :
EO-01-091919MS




#9 AR-1221-2

R.T.: 3.823 min
Delta R.T.: 0.000 min
Response: 49031
Conc: 174.46 ng/ml




#10 AR-1221-3

R.T.: 4.742 min
Delta R.T.: 0.001 min
Response: 296965
Conc: 280.36 ng/ml



#10 AR-1221-3


R.T.: 3.896 min
Delta R.T.: -0.001 min
Response: 190908
Conc: 229.99 ng/ml



#11 AR-1232-1


R.T.: 4.742 min
Delta R.T.: 0.001 min
Response: 296965
Conc: 254.52 ng/ml

Instrument :
ECD_O
ClientSampleId :
EO-01-091919MS




#11 AR-1232-1

R.T.: 3.896 min
Delta R.T.: -0.001 min
Response: 190908
Conc: 209.48 ng/ml




#12 AR-1232-2

R.T.: 5.268 min
Delta R.T.: 0.001 min
Response: 296230
Conc: 456.87 ng/ml



#12 AR-1232-2


R.T.: 4.603 min
Delta R.T.: -0.002 min
Response: 446747
Conc: 442.47 ng/ml



#13 AR-1232-3


R.T.: 5.557 min
Delta R.T.: 0.002 min
Response: 627438
Conc: 468.46 ng/ml

Instrument :
ECD_O
ClientSampleId :
EO-01-091919MS




#13 AR-1232-3

R.T.: 4.773 min
Delta R.T.: -0.002 min
Response: 261349
Conc: 465.70 ng/ml




#14 AR-1232-4

R.T.: 5.716 min
Delta R.T.: 0.002 min
Response: 309831
Conc: 450.90 ng/ml



#14 AR-1232-4


R.T.: 4.855 min
Delta R.T.: -0.002 min
Response: 250388
Conc: 479.47 ng/ml



#15 AR-1232-5


R.T.: 5.807 min
Delta R.T.: 0.002 min
Response: 265763
Conc: 485.33 ng/ml

Instrument :
ECD_O
ClientSampleId :
EO-01-091919MS




#15 AR-1232-5

R.T.: 5.021 min
Delta R.T.: -0.003 min
Response: 212706
Conc: 375.85 ng/ml




#16 AR-1242-1

R.T.: 5.534 min
Delta R.T.: 0.001 min
Response: 451950
Conc: 378.70 ng/ml



#16 AR-1242-1


R.T.: 4.585 min
Delta R.T.: -0.003 min
Response: 303052
Conc: 332.88 ng/ml



#17 AR-1242-2


R.T.: 5.557 min
Delta R.T.: 0.000 min
Response: 627438
Conc: 367.12 ng/ml

Instrument :
ECD_O
ClientSampleId :
EO-01-091919MS




#17 AR-1242-2

R.T.: 4.603 min
Delta R.T.: -0.002 min
Response: 446747
Conc: 356.87 ng/ml




#18 AR-1242-3

R.T.: 5.619 min
Delta R.T.: 0.001 min
Response: 403928
Conc: 373.01 ng/ml



#18 AR-1242-3


R.T.: 4.773 min
Delta R.T.: -0.003 min
Response: 261349
Conc: 365.75 ng/ml



#19 AR-1242-4


R.T.: 5.716 min
Delta R.T.: 0.000 min
Response: 309831
Conc: 350.96 ng/ml

Instrument :
ECD_O
ClientSampleId :
EO-01-091919MS




#19 AR-1242-4

R.T.: 4.855 min
Delta R.T.: -0.003 min
Response: 250388
Conc: 343.83 ng/ml




#20 AR-1242-5

R.T.: 6.419 min
Delta R.T.: -0.029 min
Response: 526047
Conc: 469.40 ng/ml



#20 AR-1242-5


R.T.: 5.366 min
Delta R.T.: 0.000 min
Response: 415022
Conc: 419.26 ng/ml



#21 AR-1248-1


R.T.: 5.534 min
Delta R.T.: 0.002 min
Response: 451950
Conc: 490.93 ng/ml

Instrument :
ECD_O
ClientSampleId :
EO-01-091919MS




#21 AR-1248-1

R.T.: 4.585 min
Delta R.T.: -0.002 min
Response: 303052
Conc: 427.27 ng/ml




#22 AR-1248-2

R.T.: 5.807 min
Delta R.T.: 0.003 min
Response: 265763
Conc: 198.74 ng/ml



#22 AR-1248-2


R.T.: 4.816 min
Delta R.T.: -0.002 min
Response: 170976
Conc: 176.96 ng/ml



#23 AR-1248-3


R.T.: 6.010 min
Delta R.T.: 0.003 min
Response: 260138
Conc: 171.89 ng/ml

Instrument :
ECD_O
ClientSampleId :
EO-01-091919MS




#23 AR-1248-3

R.T.: 4.855 min
Delta R.T.: -0.002 min
Response: 250388
Conc: 248.62 ng/ml




#24 AR-1248-4

R.T.: 6.419 min
Delta R.T.: 0.010 min
Response: 526047
Conc: 288.74 ng/ml



#24 AR-1248-4


R.T.: 5.021 min
Delta R.T.: -0.002 min
Response: 212706
Conc: 177.12 ng/ml



#25 AR-1248-5


R.T.: 6.419 min
Delta R.T.: -0.029 min
Response: 526047
Conc: 300.67 ng/ml

Instrument :
ECD_O
ClientSampleId :
EO-01-091919MS




#25 AR-1248-5

R.T.: 5.404 min
Delta R.T.: -0.002 min
Response: 82353
Conc: 65.14 ng/ml




#26 AR-1254-1

R.T.: 6.390 min
Delta R.T.: 0.008 min
Response: 702744
Conc: 364.75 ng/ml



#26 AR-1254-1


R.T.: 5.366 min
Delta R.T.: 0.000 min
Response: 415022
Conc: 201.38 ng/ml



#27 AR-1254-2


R.T.: 6.603 min
Delta R.T.: 0.003 min
Response: 1769158
Conc: 562.19 ng/ml

Instrument :
ECD_O
ClientSampleId :
EO-01-091919MS




#27 AR-1254-2

R.T.: 5.508 min
Delta R.T.: -0.002 min
Response: 198217
Conc: 105.04 ng/ml




#28 AR-1254-3

R.T.: 6.980 min
Delta R.T.: 0.015 min
Response: 1981099
Conc: 562.50 ng/ml



#28 AR-1254-3


R.T.: 5.923 min
Delta R.T.: 0.018 min
Response: 1385878
Conc: 435.88 ng/ml



#29 AR-1254-4


R.T.: 7.254 min
Delta R.T.: 0.004 min
Response: 160168
Conc: 59.17 ng/ml

Instrument :
ECD_O
ClientSampleId :
EO-01-091919MS




#29 AR-1254-4

R.T.: 6.128 min
Delta R.T.: 0.000 min
Response: 57734
Conc: 27.73 ng/ml




#30 AR-1254-5

R.T.: 7.671 min
Delta R.T.: 0.004 min
Response: 1203128
Conc: 408.00 ng/ml



#30 AR-1254-5


R.T.: 6.538 min
Delta R.T.: -0.002 min
Response: 663684
Conc: 209.70 ng/ml



#31 AR-1260-1


R.T.: 7.131 min
Delta R.T.: 0.004 min
Response: 682313
Conc: 280.26 ng/ml

Instrument :
ECD_O
ClientSampleId :
EO-01-091919MS




#31 AR-1260-1

R.T.: 6.031 min
Delta R.T.: -0.003 min
Response: 437133
Conc: 207.82 ng/ml




#32 AR-1260-2

R.T.: 7.383 min
Delta R.T.: -0.001 min
Response: 2548075
Conc: 842.80 ng/ml



#32 AR-1260-2


R.T.: 6.216 min
Delta R.T.: -0.003 min
Response: 454192
Conc: 176.08 ng/ml



#33 AR-1260-3


R.T.: 7.746 min
Delta R.T.: 0.004 min
Response: 549646
Conc: 230.32 ng/ml

Instrument :
ECD_O
ClientSampleId :
EO-01-091919MS




#33 AR-1260-3

R.T.: 6.366 min
Delta R.T.: -0.004 min
Response: 475349
Conc: 197.40 ng/ml




#34 AR-1260-4

R.T.: 7.970 min
Delta R.T.: 0.005 min
Response: 664822
Conc: 237.63 ng/ml



#34 AR-1260-4


R.T.: 6.831 min
Delta R.T.: -0.004 min
Response: 355910
Conc: 166.29 ng/ml



#35 AR-1260-5


R.T.: 8.286 min
Delta R.T.: 0.006 min
Response: 1124866
Conc: 206.57 ng/ml

Instrument :
ECD_O
ClientSampleId :
EO-01-091919MS




#35 AR-1260-5

R.T.: 7.070 min
Delta R.T.: -0.003 min
Response: 763311
Conc: 157.95 ng/ml




#36 AR-1262-1

R.T.: 7.746 min
Delta R.T.: 0.000 min
Response: 549646
Conc: 155.61 ng/ml



#36 AR-1262-1


R.T.: 6.576 min
Delta R.T.: -0.005 min
Response: 382649
Conc: 128.11 ng/ml



#37 AR-1262-2


R.T.: 8.286 min
Delta R.T.: 0.002 min
Response: 1124866
Conc: 180.43 ng/ml

Instrument :
ECD_O
ClientSampleId :
EO-01-091919MS




#37 AR-1262-2

R.T.: 7.070 min
Delta R.T.: -0.004 min
Response: 763311
Conc: 146.81 ng/ml




#38 AR-1262-3

R.T.: 8.604 min
Delta R.T.: 0.017 min
Response: 716067
Conc: 168.06 ng/ml



#38 AR-1262-3


R.T.: 7.350 min
Delta R.T.: -0.006 min
Response: 169737
Conc: 79.97 ng/ml



#39 AR-1262-4


R.T.: 8.675 min
Delta R.T.: 0.002 min
Response: 327406
Conc: 100.42 ng/ml

Instrument :
ECD_O
ClientSampleId :
EO-01-091919MS




#39 AR-1262-4

R.T.: 7.411 min
Delta R.T.: -0.007 min
Response: 568017
Conc: 148.72 ng/ml




#40 AR-1262-5

R.T.: 9.316 min
Delta R.T.: 0.005 min
Response: 262103
Conc: 128.90 ng/ml



#40 AR-1262-5


R.T.: 7.901 min
Delta R.T.: -0.004 min
Response: 221421
Conc: 132.29 ng/ml



#41 AR-1268-1


R.T.: 8.604 min
Delta R.T.: 0.024 min
Response: 716067
Conc: 97.02 ng/ml

Instrument :
ECD_O
ClientSampleId :
EO-01-091919MS




#41 AR-1268-1

R.T.: 7.350 min
Delta R.T.: -0.004 min
Response: 169737
Conc: 28.96 ng/ml




#42 AR-1268-2

R.T.: 8.675 min
Delta R.T.: 0.002 min
Response: 327406
Conc: 48.47 ng/ml



#42 AR-1268-2


R.T.: 7.411 min
Delta R.T.: -0.006 min
Response: 568017
Conc: 106.57 ng/ml



#43 AR-1268-3


R.T.: 8.901 min
Delta R.T.: 0.009 min
Response: 126567
Conc: 22.54 ng/ml

Instrument :
ECD_O
ClientSampleId :
EO-01-091919MS




#43 AR-1268-3

R.T.: 7.616 min
Delta R.T.: -0.005 min
Response: 24450
Conc: 5.52 ng/ml




#44 AR-1268-4

R.T.: 9.316 min
Delta R.T.: 0.010 min
Response: 262103
Conc: 113.63 ng/ml



#44 AR-1268-4


R.T.: 7.901 min
Delta R.T.: -0.002 min
Response: 221421
Conc: 115.88 ng/ml



#45 AR-1268-5

R.T.: 9.713 min
Delta R.T.: 0.010 min
Response: 43484
Conc: 2.74 ng/ml

Instrument :
ECD_O
ClientSampleId :
EO-01-091919MS



#45 AR-1268-5

R.T.: 8.173 min
Delta R.T.: -0.004 min
Response: 63740
Conc: 5.30 ng/ml