

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_0\Data\P0092623\
 Data File : P0098300.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 27 Sep 2023 00:11
 Operator : YP/AJ
 Sample : 04605-04 10X
 Misc :
 ALS Vial : 33 Sample Multiplier: 1

Instrument :
 ECD_0
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Sep 27 02:33:28 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_0\methods\P0092523.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Tue Sep 26 09:03:52 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.484	3.640	3409943	1368510	1.786	1.803
2)	SA Decachlor...	10.297	8.655	2629537	1060765	3.271	2.755
Target Compounds							
3)	L1 AR-1016-1	5.637	4.743	154593	102194	3.403	4.975 #
4)	L1 AR-1016-2	5.689	4.743	189328	102194	2.671	3.499 #
5)	L1 AR-1016-3	5.725	4.925	118297	19212	2.735	1.225 #
6)	L1 AR-1016-4	5.813	4.989	88352	69303	2.676	5.146 #
7)	L1 AR-1016-5	6.135	5.177	128520	43052	3.609	2.515 #
8)	L2 AR-1221-1	4.711	3.873	35493	103476	1.486	11.472 #
9)	L2 AR-1221-2	4.798	3.952	334331	61387	20.316	8.748 #
10)	L2 AR-1221-3	4.843	4.018	32572	6127	0.675	0.316 #
11)	L3 AR-1232-1	4.843	4.018	32572	6127	0.839	0.386 #
12)	L3 AR-1232-2	5.375	4.743	160587	102194	7.787	7.635
13)	L3 AR-1232-3	5.689	4.925	189328	19212	5.943	2.842 #
14)	L3 AR-1232-4	5.813	5.006	88352	46960	6.035	7.032
15)	L3 AR-1232-5	5.935	5.177	64787	43052	5.187	6.017
16)	L4 AR-1242-1	5.637	4.743	154593	102194	3.853	5.590 #
17)	L4 AR-1242-2	5.689	4.743	189328	102194	3.031	3.972 #
18)	L4 AR-1242-3	5.725	4.925	118297	19212	3.121	1.367 #
19)	L4 AR-1242-4	5.813	5.006	88352	46960	3.058	3.137
20)	L4 AR-1242-5	6.598	5.481f	544502	214292	19.604	14.215 #
21)	L5 AR-1248-1	5.637	4.743	154593	102194	5.182	7.389 #
22)	L5 AR-1248-2	5.935	4.989	64787	69303	1.387	3.464 #
23)	L5 AR-1248-3	6.135	5.006	128520	46960	2.569	2.224
24)	L5 AR-1248-4	6.541	5.177	830524	43052	18.681	1.814 #
25)	L5 AR-1248-5	6.598	5.612f	544502	445156	11.715	23.020 #
26)	L6 AR-1254-1	6.541	5.481f	830524	214292	15.198	6.347 #
27)	L6 AR-1254-2	6.729	5.667	377237	365271	4.794	12.535 #
28)	L6 AR-1254-3	7.096	6.102	92408	107730	1.269	2.524 #
29)	L6 AR-1254-4	7.394	6.354f	66509	121551	1.621	5.830 #
30)	L6 AR-1254-5	7.833	6.729	289033	147675	5.967	4.492
31)	L7 AR-1260-1	7.264	6.235	138760	106790	2.422	3.492 #
32)	L7 AR-1260-2	7.509	6.354f	9700	121551	0.157	3.841 #
33)	L7 AR-1260-3	7.858	6.624f	129818	611990	2.667	19.500 #
34)	L7 AR-1260-4	8.070f	7.030	301257	249355	5.888	10.201 #
35)	L7 AR-1260-5	8.429	7.271	1045456	82357	11.266	1.751 #
36)	L8 AR-1262-1	7.858	6.798	129818	97041	1.798	2.502 #
37)	L8 AR-1262-2	8.429	7.030	1045456	249355	9.911	7.297 #
38)	L8 AR-1262-3	8.751	7.553	127797	939626	1.753	39.022 #
39)	L8 AR-1262-4	8.854	7.685f	26357	6316	0.452	0.154 #
40)	L8 AR-1262-5	9.525	8.081f	16396	96840	0.520	5.441 #
41)	L9 AR-1268-1	8.751	7.553	127797	939626	0.934	13.274 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0092623\
Data File : P0098300.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 27 Sep 2023 00:11
Operator : YP/AJ
Sample : 04605-04 10X
Misc :
ALS Vial : 33 Sample Multiplier: 1

Instrument :
ECD_O
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 27 02:33:28 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0092523.M
Quant Title : GC EXTRACTABLES
QLast Update : Tue Sep 26 09:03:52 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42)	L9 AR-1268-2	8.854	7.685f	26357	6316	0.217	0.106 #
43)	L9 AR-1268-3	9.054	7.823	287829	168252	2.603	2.985
44)	L9 AR-1268-4	9.525	8.081f	16396	96840	0.470	5.084 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\PO092623\
Data File : PO098300.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 27 Sep 2023 00:11
Operator : YP/AJ
Sample : 04605-04 10X
Misc :
ALS Vial : 33 Sample Multiplier: 1

Instrument :
ECD_O
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 27 02:33:28 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\PO092523.M
Quant Title : GC EXTRACTABLES
QLast Update : Tue Sep 26 09:03:52 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.484 min
Delta R.T.: 0.000 min
Response: 3409943
Conc: 1.79 ng/ml

Instrument :
ECD_O
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 3.640 min
Delta R.T.: -0.002 min
Response: 1368510
Conc: 1.80 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.297 min
Delta R.T.: -0.004 min
Response: 2629537
Conc: 3.27 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.655 min
Delta R.T.: -0.009 min
Response: 1060765
Conc: 2.75 ng/ml



#3 AR-1016-1


R.T.: 5.637 min
Delta R.T.: -0.021 min
Response: 154593
Conc: 3.40 ng/ml

Instrument :
ECD_O
ClientSampleId :




#3 AR-1016-1

R.T.: 4.743 min
Delta R.T.: 0.014 min
Response: 102194
Conc: 4.98 ng/ml




#4 AR-1016-2

R.T.: 5.689 min
Delta R.T.: 0.008 min
Response: 189328
Conc: 2.67 ng/ml



#4 AR-1016-2


R.T.: 4.743 min
Delta R.T.: -0.004 min
Response: 102194
Conc: 3.50 ng/ml



#5 AR-1016-3


R.T.: 5.725 min
Delta R.T.: -0.019 min
Response: 118297
Conc: 2.74 ng/ml

Instrument :
ECD_O
ClientSampleId :




#5 AR-1016-3

R.T.: 4.925 min
Delta R.T.: 0.001 min
Response: 19212
Conc: 1.23 ng/ml




#6 AR-1016-4

R.T.: 5.813 min
Delta R.T.: -0.029 min
Response: 88352
Conc: 2.68 ng/ml



#6 AR-1016-4


R.T.: 4.989 min
Delta R.T.: 0.023 min
Response: 69303
Conc: 5.15 ng/ml



#7 AR-1016-5


R.T.: 6.135 min
Delta R.T.: -0.004 min
Response: 128520
Conc: 3.61 ng/ml

Instrument :
ECD_O
ClientSampleId :




#7 AR-1016-5

R.T.: 5.177 min
Delta R.T.: -0.003 min
Response: 43052
Conc: 2.51 ng/ml




#8 AR-1221-1

R.T.: 4.711 min
Delta R.T.: 0.019 min
Response: 35493
Conc: 1.49 ng/ml



#8 AR-1221-1


R.T.: 3.873 min
Delta R.T.: 0.017 min
Response: 103476
Conc: 11.47 ng/ml



#9 AR-1221-2


R.T.: 4.798 min
Delta R.T.: 0.018 min
Response: 334331
Conc: 20.32 ng/ml

Instrument :
ECD_O
ClientSampleId :




#9 AR-1221-2

R.T.: 3.952 min
Delta R.T.: 0.011 min
Response: 61387
Conc: 8.75 ng/ml




#10 AR-1221-3

R.T.: 4.843 min
Delta R.T.: -0.013 min
Response: 32572
Conc: 0.68 ng/ml



#10 AR-1221-3


R.T.: 4.018 min
Delta R.T.: 0.000 min
Response: 6127
Conc: 0.32 ng/ml



#11 AR-1232-1


R.T.: 4.843 min
Delta R.T.: -0.013 min
Response: 32572
Conc: 0.84 ng/ml

Instrument :
ECD_O
ClientSampleId :




#11 AR-1232-1

R.T.: 4.018 min
Delta R.T.: 0.000 min
Response: 6127
Conc: 0.39 ng/ml




#12 AR-1232-2

R.T.: 5.375 min
Delta R.T.: -0.014 min
Response: 160587
Conc: 7.79 ng/ml



#12 AR-1232-2


R.T.: 4.743 min
Delta R.T.: -0.005 min
Response: 102194
Conc: 7.63 ng/ml



#13 AR-1232-3


R.T.: 5.689 min
Delta R.T.: 0.008 min
Response: 189328
Conc: 5.94 ng/ml

Instrument :
ECD_O
ClientSampleId :




#13 AR-1232-3

R.T.: 4.925 min
Delta R.T.: 0.001 min
Response: 19212
Conc: 2.84 ng/ml




#14 AR-1232-4

R.T.: 5.813 min
Delta R.T.: -0.029 min
Response: 88352
Conc: 6.04 ng/ml



#14 AR-1232-4


R.T.: 5.006 min
Delta R.T.: -0.002 min
Response: 46960
Conc: 7.03 ng/ml



#15 AR-1232-5


R.T.: 5.935 min
Delta R.T.: 0.002 min
Response: 64787
Conc: 5.19 ng/ml

Instrument :
ECD_O
ClientSampleId :




#15 AR-1232-5

R.T.: 5.177 min
Delta R.T.: -0.003 min
Response: 43052
Conc: 6.02 ng/ml




#16 AR-1242-1

R.T.: 5.637 min
Delta R.T.: -0.021 min
Response: 154593
Conc: 3.85 ng/ml



#16 AR-1242-1


R.T.: 4.743 min
Delta R.T.: 0.015 min
Response: 102194
Conc: 5.59 ng/ml



#17 AR-1242-2


R.T.: 5.689 min
Delta R.T.: 0.010 min
Response: 189328
Conc: 3.03 ng/ml

Instrument :
ECD_O
ClientSampleId :




#17 AR-1242-2

R.T.: 4.743 min
Delta R.T.: -0.004 min
Response: 102194
Conc: 3.97 ng/ml




#18 AR-1242-3

R.T.: 5.725 min
Delta R.T.: -0.018 min
Response: 118297
Conc: 3.12 ng/ml



#18 AR-1242-3


R.T.: 4.925 min
Delta R.T.: 0.002 min
Response: 19212
Conc: 1.37 ng/ml



#19 AR-1242-4


R.T.: 5.813 min
Delta R.T.: -0.029 min
Response: 88352
Conc: 3.06 ng/ml

Instrument :
ECD_O
ClientSampleId :




#19 AR-1242-4

R.T.: 5.006 min
Delta R.T.: -0.001 min
Response: 46960
Conc: 3.14 ng/ml




#20 AR-1242-5

R.T.: 6.598 min
Delta R.T.: 0.016 min
Response: 544502
Conc: 19.60 ng/ml



#20 AR-1242-5


R.T.: 5.481 min
Delta R.T.: -0.051 min
Response: 214292
Conc: 14.21 ng/ml



#21 AR-1248-1


R.T.: 5.637 min
Delta R.T.: -0.020 min
Response: 154593
Conc: 5.18 ng/ml

Instrument :
ECD_O
ClientSampleId :




#21 AR-1248-1

R.T.: 4.743 min
Delta R.T.: 0.015 min
Response: 102194
Conc: 7.39 ng/ml




#22 AR-1248-2

R.T.: 5.935 min
Delta R.T.: 0.002 min
Response: 64787
Conc: 1.39 ng/ml



#22 AR-1248-2


R.T.: 4.989 min
Delta R.T.: 0.024 min
Response: 69303
Conc: 3.46 ng/ml



#23 AR-1248-3


R.T.: 6.135 min
Delta R.T.: -0.002 min
Response: 128520
Conc: 2.57 ng/ml

Instrument :
ECD_O
ClientSampleId :




#23 AR-1248-3

R.T.: 5.006 min
Delta R.T.: -0.001 min
Response: 46960
Conc: 2.22 ng/ml




#24 AR-1248-4

R.T.: 6.541 min
Delta R.T.: -0.001 min
Response: 830524
Conc: 18.68 ng/ml



#24 AR-1248-4


R.T.: 5.177 min
Delta R.T.: -0.002 min
Response: 43052
Conc: 1.81 ng/ml



#25 AR-1248-5


R.T.: 6.598 min
Delta R.T.: 0.016 min
Response: 544502
Conc: 11.71 ng/ml

Instrument :
ECD_O
ClientSampleId :




#25 AR-1248-5

R.T.: 5.612 min
Delta R.T.: 0.038 min
Response: 445156
Conc: 23.02 ng/ml




#26 AR-1254-1

R.T.: 6.541 min
Delta R.T.: 0.025 min
Response: 830524
Conc: 15.20 ng/ml



#26 AR-1254-1


R.T.: 5.481 min
Delta R.T.: -0.051 min
Response: 214292
Conc: 6.35 ng/ml



#27 AR-1254-2


R.T.: 6.729 min
Delta R.T.: -0.007 min
Response: 377237
Conc: 4.79 ng/ml

Instrument :
ECD_O
ClientSampleId :




#27 AR-1254-2

R.T.: 5.667 min
Delta R.T.: -0.013 min
Response: 365271
Conc: 12.53 ng/ml




#28 AR-1254-3

R.T.: 7.096 min
Delta R.T.: -0.006 min
Response: 92408
Conc: 1.27 ng/ml



#28 AR-1254-3


R.T.: 6.102 min
Delta R.T.: 0.017 min
Response: 107730
Conc: 2.52 ng/ml



#29 AR-1254-4


R.T.: 7.394 min
Delta R.T.: 0.006 min
Response: 66509
Conc: 1.62 ng/ml

Instrument :
ECD_O
ClientSampleId :




#29 AR-1254-4

R.T.: 6.354 min
Delta R.T.: 0.039 min
Response: 121551
Conc: 5.83 ng/ml




#30 AR-1254-5

R.T.: 7.833 min
Delta R.T.: 0.023 min
Response: 289033
Conc: 5.97 ng/ml



#30 AR-1254-5


R.T.: 6.729 min
Delta R.T.: -0.004 min
Response: 147675
Conc: 4.49 ng/ml



#31 AR-1260-1


R.T.: 7.264 min
Delta R.T.: -0.004 min
Response: 138760
Conc: 2.42 ng/ml

Instrument :
ECD_O
ClientSampleId :




#31 AR-1260-1

R.T.: 6.235 min
Delta R.T.: 0.019 min
Response: 106790
Conc: 3.49 ng/ml




#32 AR-1260-2

R.T.: 7.509 min
Delta R.T.: -0.018 min
Response: 9700
Conc: 0.16 ng/ml



#32 AR-1260-2


R.T.: 6.354 min
Delta R.T.: -0.052 min
Response: 121551
Conc: 3.84 ng/ml



#33 AR-1260-3


R.T.: 7.858 min
Delta R.T.: -0.030 min
Response: 129818
Conc: 2.67 ng/ml

Instrument :
ECD_O
ClientSampleId :




#33 AR-1260-3

R.T.: 6.624 min
Delta R.T.: 0.064 min
Response: 611990
Conc: 19.50 ng/ml




#34 AR-1260-4

R.T.: 8.070 min
Delta R.T.: -0.045 min
Response: 301257
Conc: 5.89 ng/ml



#34 AR-1260-4


R.T.: 7.030 min
Delta R.T.: -0.003 min
Response: 249355
Conc: 10.20 ng/ml



#35 AR-1260-5


R.T.: 8.429 min
Delta R.T.: -0.012 min
Response: 1045456
Conc: 11.27 ng/ml

Instrument :
ECD_O
ClientSampleId :




#35 AR-1260-5

R.T.: 7.271 min
Delta R.T.: -0.004 min
Response: 82357
Conc: 1.75 ng/ml




#36 AR-1262-1

R.T.: 7.858 min
Delta R.T.: -0.028 min
Response: 129818
Conc: 1.80 ng/ml



#36 AR-1262-1


R.T.: 6.798 min
Delta R.T.: 0.026 min
Response: 97041
Conc: 2.50 ng/ml



#37 AR-1262-2


R.T.: 8.429 min
Delta R.T.: -0.009 min
Response: 1045456
Conc: 9.91 ng/ml

Instrument :
ECD_O
ClientSampleId :




#37 AR-1262-2

R.T.: 7.030 min
Delta R.T.: -0.001 min
Response: 249355
Conc: 7.30 ng/ml




#38 AR-1262-3

R.T.: 8.751 min
Delta R.T.: -0.005 min
Response: 127797
Conc: 1.75 ng/ml



#38 AR-1262-3


R.T.: 7.553 min
Delta R.T.: -0.005 min
Response: 939626
Conc: 39.02 ng/ml



#39 AR-1262-4


R.T.: 8.854 min
Delta R.T.: 0.004 min
Response: 26357
Conc: 0.45 ng/ml

Instrument :
ECD_O
ClientSampleId :




#39 AR-1262-4

R.T.: 7.685 min
Delta R.T.: 0.063 min
Response: 6316
Conc: 0.15 ng/ml




#40 AR-1262-5

R.T.: 9.525 min
Delta R.T.: 0.004 min
Response: 16396
Conc: 0.52 ng/ml



#40 AR-1262-5


R.T.: 8.081 min
Delta R.T.: -0.037 min
Response: 96840
Conc: 5.44 ng/ml



#41 AR-1268-1


R.T.: 8.751 min
Delta R.T.: -0.003 min
Response: 127797
Conc: 0.93 ng/ml

Instrument :
ECD_O
ClientSampleId :




#41 AR-1268-1

R.T.: 7.553 min
Delta R.T.: -0.005 min
Response: 939626
Conc: 13.27 ng/ml




#42 AR-1268-2

R.T.: 8.854 min
Delta R.T.: 0.003 min
Response: 26357
Conc: 0.22 ng/ml



#42 AR-1268-2


R.T.: 7.685 min
Delta R.T.: 0.063 min
Response: 6316
Conc: 0.11 ng/ml



#43 AR-1268-3


R.T.: 9.054 min
Delta R.T.: -0.031 min
Response: 287829
Conc: 2.60 ng/ml

Instrument :
ECD_O
ClientSampleId :




#43 AR-1268-3

R.T.: 7.823 min
Delta R.T.: -0.007 min
Response: 168252
Conc: 2.98 ng/ml




#44 AR-1268-4

R.T.: 9.525 min
Delta R.T.: 0.003 min
Response: 16396
Conc: 0.47 ng/ml



#44 AR-1268-4


R.T.: 8.081 min
Delta R.T.: -0.036 min
Response: 96840
Conc: 5.08 ng/ml



#45 AR-1268-5

R.T.: 9.955 min
Delta R.T.: 0.006 min
Response: 200861
Conc: 0.62 ng/ml

Instrument :
ECD_O
ClientSampleId :



#45 AR-1268-5

R.T.: 8.405 min
Delta R.T.: -0.003 min
Response: -181832
Conc: N.D.