

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_0\Data\P0100223\
 Data File : P0098459.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 02 Oct 2023 15:34
 Operator : YP/AJ
 Sample : 04687-01
 Misc :
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 ECD_0
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Oct 02 16:55:43 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_0\methods\P0092723.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Thu Sep 28 01:18:56 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.487	3.640	40640476	16555745	21.165	21.256
2)	SA Decachlor...	10.302	8.649	24049533	10892984	19.812	20.332
Target Compounds							
3)	L1 AR-1016-1	5.649	4.734	184156	74773	3.408	3.133
4)	L1 AR-1016-2	5.683	4.734	45905	74773	0.565	2.196 #
5)	L1 AR-1016-3	5.727	4.912	7457	67230	0.149	3.737 #
6)	L1 AR-1016-4	5.876	4.978	184928	102546	4.729	6.840 #
7)	L1 AR-1016-5	6.141	5.164	-37667	93024	N.D.	4.790 #
8)	L2 AR-1221-1	4.696	3.845	639374	26535	28.397	2.888 #
9)	L2 AR-1221-2	4.770	3.942	36355	552342	2.155	83.065 #
10)	L2 AR-1221-3	4.876	4.013	168670	87139	3.449	4.320 #
11)	L3 AR-1232-1	4.876	4.013	168670	87139	4.129	5.184 #
12)	L3 AR-1232-2	5.382	4.734	40513	74773	1.873	4.976 #
13)	L3 AR-1232-3	5.683	4.912	45905	67230	1.291	8.590 #
14)	L3 AR-1232-4	5.876	5.002	184928	56678	10.893	7.538 #
15)	L3 AR-1232-5	5.984f	5.164	6826369	93024	479.454	11.499 #
16)	L4 AR-1242-1	5.670	4.734	32983	74773	0.724	3.572 #
17)	L4 AR-1242-2	5.683	4.734	45905	74773	0.670	2.572 #
18)	L4 AR-1242-3	5.727	4.912	7457	67230	0.176	4.302 #
19)	L4 AR-1242-4	5.876	5.002	184928	56678	5.636	3.422 #
20)	L4 AR-1242-5	6.583	5.539	189106	54498	5.339	2.937 #
21)	L5 AR-1248-1	5.670	4.734	32983	74773	0.975	4.771 #
22)	L5 AR-1248-2	5.984f	4.978	6826369	102546	131.812	4.660 #
23)	L5 AR-1248-3	6.141	5.002	-37667	56678	N.D.	2.414 #
24)	L5 AR-1248-4	6.558	5.164	304139	93024	5.365	3.487 #
25)	L5 AR-1248-5	6.583	5.539	189106	54498	3.197	2.310 #
26)	L6 AR-1254-1	6.521	5.539	193849	54498	3.069	1.421 #
27)	L6 AR-1254-2	6.732	5.657	837743	70397	8.729	2.045 #
28)	L6 AR-1254-3	7.110	6.074	464814	80393	4.940	1.547 #
29)	L6 AR-1254-4	7.395	6.291	72571	99556	1.246	3.627 #
30)	L6 AR-1254-5	7.839	6.728	464885	50933	6.656	1.176 #
31)	L7 AR-1260-1	7.271	6.196	64459	48024	0.886	1.309 #
32)	L7 AR-1260-2	7.523	6.383	82402	222234	1.001	5.296 #
33)	L7 AR-1260-3	7.894	6.540	32013	56366	0.517	1.409 #
34)	L7 AR-1260-4	8.096	7.007	2107168	202249	31.258	6.280 #
35)	L7 AR-1260-5	8.431	7.275	290358	63936	2.235	0.913 #
36)	L8 AR-1262-1	7.894	6.754	32013	15181	0.368	0.335
37)	L8 AR-1262-2	8.450	7.007	227258	202249	1.611	5.016 #
38)	L8 AR-1262-3	8.775	7.549	143743	489851	1.456	15.779 #
39)	L8 AR-1262-4	8.853	7.609	79543	60611	1.037	1.119
40)	L8 AR-1262-5	9.531	8.112	43034	58068	0.887	2.351 #
41)	L9 AR-1268-1	8.775	7.549	143743	489851	0.828	5.361 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\PO100223\
Data File : PO098459.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 02 Oct 2023 15:34
Operator : YP/AJ
Sample : 04687-01
Misc :
ALS Vial : 19 Sample Multiplier: 1

Instrument :
ECD_O
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Oct 02 16:55:43 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\PO092723.M
Quant Title : GC EXTRACTABLES
QLast Update : Thu Sep 28 01:18:56 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42)	L9 AR-1268-2	8.853	7.609	79543	60611	0.510	0.782 #
43)	L9 AR-1268-3	9.101	7.782f	54153	8121	0.396	0.123 #
44)	L9 AR-1268-4	9.531	8.112	43034	58068	0.808	2.145 #
45)	L9 AR-1268-5	9.964	8.394	167111	45915	0.381	0.232 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\PO100223\
Data File : PO098459.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 02 Oct 2023 15:34
Operator : YP/AJ
Sample : 04687-01
Misc :
ALS Vial : 19 Sample Multiplier: 1

Instrument :
ECD_O
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Oct 02 16:55:43 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\PO092723.M
Quant Title : GC EXTRACTABLES
QLast Update : Thu Sep 28 01:18:56 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.487 min
Delta R.T.: 0.002 min
Response: 40640476
Conc: 21.16 ng/ml

Instrument :
ECD_O
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 3.640 min
Delta R.T.: 0.002 min
Response: 1655745
Conc: 21.26 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.302 min
Delta R.T.: 0.008 min
Response: 24049533
Conc: 19.81 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.649 min
Delta R.T.: -0.003 min
Response: 10892984
Conc: 20.33 ng/ml



#3 AR-1016-1


R.T.: 5.649 min
Delta R.T.: -0.009 min
Response: 184156
Conc: 3.41 ng/ml

Instrument :
ECD_O
ClientSampleId :




#3 AR-1016-1

R.T.: 4.734 min
Delta R.T.: 0.011 min
Response: 74773
Conc: 3.13 ng/ml




#4 AR-1016-2

R.T.: 5.683 min
Delta R.T.: 0.002 min
Response: 45905
Conc: 0.57 ng/ml



#4 AR-1016-2


R.T.: 4.734 min
Delta R.T.: -0.008 min
Response: 74773
Conc: 2.20 ng/ml



#5 AR-1016-3


R.T.: 5.727 min
Delta R.T.: -0.017 min
Response: 7457
Conc: 0.15 ng/ml

Instrument :
ECD_O
ClientSampleId :




#5 AR-1016-3

R.T.: 4.912 min
Delta R.T.: -0.006 min
Response: 67230
Conc: 3.74 ng/ml




#6 AR-1016-4

R.T.: 5.876 min
Delta R.T.: 0.035 min
Response: 184928
Conc: 4.73 ng/ml



#6 AR-1016-4


R.T.: 4.978 min
Delta R.T.: 0.019 min
Response: 102546
Conc: 6.84 ng/ml



#7 AR-1016-5


R.T.: 6.141 min
Delta R.T.: 0.003 min
Response: -37667
Conc: N.D.

Instrument :
ECD_O
ClientSampleId :




#7 AR-1016-5

R.T.: 5.164 min
Delta R.T.: -0.009 min
Response: 93024
Conc: 4.79 ng/ml




#8 AR-1221-1

R.T.: 4.696 min
Delta R.T.: 0.002 min
Response: 639374
Conc: 28.40 ng/ml



#8 AR-1221-1


R.T.: 3.845 min
Delta R.T.: -0.008 min
Response: 26535
Conc: 2.89 ng/ml



#9 AR-1221-2


R.T.: 4.770 min
Delta R.T.: -0.011 min
Response: 36355
Conc: 2.15 ng/ml

Instrument :
ECD_O
ClientSampleId :




#9 AR-1221-2

R.T.: 3.942 min
Delta R.T.: 0.003 min
Response: 552342
Conc: 83.07 ng/ml




#10 AR-1221-3

R.T.: 4.876 min
Delta R.T.: 0.018 min
Response: 168670
Conc: 3.45 ng/ml



#10 AR-1221-3


R.T.: 4.013 min
Delta R.T.: -0.001 min
Response: 87139
Conc: 4.32 ng/ml



#11 AR-1232-1


R.T.: 4.876 min
Delta R.T.: 0.018 min
Response: 168670
Conc: 4.13 ng/ml

Instrument :
ECD_O
ClientSampleId :




#11 AR-1232-1

R.T.: 4.013 min
Delta R.T.: -0.001 min
Response: 87139
Conc: 5.18 ng/ml




#12 AR-1232-2

R.T.: 5.382 min
Delta R.T.: -0.008 min
Response: 40513
Conc: 1.87 ng/ml



#12 AR-1232-2


R.T.: 4.734 min
Delta R.T.: -0.008 min
Response: 74773
Conc: 4.98 ng/ml



#13 AR-1232-3


R.T.: 5.683 min
Delta R.T.: 0.001 min
Response: 45905
Conc: 1.29 ng/ml

Instrument :
ECD_O
ClientSampleId :




#13 AR-1232-3

R.T.: 4.912 min
Delta R.T.: -0.006 min
Response: 67230
Conc: 8.59 ng/ml




#14 AR-1232-4

R.T.: 5.876 min
Delta R.T.: 0.033 min
Response: 184928
Conc: 10.89 ng/ml



#14 AR-1232-4


R.T.: 5.002 min
Delta R.T.: 0.000 min
Response: 56678
Conc: 7.54 ng/ml



#15 AR-1232-5


R.T.: 5.984 min
Delta R.T.: 0.050 min
Response: 6826369
Conc: 479.45 ng/ml

Instrument :
ECD_O
ClientSampleId :




#15 AR-1232-5

R.T.: 5.164 min
Delta R.T.: -0.010 min
Response: 93024
Conc: 11.50 ng/ml




#16 AR-1242-1

R.T.: 5.670 min
Delta R.T.: 0.010 min
Response: 32983
Conc: 0.72 ng/ml



#16 AR-1242-1


R.T.: 4.734 min
Delta R.T.: 0.011 min
Response: 74773
Conc: 3.57 ng/ml



#17 AR-1242-2


R.T.: 5.683 min
Delta R.T.: 0.001 min
Response: 45905
Conc: 0.67 ng/ml

Instrument :
ECD_O
ClientSampleId :




#17 AR-1242-2

R.T.: 4.734 min
Delta R.T.: -0.008 min
Response: 74773
Conc: 2.57 ng/ml




#18 AR-1242-3

R.T.: 5.727 min
Delta R.T.: -0.018 min
Response: 7457
Conc: 0.18 ng/ml



#18 AR-1242-3


R.T.: 4.912 min
Delta R.T.: -0.006 min
Response: 67230
Conc: 4.30 ng/ml



#19 AR-1242-4


R.T.: 5.876 min
Delta R.T.: 0.032 min
Response: 184928
Conc: 5.64 ng/ml

Instrument :
ECD_O
ClientSampleId :




#19 AR-1242-4

R.T.: 5.002 min
Delta R.T.: 0.000 min
Response: 56678
Conc: 3.42 ng/ml




#20 AR-1242-5

R.T.: 6.583 min
Delta R.T.: 0.000 min
Response: 189106
Conc: 5.34 ng/ml



#20 AR-1242-5


R.T.: 5.539 min
Delta R.T.: 0.012 min
Response: 54498
Conc: 2.94 ng/ml



#21 AR-1248-1


R.T.: 5.670 min
Delta R.T.: 0.007 min
Response: 32983
Conc: 0.97 ng/ml

Instrument :
ECD_O
ClientSampleId :




#21 AR-1248-1

R.T.: 4.734 min
Delta R.T.: 0.012 min
Response: 74773
Conc: 4.77 ng/ml




#22 AR-1248-2

R.T.: 5.984 min
Delta R.T.: 0.046 min
Response: 6826369
Conc: 131.81 ng/ml



#22 AR-1248-2


R.T.: 4.978 min
Delta R.T.: 0.020 min
Response: 102546
Conc: 4.66 ng/ml



#23 AR-1248-3


R.T.: 6.141 min
Delta R.T.: -0.002 min
Response: -37667
Conc: N.D.

Instrument :
ECD_O
ClientSampleId :




#23 AR-1248-3

R.T.: 5.002 min
Delta R.T.: 0.002 min
Response: 56678
Conc: 2.41 ng/ml




#24 AR-1248-4

R.T.: 6.558 min
Delta R.T.: 0.009 min
Response: 304139
Conc: 5.37 ng/ml



#24 AR-1248-4


R.T.: 5.164 min
Delta R.T.: -0.009 min
Response: 93024
Conc: 3.49 ng/ml



#25 AR-1248-5


R.T.: 6.583 min
Delta R.T.: -0.004 min
Response: 189106
Conc: 3.20 ng/ml

Instrument :
ECD_O
ClientSampleId :




#25 AR-1248-5

R.T.: 5.539 min
Delta R.T.: -0.028 min
Response: 54498
Conc: 2.31 ng/ml




#26 AR-1254-1

R.T.: 6.521 min
Delta R.T.: -0.001 min
Response: 193849
Conc: 3.07 ng/ml



#26 AR-1254-1


R.T.: 5.539 min
Delta R.T.: 0.013 min
Response: 54498
Conc: 1.42 ng/ml



#27 AR-1254-2


R.T.: 6.732 min
Delta R.T.: -0.010 min
Response: 837743
Conc: 8.73 ng/ml

Instrument :
ECD_O
ClientSampleId :




#27 AR-1254-2

R.T.: 5.657 min
Delta R.T.: -0.016 min
Response: 70397
Conc: 2.04 ng/ml




#28 AR-1254-3

R.T.: 7.110 min
Delta R.T.: 0.002 min
Response: 464814
Conc: 4.94 ng/ml



#28 AR-1254-3


R.T.: 6.074 min
Delta R.T.: -0.005 min
Response: 80393
Conc: 1.55 ng/ml



#29 AR-1254-4


R.T.: 7.395 min
Delta R.T.: 0.000 min
Response: 72571
Conc: 1.25 ng/ml

Instrument :
ECD_O
ClientSampleId :




#29 AR-1254-4

R.T.: 6.291 min
Delta R.T.: -0.015 min
Response: 99556
Conc: 3.63 ng/ml




#30 AR-1254-5

R.T.: 7.839 min
Delta R.T.: 0.024 min
Response: 464885
Conc: 6.66 ng/ml



#30 AR-1254-5


R.T.: 6.728 min
Delta R.T.: 0.003 min
Response: 50933
Conc: 1.18 ng/ml



#31 AR-1260-1


R.T.: 7.271 min
Delta R.T.: 0.004 min
Response: 64459
Conc: 0.89 ng/ml

Instrument :
ECD_O
ClientSampleId :




#31 AR-1260-1

R.T.: 6.196 min
Delta R.T.: -0.013 min
Response: 48024
Conc: 1.31 ng/ml




#32 AR-1260-2

R.T.: 7.523 min
Delta R.T.: -0.002 min
Response: 82402
Conc: 1.00 ng/ml



#32 AR-1260-2


R.T.: 6.383 min
Delta R.T.: -0.014 min
Response: 222234
Conc: 5.30 ng/ml



#33 AR-1260-3


R.T.: 7.894 min
Delta R.T.: 0.010 min
Response: 32013
Conc: 0.52 ng/ml

Instrument :
ECD_O
ClientSampleId :




#33 AR-1260-3

R.T.: 6.540 min
Delta R.T.: -0.011 min
Response: 56366
Conc: 1.41 ng/ml




#34 AR-1260-4

R.T.: 8.096 min
Delta R.T.: -0.016 min
Response: 2107168
Conc: 31.26 ng/ml



#34 AR-1260-4


R.T.: 7.007 min
Delta R.T.: -0.017 min
Response: 202249
Conc: 6.28 ng/ml



#35 AR-1260-5


R.T.: 8.431 min
Delta R.T.: -0.007 min
Response: 290358
Conc: 2.23 ng/ml

Instrument :
ECD_O
ClientSampleId :




#35 AR-1260-5

R.T.: 7.275 min
Delta R.T.: 0.009 min
Response: 63936
Conc: 0.91 ng/ml




#36 AR-1262-1

R.T.: 7.894 min
Delta R.T.: 0.005 min
Response: 32013
Conc: 0.37 ng/ml



#36 AR-1262-1


R.T.: 6.754 min
Delta R.T.: -0.009 min
Response: 15181
Conc: 0.34 ng/ml



#37 AR-1262-2


R.T.: 8.450 min
Delta R.T.: 0.008 min
Response: 227258
Conc: 1.61 ng/ml

Instrument :
ECD_O
ClientSampleId :




#37 AR-1262-2

R.T.: 7.007 min
Delta R.T.: -0.015 min
Response: 202249
Conc: 5.02 ng/ml




#38 AR-1262-3

R.T.: 8.775 min
Delta R.T.: 0.013 min
Response: 143743
Conc: 1.46 ng/ml



#38 AR-1262-3


R.T.: 7.549 min
Delta R.T.: 0.001 min
Response: 489851
Conc: 15.78 ng/ml



#39 AR-1262-4


R.T.: 8.853 min
Delta R.T.: 0.002 min
Response: 79543
Conc: 1.04 ng/ml

Instrument :
ECD_O
ClientSampleId :




#39 AR-1262-4

R.T.: 7.609 min
Delta R.T.: -0.002 min
Response: 60611
Conc: 1.12 ng/ml




#40 AR-1262-5

R.T.: 9.531 min
Delta R.T.: 0.003 min
Response: 43034
Conc: 0.89 ng/ml



#40 AR-1262-5


R.T.: 8.112 min
Delta R.T.: 0.005 min
Response: 58068
Conc: 2.35 ng/ml



#41 AR-1268-1


R.T.: 8.775 min
Delta R.T.: 0.013 min
Response: 143743
Conc: 0.83 ng/ml

Instrument :
ECD_O
ClientSampleId :




#41 AR-1268-1

R.T.: 7.549 min
Delta R.T.: 0.000 min
Response: 489851
Conc: 5.36 ng/ml




#42 AR-1268-2

R.T.: 8.853 min
Delta R.T.: -0.004 min
Response: 79543
Conc: 0.51 ng/ml



#42 AR-1268-2


R.T.: 7.609 min
Delta R.T.: -0.005 min
Response: 60611
Conc: 0.78 ng/ml



#43 AR-1268-3


R.T.: 9.101 min
Delta R.T.: 0.008 min
Response: 54153
Conc: 0.40 ng/ml

Instrument :
ECD_O
ClientSampleId :




#43 AR-1268-3

R.T.: 7.782 min
Delta R.T.: -0.038 min
Response: 8121
Conc: 0.12 ng/ml




#44 AR-1268-4

R.T.: 9.531 min
Delta R.T.: 0.003 min
Response: 43034
Conc: 0.81 ng/ml



#44 AR-1268-4


R.T.: 8.112 min
Delta R.T.: 0.003 min
Response: 58068
Conc: 2.15 ng/ml



#45 AR-1268-5

R.T.: 9.964 min
Delta R.T.: 0.008 min
Response: 167111
Conc: 0.38 ng/ml

Instrument :
ECD_O
ClientSampleId :



#45 AR-1268-5

R.T.: 8.394 min
Delta R.T.: -0.004 min
Response: 45915
Conc: 0.23 ng/ml