

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\PO101024\
 Data File : PO107049.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 10 Oct 2024 10:08
 Operator : YP/AJ
 Sample : P4355-01DL 2X
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :
 PIPE-11DL

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Oct 10 10:42:52 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\PO100824.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Wed Oct 09 04:48:43 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.373	3.646	118.1E6	39438429	9.846	9.888
2)	SA Decachlor...	10.051	8.642	28619671	27801514	11.438	9.904
Target Compounds							
3)	L1 AR-1016-1	5.521	4.728	169.0E6	61035422	487.109	501.763
4)	L1 AR-1016-2	5.543	4.748	287.4E6	98431042	572.427	582.155
5)	L1 AR-1016-3	5.606	4.923	163.7E6	51444898	531.822	565.284
6)	L1 AR-1016-4	5.702	4.964	148.6E6	39111503	602.092	533.130
7)	L1 AR-1016-5	5.997	5.178	143.7E6	58810489	641.558	639.990
8)	L2 AR-1221-1	4.570	3.857	10743939	1646231	80.572	39.548 #
9)	L2 AR-1221-2	4.657	3.944	9338857	2875684	94.850	92.872
10)	L2 AR-1221-3	4.733	4.019	43643058	16814151	151.416	174.274
11)	L3 AR-1232-1	4.733	4.019	43643058	16814151	174.660	203.510
12)	L3 AR-1232-2	5.257	4.748	93319209	98431042	727.970	1326.984 #
13)	L3 AR-1232-3	5.543	4.923	287.4E6	51444898	1297.434	1299.105
14)	L3 AR-1232-4	5.702	5.007	148.6E6	49397513	1351.303	1373.661
15)	L3 AR-1232-5	5.794	5.178	118.4E6	58810489	1355.490	1549.516
16)	L4 AR-1242-1	5.521	4.728	169.0E6	61035422	664.917	684.657
17)	L4 AR-1242-2	5.543	4.748	287.4E6	98431042	787.561	804.469
18)	L4 AR-1242-3	5.606	4.923	163.7E6	51444898	717.379	765.698
19)	L4 AR-1242-4	5.702	5.007	148.6E6	49397513	813.192	725.940
20)	L4 AR-1242-5	6.435	5.528	145.0E6	72546892	950.120	901.861
21)	L5 AR-1248-1	5.521	4.728	169.0E6	61035422	858.340	886.090
22)	L5 AR-1248-2	5.794	4.964	118.4E6	39111503	420.209	403.504
23)	L5 AR-1248-3	5.997	5.007	143.7E6	49397513	498.825	487.692
24)	L5 AR-1248-4	6.397	5.178	141.6E6	58810489	499.047	496.340
25)	L5 AR-1248-5	6.435	5.570	145.0E6	60240123	524.946	563.018
26)	L6 AR-1254-1	6.370	5.528	108.2E6	72546892	355.112	429.305
27)	L6 AR-1254-2	6.591	5.676	114.9E6	18477277	270.276	122.846 #
28)	L6 AR-1254-3	6.954	6.080	36779176	20387492	92.838	87.517
29)	L6 AR-1254-4	7.238	6.307	21690276	11170761	81.747	87.409
30)	L6 AR-1254-5	7.657	6.724	9469751	5332586	33.917	26.506
31)	L7 AR-1260-1	7.121	6.225	7208684	11956218	22.197	69.419 #
32)	L7 AR-1260-2	7.377	6.397	6204047	4159825	18.220	20.591
33)	L7 AR-1260-3	7.738	6.550	4249629	3803245	19.956	20.110
34)	L7 AR-1260-4	7.951	7.020	7630897	2704599	33.777	19.994 #
35)	L7 AR-1260-5	8.276	7.261	6384375	6388364	19.237	20.682
36)	L8 AR-1262-1	7.738	6.761	4249629	2196432	13.495	10.753
37)	L8 AR-1262-2	8.276	7.261	6384375	6388364	16.432	18.042
38)	L8 AR-1262-3	8.589	7.543	3903505	2536577	16.646	18.211
39)	L8 AR-1262-4	8.672	7.607	2236977	4368100	12.256	16.450 #
40)	L8 AR-1262-5	9.309	8.100	3094309	1903956	29.144	17.081 #
41)	L9 AR-1268-1	8.589	7.543	3903505	2536577	9.880	6.241 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\PO101024\
Data File : PO107049.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 10 Oct 2024 10:08
Operator : YP/AJ
Sample : P4355-01DL 2X
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
ECD_O
ClientSampleId :
PIPE-11DL

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Oct 10 10:42:52 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\PO100824.M
Quant Title : GC EXTRACTABLES
QLast Update : Wed Oct 09 04:48:43 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42)	L9 AR-1268-2	8.672	7.607	2236977	4368100	6.505	11.836 #
43)	L9 AR-1268-3	8.912	7.814	137792	424249	0.483	1.348 #
44)	L9 AR-1268-4	9.309	8.100	3094309	1903956	28.535	16.069 #
45)	L9 AR-1268-5	9.715	8.389	1406401	1508426	1.691	1.580



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\PO101024\
Data File : PO107049.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 10 Oct 2024 10:08
Operator : YP/AJ
Sample : P4355-01DL 2X
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
ECD_O
ClientSampleId :
PIPE-11DL

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Oct 10 10:42:52 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\PO100824.M
Quant Title : GC EXTRACTABLES
QLast Update : Wed Oct 09 04:48:43 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.373 min
Delta R.T.: -0.003 min
Response: 118112532
Conc: 9.85 ng/ml

Instrument :
ECD_O
ClientSampleId :
PIPE-11DL




#1 Tetrachloro-m-xylene

R.T.: 3.646 min
Delta R.T.: -0.002 min
Response: 39438429
Conc: 9.89 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.051 min
Delta R.T.: -0.006 min
Response: 28619671
Conc: 11.44 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.642 min
Delta R.T.: -0.005 min
Response: 27801514
Conc: 9.90 ng/ml



#3 AR-1016-1


R.T.: 5.521 min
Delta R.T.: -0.002 min
Response: 169031297
Conc: 487.11 ng/ml

Instrument :
ECD_O
ClientSampleId :
PIPE-11DL




#3 AR-1016-1

R.T.: 4.728 min
Delta R.T.: -0.002 min
Response: 61035422
Conc: 501.76 ng/ml




#4 AR-1016-2

R.T.: 5.543 min
Delta R.T.: -0.003 min
Response: 287361901
Conc: 572.43 ng/ml



#4 AR-1016-2


R.T.: 4.748 min
Delta R.T.: -0.002 min
Response: 98431042
Conc: 582.15 ng/ml



#5 AR-1016-3


R.T.: 5.606 min
Delta R.T.: -0.003 min
Response: 163737460
Conc: 531.82 ng/ml

Instrument :
ECD_O
ClientSampleId :
PIPE-11DL




#5 AR-1016-3

R.T.: 4.923 min
Delta R.T.: -0.003 min
Response: 51444898
Conc: 565.28 ng/ml




#6 AR-1016-4

R.T.: 5.702 min
Delta R.T.: -0.003 min
Response: 148649178
Conc: 602.09 ng/ml



#6 AR-1016-4


R.T.: 4.964 min
Delta R.T.: -0.003 min
Response: 39111503
Conc: 533.13 ng/ml



#7 AR-1016-5


R.T.: 5.997 min
Delta R.T.: -0.003 min
Response: 143689663
Conc: 641.56 ng/ml

Instrument :
ECD_O
ClientSampleId :
PIPE-11DL




#7 AR-1016-5

R.T.: 5.178 min
Delta R.T.: -0.002 min
Response: 58810489
Conc: 639.99 ng/ml




#8 AR-1221-1

R.T.: 4.570 min
Delta R.T.: -0.006 min
Response: 10743939
Conc: 80.57 ng/ml



#8 AR-1221-1


R.T.: 3.857 min
Delta R.T.: -0.003 min
Response: 1646231
Conc: 39.55 ng/ml



#9 AR-1221-2


R.T.: 4.657 min
Delta R.T.: -0.003 min
Response: 9338857
Conc: 94.85 ng/ml

Instrument :
ECD_O
ClientSampleId :
PIPE-11DL




#9 AR-1221-2

R.T.: 3.944 min
Delta R.T.: 0.000 min
Response: 2875684
Conc: 92.87 ng/ml




#10 AR-1221-3

R.T.: 4.733 min
Delta R.T.: -0.002 min
Response: 43643058
Conc: 151.42 ng/ml



#10 AR-1221-3


R.T.: 4.019 min
Delta R.T.: -0.002 min
Response: 16814151
Conc: 174.27 ng/ml



#11 AR-1232-1


R.T.: 4.733 min
Delta R.T.: -0.003 min
Response: 43643058
Conc: 174.66 ng/ml

Instrument :
ECD_O
ClientSampleId :
PIPE-11DL




#11 AR-1232-1

R.T.: 4.019 min
Delta R.T.: -0.003 min
Response: 16814151
Conc: 203.51 ng/ml




#12 AR-1232-2

R.T.: 5.257 min
Delta R.T.: -0.003 min
Response: 93319209
Conc: 727.97 ng/ml



#12 AR-1232-2


R.T.: 4.748 min
Delta R.T.: -0.002 min
Response: 98431042
Conc: 1326.98 ng/ml



#13 AR-1232-3


R.T.: 5.543 min
Delta R.T.: -0.003 min
Response: 287361901
Conc: 1297.43 ng/ml

Instrument :
ECD_O
ClientSampleId :
PIPE-11DL




#13 AR-1232-3

R.T.: 4.923 min
Delta R.T.: -0.003 min
Response: 51444898
Conc: 1299.11 ng/ml




#14 AR-1232-4

R.T.: 5.702 min
Delta R.T.: -0.003 min
Response: 148649178
Conc: 1351.30 ng/ml



#14 AR-1232-4


R.T.: 5.007 min
Delta R.T.: -0.002 min
Response: 49397513
Conc: 1373.66 ng/ml



#15 AR-1232-5


R.T.: 5.794 min
Delta R.T.: -0.003 min
Response: 118356709
Conc: 1355.49 ng/ml

Instrument :
ECD_O
ClientSampleId :
PIPE-11DL




#15 AR-1232-5

R.T.: 5.178 min
Delta R.T.: -0.003 min
Response: 58810489
Conc: 1549.52 ng/ml




#16 AR-1242-1

R.T.: 5.521 min
Delta R.T.: -0.003 min
Response: 169031297
Conc: 664.92 ng/ml



#16 AR-1242-1


R.T.: 4.728 min
Delta R.T.: -0.002 min
Response: 61035422
Conc: 684.66 ng/ml



#17 AR-1242-2


R.T.: 5.543 min
Delta R.T.: -0.003 min
Response: 287361901
Conc: 787.56 ng/ml

Instrument :
ECD_O
ClientSampleId :
PIPE-11DL




#17 AR-1242-2

R.T.: 4.748 min
Delta R.T.: -0.002 min
Response: 98431042
Conc: 804.47 ng/ml




#18 AR-1242-3

R.T.: 5.606 min
Delta R.T.: -0.003 min
Response: 163737460
Conc: 717.38 ng/ml



#18 AR-1242-3


R.T.: 4.923 min
Delta R.T.: -0.002 min
Response: 51444898
Conc: 765.70 ng/ml



#19 AR-1242-4


R.T.: 5.702 min
Delta R.T.: -0.003 min
Response: 148649178
Conc: 813.19 ng/ml

Instrument :
ECD_O
ClientSampleId :
PIPE-11DL




#19 AR-1242-4

R.T.: 5.007 min
Delta R.T.: -0.002 min
Response: 49397513
Conc: 725.94 ng/ml




#20 AR-1242-5

R.T.: 6.435 min
Delta R.T.: -0.003 min
Response: 144984704
Conc: 950.12 ng/ml



#20 AR-1242-5


R.T.: 5.528 min
Delta R.T.: -0.002 min
Response: 72546892
Conc: 901.86 ng/ml



#21 AR-1248-1


R.T.: 5.521 min
Delta R.T.: -0.002 min
Response: 169031297
Conc: 858.34 ng/ml

Instrument :
ECD_O
ClientSampleId :
PIPE-11DL




#21 AR-1248-1

R.T.: 4.728 min
Delta R.T.: -0.002 min
Response: 61035422
Conc: 886.09 ng/ml




#22 AR-1248-2

R.T.: 5.794 min
Delta R.T.: -0.003 min
Response: 118356709
Conc: 420.21 ng/ml



#22 AR-1248-2


R.T.: 4.964 min
Delta R.T.: -0.002 min
Response: 39111503
Conc: 403.50 ng/ml



#23 AR-1248-3


R.T.: 5.997 min
Delta R.T.: -0.002 min
Response: 143689663
Conc: 498.83 ng/ml

Instrument :
ECD_O
ClientSampleId :
PIPE-11DL




#23 AR-1248-3

R.T.: 5.007 min
Delta R.T.: -0.001 min
Response: 49397513
Conc: 487.69 ng/ml




#24 AR-1248-4

R.T.: 6.397 min
Delta R.T.: -0.002 min
Response: 141615394
Conc: 499.05 ng/ml



#24 AR-1248-4


R.T.: 5.178 min
Delta R.T.: -0.002 min
Response: 58810489
Conc: 496.34 ng/ml



#25 AR-1248-5


R.T.: 6.435 min
Delta R.T.: -0.003 min
Response: 144984704
Conc: 524.95 ng/ml

Instrument :
ECD_O
ClientSampleId :
PIPE-11DL




#25 AR-1248-5

R.T.: 5.570 min
Delta R.T.: -0.002 min
Response: 60240123
Conc: 563.02 ng/ml




#26 AR-1254-1

R.T.: 6.370 min
Delta R.T.: -0.003 min
Response: 108204062
Conc: 355.11 ng/ml



#26 AR-1254-1


R.T.: 5.528 min
Delta R.T.: -0.002 min
Response: 72546892
Conc: 429.30 ng/ml



#27 AR-1254-2


R.T.: 6.591 min
Delta R.T.: 0.000 min
Response: 114925406
Conc: 270.28 ng/ml

Instrument :
ECD_O
ClientSampleId :
PIPE-11DL




#27 AR-1254-2

R.T.: 5.676 min
Delta R.T.: -0.001 min
Response: 18477277
Conc: 122.85 ng/ml




#28 AR-1254-3

R.T.: 6.954 min
Delta R.T.: -0.001 min
Response: 36779176
Conc: 92.84 ng/ml



#28 AR-1254-3


R.T.: 6.080 min
Delta R.T.: -0.002 min
Response: 20387492
Conc: 87.52 ng/ml



#29 AR-1254-4


R.T.: 7.238 min
Delta R.T.: -0.002 min
Response: 21690276
Conc: 81.75 ng/ml

Instrument :
ECD_O
ClientSampleId :
PIPE-11DL




#29 AR-1254-4

R.T.: 6.307 min
Delta R.T.: -0.001 min
Response: 11170761
Conc: 87.41 ng/ml




#30 AR-1254-5

R.T.: 7.657 min
Delta R.T.: -0.003 min
Response: 9469751
Conc: 33.92 ng/ml



#30 AR-1254-5


R.T.: 6.724 min
Delta R.T.: -0.002 min
Response: 5332586
Conc: 26.51 ng/ml



#31 AR-1260-1


R.T.: 7.121 min
Delta R.T.: -0.002 min
Response: 7208684
Conc: 22.20 ng/ml

Instrument :
ECD_O
ClientSampleId :
PIPE-11DL




#31 AR-1260-1

R.T.: 6.225 min
Delta R.T.: 0.013 min
Response: 11956218
Conc: 69.42 ng/ml




#32 AR-1260-2

R.T.: 7.377 min
Delta R.T.: -0.004 min
Response: 6204047
Conc: 18.22 ng/ml



#32 AR-1260-2


R.T.: 6.397 min
Delta R.T.: -0.003 min
Response: 4159825
Conc: 20.59 ng/ml



#33 AR-1260-3


R.T.: 7.738 min
Delta R.T.: -0.004 min
Response: 4249629
Conc: 19.96 ng/ml

Instrument :
ECD_O
ClientSampleId :
PIPE-11DL




#33 AR-1260-3

R.T.: 6.550 min
Delta R.T.: -0.003 min
Response: 3803245
Conc: 20.11 ng/ml




#34 AR-1260-4

R.T.: 7.951 min
Delta R.T.: -0.014 min
Response: 7630897
Conc: 33.78 ng/ml



#34 AR-1260-4


R.T.: 7.020 min
Delta R.T.: -0.004 min
Response: 2704599
Conc: 19.99 ng/ml



#35 AR-1260-5


R.T.: 8.276 min
Delta R.T.: -0.003 min
Response: 6384375
Conc: 19.24 ng/ml

Instrument :
ECD_O
ClientSampleId :
PIPE-11DL




#35 AR-1260-5

R.T.: 7.261 min
Delta R.T.: -0.002 min
Response: 6388364
Conc: 20.68 ng/ml




#36 AR-1262-1

R.T.: 7.738 min
Delta R.T.: -0.004 min
Response: 4249629
Conc: 13.50 ng/ml



#36 AR-1262-1


R.T.: 6.761 min
Delta R.T.: -0.003 min
Response: 2196432
Conc: 10.75 ng/ml



#37 AR-1262-2


R.T.: 8.276 min
Delta R.T.: -0.004 min
Response: 6384375
Conc: 16.43 ng/ml

Instrument :
ECD_O
ClientSampleId :
PIPE-11DL




#37 AR-1262-2

R.T.: 7.261 min
Delta R.T.: -0.002 min
Response: 6388364
Conc: 18.04 ng/ml




#38 AR-1262-3

R.T.: 8.589 min
Delta R.T.: -0.002 min
Response: 3903505
Conc: 16.65 ng/ml



#38 AR-1262-3


R.T.: 7.543 min
Delta R.T.: -0.004 min
Response: 2536577
Conc: 18.21 ng/ml



#39 AR-1262-4


R.T.: 8.672 min
Delta R.T.: -0.005 min
Response: 2236977
Conc: 12.26 ng/ml

Instrument :
ECD_O
ClientSampleId :
PIPE-11DL




#39 AR-1262-4

R.T.: 7.607 min
Delta R.T.: -0.004 min
Response: 4368100
Conc: 16.45 ng/ml




#40 AR-1262-5

R.T.: 9.309 min
Delta R.T.: -0.005 min
Response: 3094309
Conc: 29.14 ng/ml



#40 AR-1262-5


R.T.: 8.100 min
Delta R.T.: -0.003 min
Response: 1903956
Conc: 17.08 ng/ml



#41 AR-1268-1


R.T.: 8.589 min
Delta R.T.: 0.002 min
Response: 3903505
Conc: 9.88 ng/ml

Instrument :
ECD_O
ClientSampleId :
PIPE-11DL




#41 AR-1268-1

R.T.: 7.543 min
Delta R.T.: -0.003 min
Response: 2536577
Conc: 6.24 ng/ml




#42 AR-1268-2

R.T.: 8.672 min
Delta R.T.: -0.006 min
Response: 2236977
Conc: 6.51 ng/ml



#42 AR-1268-2


R.T.: 7.607 min
Delta R.T.: -0.004 min
Response: 4368100
Conc: 11.84 ng/ml



#43 AR-1268-3


R.T.: 8.912 min
Delta R.T.: 0.004 min
Response: 137792
Conc: 0.48 ng/ml

Instrument :
ECD_O
ClientSampleId :
PIPE-11DL




#43 AR-1268-3

R.T.: 7.814 min
Delta R.T.: -0.004 min
Response: 424249
Conc: 1.35 ng/ml




#44 AR-1268-4

R.T.: 9.309 min
Delta R.T.: -0.004 min
Response: 3094309
Conc: 28.53 ng/ml



#44 AR-1268-4


R.T.: 8.100 min
Delta R.T.: -0.002 min
Response: 1903956
Conc: 16.07 ng/ml



#45 AR-1268-5

R.T.: 9.715 min
Delta R.T.: -0.007 min
Response: 1406401
Conc: 1.69 ng/ml

Instrument :
ECD_O
ClientSampleId :
PIPE-11DL



#45 AR-1268-5

R.T.: 8.389 min
Delta R.T.: -0.002 min
Response: 1508426
Conc: 1.58 ng/ml