

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\PO102220\
 Data File : PO072647.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 22 Oct 2020 9:54
 Operator : DD\AJ
 Sample : L4457-02RE
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :
 SUTTON-PR-2152RE

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Oct 23 05:46:59 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\PO101420.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Wed Oct 14 17:47:24 2020
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.317	3.501	3034985	1472997	35.782	34.970
2)	SA Decachlor...	9.917	8.665	3131258	1301217	28.387	25.171
Target Compounds							
3)	L1 AR-1016-1	5.637	4.746f	603399	6124014	183.070	3561.008 #
4)	L1 AR-1016-2	5.637	4.746	603399	6124014	129.112	2493.153 #
5)	L1 AR-1016-3	5.706	4.943f	351366	911594	131.838	743.570 #
6)	L1 AR-1016-4	5.806	5.013f	1011518	65395	426.130	62.108 #
7)	L1 AR-1016-5	6.120	5.220f	68539	10829	33.753	8.223 #
8)	L2 AR-1221-1	0.000	3.756	0	123416	N.D.	248.555 #
9)	L2 AR-1221-2	4.669	3.844	555250	151905	877.064	396.793 #
10)	L2 AR-1221-3	4.779f	3.935	2171386	131689	1049.587	116.044 #
11)	L3 AR-1232-1	4.779f	3.935	2171386	131689	1237.053	135.987 #
12)	L3 AR-1232-2	5.323	4.746	467394	6124014	490.845	5903.456 #
13)	L3 AR-1232-3	5.637	4.943f	603399	911594	307.949	1763.795 #
14)	L3 AR-1232-4	5.806	5.013	1011518	65395	1044.374	148.527 #
15)	L3 AR-1232-5	5.912	5.220f	562917	10829	938.771	21.196 #
16)	L4 AR-1242-1	5.637	4.746f	603399	6124014	247.764	4738.003 #
17)	L4 AR-1242-2	5.637	4.746	603399	6124014	171.424	3344.200 #
18)	L4 AR-1242-3	5.706	4.943f	351366	911594	169.845	968.330 #
19)	L4 AR-1242-4	5.806	5.013	1011518	65395	583.423	73.827 #
20)	L4 AR-1242-5	6.557f	5.597f	368292	4067307	157.984	2962.516 #
21)	L5 AR-1248-1	5.637	4.746f	603399	6124014	322.767	6020.902 #
22)	L5 AR-1248-2	5.912	5.013f	562917	65395	224.989	45.863 #
23)	L5 AR-1248-3	6.120	5.013	68539	65395	23.657	48.693 #
24)	L5 AR-1248-4	6.557	5.220	368292	10829	83.283	6.448 #
25)	L5 AR-1248-5	0.000	5.597f	0	4067307	N.D.	2202.083 #
26)	L6 AR-1254-1	6.510	5.597f	96733	4067307	22.898	1471.427 #
27)	L6 AR-1254-2	6.747	0.000	3344877	0	516.112	N.D. #
28)	L6 AR-1254-3	7.110	6.142	343991	1136621	50.611	295.374 #
29)	L6 AR-1254-4	7.390f	6.376	3455246	226537	521.291	84.363 #
30)	L6 AR-1254-5	7.816f	6.835f	855577	362386	133.565	98.885 #
31)	L7 AR-1260-1	7.288	6.275	815583	114089	167.360	44.597 #
32)	L7 AR-1260-2	7.543	6.464f	741244	261208	96.607	81.006
33)	L7 AR-1260-3	7.899	6.635	507471	752883	79.184	250.855 #
34)	L7 AR-1260-4	8.157f	7.075f	2458997	248779	404.037	94.359 #
35)	L7 AR-1260-5	8.450	0.000	685543	0	47.190	N.D. #
36)	L8 AR-1262-1	7.899	6.776f	507471	1701610	53.509	891.782 #
37)	L8 AR-1262-2	8.450	0.000	685543	0	42.892	N.D. #
38)	L8 AR-1262-3	8.740f	7.649	-33430	401243	N.D.	140.788 #
39)	L8 AR-1262-4	8.817f	7.696	2396300	382917	599.629	74.298 #
40)	L8 AR-1262-5	9.361f	8.182	61627	250367	11.584	99.138 #
41)	L9 AR-1268-1	8.740f	7.649	-33430	401243	N.D.	50.598 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\PO102220\
 Data File : P0072647.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 22 Oct 2020 9:54
 Operator : DD\AJ
 Sample : L4457-02RE
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :
 SUTTON-PR-2152RE

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Oct 23 05:46:59 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\PO101420.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Wed Oct 14 17:47:24 2020
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42) L9	AR-1268-2	8.817f	7.696	2396300	382917	145.148	52.629 #
43) L9	AR-1268-3	0.000	7.922f	0	182253	N.D.	29.631 #
44) L9	AR-1268-4	9.322f	8.182	107883	250367	18.081	88.563 #
45) L9	AR-1268-5	9.687f	8.476	71196	190905	1.731	9.933 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\PO102220\
Data File : PO072647.D
Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
Acq On : 22 Oct 2020 9:54
Operator : DD\AJ
Sample : L4457-02RE
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
ECD_O
ClientSampleId :
SUTTON-PR-2152RE

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Oct 23 05:46:59 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\PO101420.M
Quant Title : GC EXTRACTABLES
QLast Update : Wed Oct 14 17:47:24 2020
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.317 min
Delta R.T.: -0.004 min
Response: 3034985
Conc: 35.78 ng/ml

Instrument :
ECD_O
ClientSampleId :
SUTTON-PR-2152RE




#1 Tetrachloro-m-xylene

R.T.: 3.501 min
Delta R.T.: -0.003 min
Response: 1472997
Conc: 34.97 ng/ml




#2 Decachlorobiphenyl

R.T.: 9.917 min
Delta R.T.: -0.009 min
Response: 3131258
Conc: 28.39 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.665 min
Delta R.T.: -0.011 min
Response: 1301217
Conc: 25.17 ng/ml



#3 AR-1016-1


R.T.: 5.637 min
Delta R.T.: 0.012 min
Response: 603399
Conc: 183.07 ng/ml

Instrument :
ECD_O
ClientSampleId :
SUTTON-PR-2152RE




#3 AR-1016-1

R.T.: 4.746 min
Delta R.T.: 0.021 min
Response: 6124014
Conc: 3561.01 ng/ml




#4 AR-1016-2

R.T.: 5.637 min
Delta R.T.: -0.010 min
Response: 603399
Conc: 129.11 ng/ml



#4 AR-1016-2


R.T.: 4.746 min
Delta R.T.: 0.004 min
Response: 6124014
Conc: 2493.15 ng/ml



#5 AR-1016-3


R.T.: 5.706 min
Delta R.T.: -0.003 min
Response: 351366
Conc: 131.84 ng/ml

Instrument :
ECD_O
ClientSampleId :
SUTTON-PR-2152RE




#5 AR-1016-3

R.T.: 4.943 min
Delta R.T.: 0.017 min
Response: 911594
Conc: 743.57 ng/ml




#6 AR-1016-4

R.T.: 5.806 min
Delta R.T.: -0.009 min
Response: 1011518
Conc: 426.13 ng/ml



#6 AR-1016-4


R.T.: 5.013 min
Delta R.T.: 0.029 min
Response: 65395
Conc: 62.11 ng/ml



#7 AR-1016-5


R.T.: 6.120 min
Delta R.T.: -0.002 min
Response: 68539
Conc: 33.75 ng/ml

Instrument :
ECD_O
ClientSampleId :
SUTTON-PR-2152RE




#7 AR-1016-5

R.T.: 5.220 min
Delta R.T.: 0.016 min
Response: 10829
Conc: 8.22 ng/ml




#8 AR-1221-1

R.T.: 0.000 min
Exp R.T. : 4.577 min
Response: 0
Conc: N.D.



#8 AR-1221-1


R.T.: 3.756 min
Delta R.T.: 0.002 min
Response: 123416
Conc: 248.55 ng/ml



#9 AR-1221-2


R.T.: 4.669 min
Delta R.T.: -0.004 min
Response: 555250
Conc: 877.06 ng/ml

Instrument :
ECD_O
ClientSampleId :
SUTTON-PR-2152RE




#9 AR-1221-2

R.T.: 3.844 min
Delta R.T.: -0.006 min
Response: 151905
Conc: 396.79 ng/ml




#10 AR-1221-3

R.T.: 4.779 min
Delta R.T.: 0.020 min
Response: 2171386
Conc: 1049.59 ng/ml



#10 AR-1221-3


R.T.: 3.935 min
Delta R.T.: 0.000 min
Response: 131689
Conc: 116.04 ng/ml



#11 AR-1232-1


R.T.: 4.779 min
Delta R.T.: 0.021 min
Response: 2171386
Conc: 1237.05 ng/ml

Instrument :
ECD_O
ClientSampleId :
SUTTON-PR-2152RE




#11 AR-1232-1

R.T.: 3.935 min
Delta R.T.: 0.001 min
Response: 131689
Conc: 135.99 ng/ml




#12 AR-1232-2

R.T.: 5.323 min
Delta R.T.: -0.008 min
Response: 467394
Conc: 490.85 ng/ml



#12 AR-1232-2


R.T.: 4.746 min
Delta R.T.: 0.004 min
Response: 6124014
Conc: 5903.46 ng/ml



#13 AR-1232-3


R.T.: 5.637 min
Delta R.T.: -0.009 min
Response: 603399
Conc: 307.95 ng/ml

Instrument :
ECD_O
ClientSampleId :
SUTTON-PR-2152RE




#13 AR-1232-3

R.T.: 4.943 min
Delta R.T.: 0.017 min
Response: 911594
Conc: 1763.80 ng/ml




#14 AR-1232-4

R.T.: 5.806 min
Delta R.T.: -0.009 min
Response: 1011518
Conc: 1044.37 ng/ml



#14 AR-1232-4


R.T.: 5.013 min
Delta R.T.: -0.012 min
Response: 65395
Conc: 148.53 ng/ml



#15 AR-1232-5


R.T.: 5.912 min
Delta R.T.: 0.000 min
Response: 562917
Conc: 938.77 ng/ml

Instrument :
ECD_O
ClientSampleId :
SUTTON-PR-2152RE




#15 AR-1232-5

R.T.: 5.220 min
Delta R.T.: 0.017 min
Response: 10829
Conc: 21.20 ng/ml




#16 AR-1242-1

R.T.: 5.637 min
Delta R.T.: 0.012 min
Response: 603399
Conc: 247.76 ng/ml



#16 AR-1242-1


R.T.: 4.746 min
Delta R.T.: 0.021 min
Response: 6124014
Conc: 4738.00 ng/ml



#17 AR-1242-2


R.T.: 5.637 min
Delta R.T.: -0.010 min
Response: 603399
Conc: 171.42 ng/ml

Instrument :
ECD_O
ClientSampleId :
SUTTON-PR-2152RE




#17 AR-1242-2

R.T.: 4.746 min
Delta R.T.: 0.004 min
Response: 6124014
Conc: 3344.20 ng/ml




#18 AR-1242-3

R.T.: 5.706 min
Delta R.T.: -0.002 min
Response: 351366
Conc: 169.84 ng/ml



#18 AR-1242-3


R.T.: 4.943 min
Delta R.T.: 0.016 min
Response: 911594
Conc: 968.33 ng/ml



#19 AR-1242-4


R.T.: 5.806 min
Delta R.T.: -0.010 min
Response: 1011518
Conc: 583.42 ng/ml

Instrument :
ECD_O
ClientSampleId :
SUTTON-PR-2152RE




#19 AR-1242-4

R.T.: 5.013 min
Delta R.T.: -0.013 min
Response: 65395
Conc: 73.83 ng/ml




#20 AR-1242-5

R.T.: 6.557 min
Delta R.T.: -0.028 min
Response: 368292
Conc: 157.98 ng/ml



#20 AR-1242-5


R.T.: 5.597 min
Delta R.T.: 0.019 min
Response: 4067307
Conc: 2962.52 ng/ml



#21 AR-1248-1


R.T.: 5.637 min
Delta R.T.: 0.012 min
Response: 603399
Conc: 322.77 ng/ml

Instrument :
ECD_O
ClientSampleId :
SUTTON-PR-2152RE




#21 AR-1248-1

R.T.: 4.746 min
Delta R.T.: 0.020 min
Response: 6124014
Conc: 6020.90 ng/ml




#22 AR-1248-2

R.T.: 5.912 min
Delta R.T.: 0.000 min
Response: 562917
Conc: 224.99 ng/ml



#22 AR-1248-2


R.T.: 5.013 min
Delta R.T.: 0.027 min
Response: 65395
Conc: 45.86 ng/ml



#23 AR-1248-3


R.T.: 6.120 min
Delta R.T.: -0.004 min
Response: 68539
Conc: 23.66 ng/ml

Instrument :
ECD_O
ClientSampleId :
SUTTON-PR-2152RE




#23 AR-1248-3

R.T.: 5.013 min
Delta R.T.: -0.014 min
Response: 65395
Conc: 48.69 ng/ml




#24 AR-1248-4

R.T.: 6.557 min
Delta R.T.: 0.007 min
Response: 368292
Conc: 83.28 ng/ml



#24 AR-1248-4


R.T.: 5.220 min
Delta R.T.: 0.015 min
Response: 10829
Conc: 6.45 ng/ml



#25 AR-1248-5


R.T.: 0.000 min
Exp R.T.: 6.587 min
Response: 0
Conc: N.D.

Instrument :
ECD_O
ClientSampleId :
SUTTON-PR-2152RE




#25 AR-1248-5

R.T.: 5.597 min
Delta R.T.: -0.024 min
Response: 4067307
Conc: 2202.08 ng/ml




#26 AR-1254-1

R.T.: 6.510 min
Delta R.T.: -0.005 min
Response: 96733
Conc: 22.90 ng/ml



#26 AR-1254-1


R.T.: 5.597 min
Delta R.T.: 0.019 min
Response: 4067307
Conc: 1471.43 ng/ml



#27 AR-1254-2


R.T.: 6.747 min
Delta R.T.: 0.003 min
Response: 3344877
Conc: 516.11 ng/ml

Instrument :
ECD_O
ClientSampleId :
SUTTON-PR-2152RE




#27 AR-1254-2

R.T.: 0.000 min
Exp R.T. : 5.738 min
Response: 0
Conc: N.D.




#28 AR-1254-3

R.T.: 7.110 min
Delta R.T.: -0.009 min
Response: 343991
Conc: 50.61 ng/ml



#28 AR-1254-3


R.T.: 6.142 min
Delta R.T.: -0.004 min
Response: 1136621
Conc: 295.37 ng/ml



#29 AR-1254-4


R.T.: 7.390 min
Delta R.T.: -0.024 min
Response: 3455246
Conc: 521.29 ng/ml

Instrument :
ECD_O
ClientSampleId :
SUTTON-PR-2152RE




#29 AR-1254-4

R.T.: 6.376 min
Delta R.T.: -0.011 min
Response: 226537
Conc: 84.36 ng/ml




#30 AR-1254-5

R.T.: 7.816 min
Delta R.T.: -0.020 min
Response: 855577
Conc: 133.56 ng/ml



#30 AR-1254-5


R.T.: 6.835 min
Delta R.T.: 0.027 min
Response: 362386
Conc: 98.89 ng/ml



#31 AR-1260-1


R.T.: 7.288 min
Delta R.T.: 0.008 min
Response: 815583
Conc: 167.36 ng/ml

Instrument :
ECD_O
ClientSampleId :
SUTTON-PR-2152RE




#31 AR-1260-1

R.T.: 6.275 min
Delta R.T.: -0.007 min
Response: 114089
Conc: 44.60 ng/ml




#32 AR-1260-2

R.T.: 7.543 min
Delta R.T.: -0.004 min
Response: 741244
Conc: 96.61 ng/ml



#32 AR-1260-2


R.T.: 6.464 min
Delta R.T.: -0.019 min
Response: 261208
Conc: 81.01 ng/ml



#33 AR-1260-3


R.T.: 7.899 min
Delta R.T.: -0.005 min
Response: 507471
Conc: 79.18 ng/ml

Instrument :
ECD_O
ClientSampleId :
SUTTON-PR-2152RE




#33 AR-1260-3

R.T.: 6.635 min
Delta R.T.: 0.007 min
Response: 752883
Conc: 250.86 ng/ml




#34 AR-1260-4

R.T.: 8.157 min
Delta R.T.: 0.026 min
Response: 2458997
Conc: 404.04 ng/ml



#34 AR-1260-4


R.T.: 7.075 min
Delta R.T.: -0.029 min
Response: 248779
Conc: 94.36 ng/ml



#35 AR-1260-5


R.T.: 8.450 min
Delta R.T.: 0.005 min
Response: 685543
Conc: 47.19 ng/ml

Instrument :
ECD_O
ClientSampleId :
SUTTON-PR-2152RE




#35 AR-1260-5

R.T.: 0.000 min
Exp R.T.: 7.358 min
Response: 0
Conc: N.D.




#36 AR-1262-1

R.T.: 7.899 min
Delta R.T.: -0.005 min
Response: 507471
Conc: 53.51 ng/ml



#36 AR-1262-1


R.T.: 6.776 min
Delta R.T.: -0.030 min
Response: 1701610
Conc: 891.78 ng/ml



#37 AR-1262-2


R.T.: 8.450 min
Delta R.T.: 0.005 min
Response: 685543
Conc: 42.89 ng/ml

Instrument :
ECD_O
ClientSampleId :
SUTTON-PR-2152RE




#37 AR-1262-2

R.T.: 0.000 min
Exp R.T. : 7.357 min
Response: 0
Conc: N.D.




#38 AR-1262-3

R.T.: 8.740 min
Delta R.T.: 0.027 min
Response: -33430
Conc: N.D.



#38 AR-1262-3


R.T.: 7.649 min
Delta R.T.: 0.014 min
Response: 401243
Conc: 140.79 ng/ml



#39 AR-1262-4


R.T.: 8.817 min
Delta R.T.: 0.024 min
Response: 2396300
Conc: 599.63 ng/ml

Instrument :
ECD_O
ClientSampleId :
SUTTON-PR-2152RE




#39 AR-1262-4

R.T.: 7.696 min
Delta R.T.: -0.002 min
Response: 382917
Conc: 74.30 ng/ml




#40 AR-1262-5

R.T.: 9.361 min
Delta R.T.: 0.020 min
Response: 61627
Conc: 11.58 ng/ml



#40 AR-1262-5


R.T.: 8.182 min
Delta R.T.: -0.013 min
Response: 250367
Conc: 99.14 ng/ml



#41 AR-1268-1


R.T.: 8.740 min
Delta R.T.: 0.027 min
Response: -33430
Conc: N.D.

Instrument :
ECD_O
ClientSampleId :
SUTTON-PR-2152RE




#41 AR-1268-1

R.T.: 7.649 min
Delta R.T.: 0.014 min
Response: 401243
Conc: 50.60 ng/ml




#42 AR-1268-2

R.T.: 8.817 min
Delta R.T.: 0.023 min
Response: 2396300
Conc: 145.15 ng/ml



#42 AR-1268-2


R.T.: 7.696 min
Delta R.T.: -0.005 min
Response: 382917
Conc: 52.63 ng/ml



#43 AR-1268-3


R.T.: 0.000 min
Exp R.T.: 8.972 min
Response: 0
Conc: N.D.

Instrument :
ECD_O
ClientSampleId :
SUTTON-PR-2152RE




#43 AR-1268-3

R.T.: 7.922 min
Delta R.T.: 0.025 min
Response: 182253
Conc: 29.63 ng/ml




#44 AR-1268-4

R.T.: 9.322 min
Delta R.T.: -0.020 min
Response: 107883
Conc: 18.08 ng/ml



#44 AR-1268-4


R.T.: 8.182 min
Delta R.T.: -0.013 min
Response: 250367
Conc: 88.56 ng/ml



#45 AR-1268-5

R.T.: 9.687 min
Delta R.T.: 0.019 min
Response: 71196
Conc: 1.73 ng/ml

Instrument :
ECD_O
ClientSampleId :
SUTTON-PR-2152RE



#45 AR-1268-5

R.T.: 8.476 min
Delta R.T.: 0.014 min
Response: 190905
Conc: 9.93 ng/ml