

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\PO102523\
 Data File : PO098958.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 26 Oct 2023 03:55
 Operator : YP/AJ
 Sample : I.BLK
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Oct 26 04:09:24 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\PO102523.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Wed Oct 25 06:04:36 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.476	3.630	38152875	14101732	19.309	19.594
2)	SA Decachlor...	10.280	8.628	23587637	11576980	20.821	21.577
Target Compounds							
3)	L1 AR-1016-1	5.642	4.714	172869	114737	3.139	5.124 #
4)	L1 AR-1016-2	5.669	4.714	11445	114737	0.138	3.671 #
5)	L1 AR-1016-3	5.733	4.970f	27870	132788	0.541	7.842 #
6)	L1 AR-1016-4	5.837	4.970	16746	132788	0.412	9.185 #
7)	L1 AR-1016-5	6.147	5.173	59937	253427	1.412	13.565 #
8)	L2 AR-1221-1	4.694	3.865	63989	109578	2.577	11.795 #
9)	L2 AR-1221-2	4.785	3.930	994410	267982	53.754	41.332
10)	L2 AR-1221-3	4.859	3.999	30483	65061	0.563	3.217 #
11)	L3 AR-1232-1	4.859	3.999	30483	65061	0.666	3.796 #
12)	L3 AR-1232-2	5.384	4.714	484699	114737	20.526	7.489 #
13)	L3 AR-1232-3	5.669	4.970f	11445	132788	0.290	16.595 #
14)	L3 AR-1232-4	5.837	4.994	16746	106100	0.878	13.790 #
15)	L3 AR-1232-5	5.931	5.152	81204	204765	4.875	24.074 #
16)	L4 AR-1242-1	5.642	4.714	172869	114737	3.993	6.530 #
17)	L4 AR-1242-2	5.669	4.714	11445	114737	0.179	4.735 #
18)	L4 AR-1242-3	5.733	4.970f	27870	132788	0.693	10.357 #
19)	L4 AR-1242-4	5.837	4.994	16746	106100	0.535	7.537 #
20)	L4 AR-1242-5	6.563	5.536	242650	716295	7.866	42.863 #
21)	L5 AR-1248-1	5.642	4.714	172869	114737	5.088	8.278 #
22)	L5 AR-1248-2	5.931	4.970	81204	132788	1.552	6.685 #
23)	L5 AR-1248-3	6.147	4.994	59937	106100	1.052	5.088 #
24)	L5 AR-1248-4	6.546	5.152	332821	204765	6.103	8.329 #
25)	L5 AR-1248-5	6.563	5.536	242650	716295	4.272	32.981 #
26)	L6 AR-1254-1	6.509	5.536	934038	716295	14.189	20.215 #
27)	L6 AR-1254-2	6.727	5.631	168260	230385	1.748	7.203 #
28)	L6 AR-1254-3	7.098	6.062	198495	203818	2.221	4.169 #
29)	L6 AR-1254-4	7.379	6.294	17363	69762	0.317	2.662 #
30)	L6 AR-1254-5	7.776	6.709	15569	55078	0.231	1.307 #
31)	L7 AR-1260-1	7.257	6.189	14570	286376	0.203	8.118 #
32)	L7 AR-1260-2	7.518	6.370	301762	175064	3.825	4.367
33)	L7 AR-1260-3	7.876	6.534	47629	5395	0.872	0.143 #
34)	L7 AR-1260-4	8.103	7.016	207149	74554	3.306	2.580
35)	L7 AR-1260-5	8.422	7.242	363252	60224	3.394	1.001 #
36)	L8 AR-1262-1	7.876	6.754	47629	34464	0.526	0.735 #
37)	L8 AR-1262-2	8.422	7.016	363252	74554	2.725	1.796 #
38)	L8 AR-1262-3	8.731	7.535	38950	104680	0.396	3.277 #
39)	L8 AR-1262-4	8.842	7.601	74514	50572	0.930	0.920
40)	L8 AR-1262-5	9.499	8.090	35914	37644	0.817	1.499 #
41)	L9 AR-1268-1	8.731	7.535	38950	104680	0.226	1.174 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\PO102523\
 Data File : PO098958.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 26 Oct 2023 03:55
 Operator : YP/AJ
 Sample : I.BLK
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Oct 26 04:09:24 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\PO102523.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Wed Oct 25 06:04:36 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42) L9	AR-1268-2	8.842	7.601	74514	50572	0.475	0.641 #
43) L9	AR-1268-3	9.073	7.800	35388	106981	0.252	1.520 #
44) L9	AR-1268-4	9.499	8.090	35914	37644	0.716	1.366 #
45) L9	AR-1268-5	9.936	8.381	91849	107902	0.224	0.566 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\PO102523\
Data File : PO098958.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 26 Oct 2023 03:55
Operator : YP/AJ
Sample : I.BLK
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
ECD_O
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Oct 26 04:09:24 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\PO102523.M
Quant Title : GC EXTRACTABLES
QLast Update : Wed Oct 25 06:04:36 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.476 min
Delta R.T.: -0.002 min
Response: 38152875
Conc: 19.31 ng/ml

Instrument :
ECD_O
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 3.630 min
Delta R.T.: -0.002 min
Response: 14101732
Conc: 19.59 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.280 min
Delta R.T.: 0.000 min
Response: 23587637
Conc: 20.82 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.628 min
Delta R.T.: -0.002 min
Response: 11576980
Conc: 21.58 ng/ml



#3 AR-1016-1


R.T.: 5.642 min
Delta R.T.: -0.009 min
Response: 172869
Conc: 3.14 ng/ml

Instrument :
ECD_O
ClientSampleId :




#3 AR-1016-1

R.T.: 4.714 min
Delta R.T.: 0.001 min
Response: 114737
Conc: 5.12 ng/ml




#4 AR-1016-2

R.T.: 5.669 min
Delta R.T.: -0.005 min
Response: 11445
Conc: 0.14 ng/ml



#4 AR-1016-2


R.T.: 4.714 min
Delta R.T.: -0.017 min
Response: 114737
Conc: 3.67 ng/ml



#5 AR-1016-3


R.T.: 5.733 min
Delta R.T.: -0.003 min
Response: 27870
Conc: 0.54 ng/ml

Instrument :
ECD_O
ClientSampleId :




#5 AR-1016-3

R.T.: 4.970 min
Delta R.T.: 0.062 min
Response: 132788
Conc: 7.84 ng/ml




#6 AR-1016-4

R.T.: 5.837 min
Delta R.T.: 0.002 min
Response: 16746
Conc: 0.41 ng/ml



#6 AR-1016-4


R.T.: 4.970 min
Delta R.T.: 0.020 min
Response: 132788
Conc: 9.18 ng/ml



#7 AR-1016-5


R.T.: 6.147 min
Delta R.T.: 0.016 min
Response: 59937
Conc: 1.41 ng/ml

Instrument :
ECD_O
ClientSampleId :




#7 AR-1016-5

R.T.: 5.173 min
Delta R.T.: 0.010 min
Response: 253427
Conc: 13.57 ng/ml




#8 AR-1221-1

R.T.: 4.694 min
Delta R.T.: 0.009 min
Response: 63989
Conc: 2.58 ng/ml



#8 AR-1221-1


R.T.: 3.865 min
Delta R.T.: 0.021 min
Response: 109578
Conc: 11.80 ng/ml



#9 AR-1221-2


R.T.: 4.785 min
Delta R.T.: 0.013 min
Response: 994410
Conc: 53.75 ng/ml

Instrument :
ECD_O
ClientSampleId :




#9 AR-1221-2

R.T.: 3.930 min
Delta R.T.: 0.000 min
Response: 267982
Conc: 41.33 ng/ml




#10 AR-1221-3

R.T.: 4.859 min
Delta R.T.: 0.009 min
Response: 30483
Conc: 0.56 ng/ml



#10 AR-1221-3


R.T.: 3.999 min
Delta R.T.: -0.006 min
Response: 65061
Conc: 3.22 ng/ml



#11 AR-1232-1


R.T.: 4.859 min
Delta R.T.: 0.010 min
Response: 30483
Conc: 0.67 ng/ml

Instrument :
ECD_O
ClientSampleId :




#11 AR-1232-1

R.T.: 3.999 min
Delta R.T.: -0.005 min
Response: 65061
Conc: 3.80 ng/ml




#12 AR-1232-2

R.T.: 5.384 min
Delta R.T.: 0.003 min
Response: 484699
Conc: 20.53 ng/ml



#12 AR-1232-2


R.T.: 4.714 min
Delta R.T.: -0.016 min
Response: 114737
Conc: 7.49 ng/ml



#13 AR-1232-3


R.T.: 5.669 min
Delta R.T.: -0.003 min
Response: 11445
Conc: 0.29 ng/ml

Instrument :
ECD_O
ClientSampleId :




#13 AR-1232-3

R.T.: 4.970 min
Delta R.T.: 0.063 min
Response: 132788
Conc: 16.60 ng/ml




#14 AR-1232-4

R.T.: 5.837 min
Delta R.T.: 0.004 min
Response: 16746
Conc: 0.88 ng/ml



#14 AR-1232-4


R.T.: 4.994 min
Delta R.T.: 0.004 min
Response: 106100
Conc: 13.79 ng/ml



#15 AR-1232-5


R.T.: 5.931 min
Delta R.T.: 0.006 min
Response: 81204
Conc: 4.87 ng/ml

Instrument :
ECD_O
ClientSampleId :




#15 AR-1232-5

R.T.: 5.152 min
Delta R.T.: -0.010 min
Response: 204765
Conc: 24.07 ng/ml




#16 AR-1242-1

R.T.: 5.642 min
Delta R.T.: -0.008 min
Response: 172869
Conc: 3.99 ng/ml



#16 AR-1242-1


R.T.: 4.714 min
Delta R.T.: 0.002 min
Response: 114737
Conc: 6.53 ng/ml



#17 AR-1242-2


R.T.: 5.669 min
Delta R.T.: -0.004 min
Response: 11445
Conc: 0.18 ng/ml

Instrument :
ECD_O
ClientSampleId :




#17 AR-1242-2

R.T.: 4.714 min
Delta R.T.: -0.016 min
Response: 114737
Conc: 4.73 ng/ml




#18 AR-1242-3

R.T.: 5.733 min
Delta R.T.: -0.003 min
Response: 27870
Conc: 0.69 ng/ml



#18 AR-1242-3


R.T.: 4.970 min
Delta R.T.: 0.064 min
Response: 132788
Conc: 10.36 ng/ml



#19 AR-1242-4


R.T.: 5.837 min
Delta R.T.: 0.003 min
Response: 16746
Conc: 0.54 ng/ml

Instrument :
ECD_O
ClientSampleId :




#19 AR-1242-4

R.T.: 4.994 min
Delta R.T.: 0.004 min
Response: 106100
Conc: 7.54 ng/ml




#20 AR-1242-5

R.T.: 6.563 min
Delta R.T.: -0.010 min
Response: 242650
Conc: 7.87 ng/ml



#20 AR-1242-5


R.T.: 5.536 min
Delta R.T.: 0.024 min
Response: 716295
Conc: 42.86 ng/ml



#21 AR-1248-1


R.T.: 5.642 min
Delta R.T.: -0.008 min
Response: 172869
Conc: 5.09 ng/ml

Instrument :
ECD_O
ClientSampleId :




#21 AR-1248-1

R.T.: 4.714 min
Delta R.T.: 0.002 min
Response: 114737
Conc: 8.28 ng/ml




#22 AR-1248-2

R.T.: 5.931 min
Delta R.T.: 0.006 min
Response: 81204
Conc: 1.55 ng/ml



#22 AR-1248-2


R.T.: 4.970 min
Delta R.T.: 0.021 min
Response: 132788
Conc: 6.68 ng/ml



#23 AR-1248-3


R.T.: 6.147 min
Delta R.T.: 0.016 min
Response: 59937
Conc: 1.05 ng/ml

Instrument :
ECD_O
ClientSampleId :




#23 AR-1248-3

R.T.: 4.994 min
Delta R.T.: 0.004 min
Response: 106100
Conc: 5.09 ng/ml




#24 AR-1248-4

R.T.: 6.546 min
Delta R.T.: 0.011 min
Response: 332821
Conc: 6.10 ng/ml



#24 AR-1248-4


R.T.: 5.152 min
Delta R.T.: -0.010 min
Response: 204765
Conc: 8.33 ng/ml



#25 AR-1248-5


R.T.: 6.563 min
Delta R.T.: -0.010 min
Response: 242650
Conc: 4.27 ng/ml

Instrument :
ECD_O
ClientSampleId :




#25 AR-1248-5

R.T.: 5.536 min
Delta R.T.: -0.018 min
Response: 716295
Conc: 32.98 ng/ml




#26 AR-1254-1

R.T.: 6.509 min
Delta R.T.: 0.000 min
Response: 934038
Conc: 14.19 ng/ml



#26 AR-1254-1


R.T.: 5.536 min
Delta R.T.: 0.024 min
Response: 716295
Conc: 20.22 ng/ml



#27 AR-1254-2


R.T.: 6.727 min
Delta R.T.: 0.000 min
Response: 168260
Conc: 1.75 ng/ml

Instrument :
ECD_O
ClientSampleId :




#27 AR-1254-2

R.T.: 5.631 min
Delta R.T.: -0.029 min
Response: 230385
Conc: 7.20 ng/ml




#28 AR-1254-3

R.T.: 7.098 min
Delta R.T.: 0.004 min
Response: 198495
Conc: 2.22 ng/ml



#28 AR-1254-3


R.T.: 6.062 min
Delta R.T.: -0.001 min
Response: 203818
Conc: 4.17 ng/ml



#29 AR-1254-4


R.T.: 7.379 min
Delta R.T.: 0.000 min
Response: 17363
Conc: 0.32 ng/ml

Instrument :
ECD_O
ClientSampleId :




#29 AR-1254-4

R.T.: 6.294 min
Delta R.T.: 0.002 min
Response: 69762
Conc: 2.66 ng/ml




#30 AR-1254-5

R.T.: 7.776 min
Delta R.T.: -0.024 min
Response: 15569
Conc: 0.23 ng/ml



#30 AR-1254-5


R.T.: 6.709 min
Delta R.T.: 0.000 min
Response: 55078
Conc: 1.31 ng/ml



#31 AR-1260-1


R.T.: 7.257 min
Delta R.T.: -0.003 min
Response: 14570
Conc: 0.20 ng/ml

Instrument :
ECD_O
ClientSampleId :




#31 AR-1260-1

R.T.: 6.189 min
Delta R.T.: -0.006 min
Response: 286376
Conc: 8.12 ng/ml




#32 AR-1260-2

R.T.: 7.518 min
Delta R.T.: 0.000 min
Response: 301762
Conc: 3.82 ng/ml



#32 AR-1260-2


R.T.: 6.370 min
Delta R.T.: -0.013 min
Response: 175064
Conc: 4.37 ng/ml



#33 AR-1260-3


R.T.: 7.876 min
Delta R.T.: 0.000 min
Response: 47629
Conc: 0.87 ng/ml

Instrument :
ECD_O
ClientSampleId :




#33 AR-1260-3

R.T.: 6.534 min
Delta R.T.: -0.003 min
Response: 5395
Conc: 0.14 ng/ml




#34 AR-1260-4

R.T.: 8.103 min
Delta R.T.: -0.001 min
Response: 207149
Conc: 3.31 ng/ml



#34 AR-1260-4


R.T.: 7.016 min
Delta R.T.: 0.008 min
Response: 74554
Conc: 2.58 ng/ml



#35 AR-1260-5


R.T.: 8.422 min
Delta R.T.: -0.006 min
Response: 363252
Conc: 3.39 ng/ml

Instrument :
ECD_O
ClientSampleId :




#35 AR-1260-5

R.T.: 7.242 min
Delta R.T.: -0.008 min
Response: 60224
Conc: 1.00 ng/ml




#36 AR-1262-1

R.T.: 7.876 min
Delta R.T.: 0.000 min
Response: 47629
Conc: 0.53 ng/ml



#36 AR-1262-1


R.T.: 6.754 min
Delta R.T.: 0.008 min
Response: 34464
Conc: 0.73 ng/ml



#37 AR-1262-2


R.T.: 8.422 min
Delta R.T.: -0.005 min
Response: 363252
Conc: 2.72 ng/ml

Instrument :
ECD_O
ClientSampleId :




#37 AR-1262-2

R.T.: 7.016 min
Delta R.T.: 0.010 min
Response: 74554
Conc: 1.80 ng/ml




#38 AR-1262-3

R.T.: 8.731 min
Delta R.T.: -0.014 min
Response: 38950
Conc: 0.40 ng/ml



#38 AR-1262-3


R.T.: 7.535 min
Delta R.T.: 0.004 min
Response: 104680
Conc: 3.28 ng/ml



#39 AR-1262-4


R.T.: 8.842 min
Delta R.T.: 0.006 min
Response: 74514
Conc: 0.93 ng/ml

Instrument :
ECD_O
ClientSampleId :




#39 AR-1262-4

R.T.: 7.601 min
Delta R.T.: 0.006 min
Response: 50572
Conc: 0.92 ng/ml




#40 AR-1262-5

R.T.: 9.499 min
Delta R.T.: -0.007 min
Response: 35914
Conc: 0.82 ng/ml



#40 AR-1262-5


R.T.: 8.090 min
Delta R.T.: 0.000 min
Response: 37644
Conc: 1.50 ng/ml



#41 AR-1268-1


R.T.: 8.731 min
Delta R.T.: -0.014 min
Response: 38950
Conc: 0.23 ng/ml

Instrument :
ECD_O
ClientSampleId :




#41 AR-1268-1

R.T.: 7.535 min
Delta R.T.: 0.003 min
Response: 104680
Conc: 1.17 ng/ml




#42 AR-1268-2

R.T.: 8.842 min
Delta R.T.: 0.000 min
Response: 74514
Conc: 0.48 ng/ml



#42 AR-1268-2


R.T.: 7.601 min
Delta R.T.: 0.004 min
Response: 50572
Conc: 0.64 ng/ml



#43 AR-1268-3


R.T.: 9.073 min
Delta R.T.: 0.001 min
Response: 35388
Conc: 0.25 ng/ml

Instrument :
ECD_O
ClientSampleId :




#43 AR-1268-3

R.T.: 7.800 min
Delta R.T.: -0.003 min
Response: 106981
Conc: 1.52 ng/ml




#44 AR-1268-4

R.T.: 9.499 min
Delta R.T.: -0.008 min
Response: 35914
Conc: 0.72 ng/ml



#44 AR-1268-4


R.T.: 8.090 min
Delta R.T.: 0.000 min
Response: 37644
Conc: 1.37 ng/ml



#45 AR-1268-5

R.T.: 9.936 min
Delta R.T.: 0.003 min
Response: 91849
Conc: 0.22 ng/ml

Instrument :
ECD_O
ClientSampleId :



#45 AR-1268-5

R.T.: 8.381 min
Delta R.T.: 0.003 min
Response: 107902
Conc: 0.57 ng/ml