

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0102723\
 Data File : P0099077.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 28 Oct 2023 05:50
 Operator : YP/AJ
 Sample : 05111-06 10X
 Misc :
 ALS Vial : 37 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Oct 28 06:44:24 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0102523.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Wed Oct 25 06:04:36 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.474	3.628	3547332	1188381	1.795	1.651
2)	SA Decachlor...	10.277	8.624	2647687	1237238	2.337	2.306
Target Compounds							
3)	L1 AR-1016-1	5.642	4.720	193383	173960	3.512	7.768 #
4)	L1 AR-1016-2	5.663	4.720	116392	173960	1.408	5.566 #
5)	L1 AR-1016-3	5.723	4.917	66580	12875	1.294	0.760 #
6)	L1 AR-1016-4	5.834	4.948	42718	88715	1.051	6.136 #
7)	L1 AR-1016-5	6.133	5.157	34565	69456	0.814	3.718 #
8)	L2 AR-1221-1	4.687	3.855	244967	95931	9.866	10.326
9)	L2 AR-1221-2	4.766	3.933	196230	57353	10.607	8.846
10)	L2 AR-1221-3	4.847	3.995	95663	33274	1.766	1.645
11)	L3 AR-1232-1	4.847	3.995	95663	33274	2.091	1.941
12)	L3 AR-1232-2	5.375	4.720	11699	173960	0.495	11.355 #
13)	L3 AR-1232-3	5.663	4.917	116392	12875	2.947	1.609 #
14)	L3 AR-1232-4	5.834	4.982	42718	43997	2.239	5.719 #
15)	L3 AR-1232-5	5.922	5.157	120011	69456	7.204	8.166
16)	L4 AR-1242-1	5.642	4.720	193383	173960	4.467	9.901 #
17)	L4 AR-1242-2	5.663	4.720	116392	173960	1.817	7.178 #
18)	L4 AR-1242-3	5.723	4.917	66580	12875	1.655	1.004 #
19)	L4 AR-1242-4	5.834	4.982	42718	43997	1.365	3.126 #
20)	L4 AR-1242-5	6.575	5.511	162674	147947	5.273	8.853 #
21)	L5 AR-1248-1	5.642	4.720	193383	173960	5.692	12.551 #
22)	L5 AR-1248-2	5.922	4.948	120011	88715	2.293	4.466 #
23)	L5 AR-1248-3	6.133	4.982	34565	43997	0.607	2.110 #
24)	L5 AR-1248-4	6.534	5.157	241886	69456	4.436	2.825 #
25)	L5 AR-1248-5	6.575	5.551	162674	55981	2.864	2.578
26)	L6 AR-1254-1	6.507	5.511	345918	147947	5.255	4.175
27)	L6 AR-1254-2	6.730	5.657	156848	147387	1.629	4.608 #
28)	L6 AR-1254-3	7.101	6.062	414709	216857	4.640	4.436
29)	L6 AR-1254-4	7.380	6.288	120080	114963	2.192	4.387 #
30)	L6 AR-1254-5	7.803	6.708	347219	113058	5.157	2.682 #
31)	L7 AR-1260-1	7.261	6.191	32976	123199	0.460	3.493 #
32)	L7 AR-1260-2	7.516	6.381	187097	135762	2.371	3.387 #
33)	L7 AR-1260-3	7.857	6.529	18737	121025	0.343	3.201 #
34)	L7 AR-1260-4	8.100	6.998	107939	46240	1.723	1.600
35)	L7 AR-1260-5	8.426	7.249	430010	110484	4.018	1.836 #
36)	L8 AR-1262-1	7.857	6.732	18737	10809	0.207	0.230
37)	L8 AR-1262-2	8.426	6.998	430010	46240	3.226	1.114 #
38)	L8 AR-1262-3	8.750	7.538	71486	182060	0.727	5.699 #
39)	L8 AR-1262-4	8.838	7.596	58848	100781	0.735	1.833 #
40)	L8 AR-1262-5	9.501	8.085	-20092	24978	N.D.	0.995 #
41)	L9 AR-1268-1	8.750	7.538	71486	182060	0.415	2.041 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\PO102723\
Data File : PO099077.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 28 Oct 2023 05:50
Operator : YP/AJ
Sample : 05111-06 10X
Misc :
ALS Vial : 37 Sample Multiplier: 1

Instrument :
ECD_O
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Oct 28 06:44:24 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\PO102523.M
Quant Title : GC EXTRACTABLES
QLast Update : Wed Oct 25 06:04:36 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42)	L9 AR-1268-2	8.838	7.596	58848	100781	0.375	1.276 #
43)	L9 AR-1268-3	9.078	7.806	25444	34069	0.181	0.484 #
44)	L9 AR-1268-4	9.501	8.097	-20092	32037	N.D.	1.163 #
45)	L9 AR-1268-5	9.931	8.378	23403	40744	0.057	0.214 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\PO102723\
Data File : PO099077.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 28 Oct 2023 05:50
Operator : YP/AJ
Sample : 05111-06 10X
Misc :
ALS Vial : 37 Sample Multiplier: 1

Instrument :
ECD_O
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Oct 28 06:44:24 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\PO102523.M
Quant Title : GC EXTRACTABLES
QLast Update : Wed Oct 25 06:04:36 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.474 min
Delta R.T.: -0.004 min
Response: 3547332
Conc: 1.80 ng/ml

Instrument :
ECD_O
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 3.628 min
Delta R.T.: -0.004 min
Response: 1188381
Conc: 1.65 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.277 min
Delta R.T.: -0.003 min
Response: 2647687
Conc: 2.34 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.624 min
Delta R.T.: -0.006 min
Response: 1237238
Conc: 2.31 ng/ml



#3 AR-1016-1


R.T.: 5.642 min
Delta R.T.: -0.009 min
Response: 193383
Conc: 3.51 ng/ml

Instrument :
ECD_O
ClientSampleId :




#3 AR-1016-1

R.T.: 4.720 min
Delta R.T.: 0.006 min
Response: 173960
Conc: 7.77 ng/ml




#4 AR-1016-2

R.T.: 5.663 min
Delta R.T.: -0.011 min
Response: 116392
Conc: 1.41 ng/ml



#4 AR-1016-2


R.T.: 4.720 min
Delta R.T.: -0.012 min
Response: 173960
Conc: 5.57 ng/ml



#5 AR-1016-3


R.T.: 5.723 min
Delta R.T.: -0.012 min
Response: 66580
Conc: 1.29 ng/ml

Instrument :
ECD_O
ClientSampleId :




#5 AR-1016-3

R.T.: 4.917 min
Delta R.T.: 0.009 min
Response: 12875
Conc: 0.76 ng/ml




#6 AR-1016-4

R.T.: 5.834 min
Delta R.T.: -0.001 min
Response: 42718
Conc: 1.05 ng/ml



#6 AR-1016-4


R.T.: 4.948 min
Delta R.T.: -0.001 min
Response: 88715
Conc: 6.14 ng/ml



#7 AR-1016-5


R.T.: 6.133 min
Delta R.T.: 0.002 min
Response: 34565
Conc: 0.81 ng/ml

Instrument :
ECD_O
ClientSampleId :




#7 AR-1016-5

R.T.: 5.157 min
Delta R.T.: -0.005 min
Response: 69456
Conc: 3.72 ng/ml




#8 AR-1221-1

R.T.: 4.687 min
Delta R.T.: 0.002 min
Response: 244967
Conc: 9.87 ng/ml



#8 AR-1221-1


R.T.: 3.855 min
Delta R.T.: 0.011 min
Response: 95931
Conc: 10.33 ng/ml



#9 AR-1221-2


R.T.: 4.766 min
Delta R.T.: -0.006 min
Response: 196230
Conc: 10.61 ng/ml

Instrument :
ECD_O
ClientSampleId :




#9 AR-1221-2

R.T.: 3.933 min
Delta R.T.: 0.004 min
Response: 57353
Conc: 8.85 ng/ml




#10 AR-1221-3

R.T.: 4.847 min
Delta R.T.: -0.003 min
Response: 95663
Conc: 1.77 ng/ml



#10 AR-1221-3


R.T.: 3.995 min
Delta R.T.: -0.010 min
Response: 33274
Conc: 1.65 ng/ml



#11 AR-1232-1


R.T.: 4.847 min
Delta R.T.: -0.002 min
Response: 95663
Conc: 2.09 ng/ml

Instrument :
ECD_O
ClientSampleId :




#11 AR-1232-1

R.T.: 3.995 min
Delta R.T.: -0.010 min
Response: 33274
Conc: 1.94 ng/ml




#12 AR-1232-2

R.T.: 5.375 min
Delta R.T.: -0.006 min
Response: 11699
Conc: 0.50 ng/ml



#12 AR-1232-2


R.T.: 4.720 min
Delta R.T.: -0.011 min
Response: 173960
Conc: 11.36 ng/ml



#13 AR-1232-3


R.T.: 5.663 min
Delta R.T.: -0.009 min
Response: 116392
Conc: 2.95 ng/ml

Instrument :
ECD_O
ClientSampleId :




#13 AR-1232-3

R.T.: 4.917 min
Delta R.T.: 0.010 min
Response: 12875
Conc: 1.61 ng/ml




#14 AR-1232-4

R.T.: 5.834 min
Delta R.T.: 0.000 min
Response: 42718
Conc: 2.24 ng/ml



#14 AR-1232-4


R.T.: 4.982 min
Delta R.T.: -0.008 min
Response: 43997
Conc: 5.72 ng/ml



#15 AR-1232-5


R.T.: 5.922 min
Delta R.T.: -0.002 min
Response: 120011
Conc: 7.20 ng/ml

Instrument :
ECD_O
ClientSampleId :




#15 AR-1232-5

R.T.: 5.157 min
Delta R.T.: -0.005 min
Response: 69456
Conc: 8.17 ng/ml




#16 AR-1242-1

R.T.: 5.642 min
Delta R.T.: -0.009 min
Response: 193383
Conc: 4.47 ng/ml



#16 AR-1242-1


R.T.: 4.720 min
Delta R.T.: 0.008 min
Response: 173960
Conc: 9.90 ng/ml



#17 AR-1242-2


R.T.: 5.663 min
Delta R.T.: -0.011 min
Response: 116392
Conc: 1.82 ng/ml

Instrument :
ECD_O
ClientSampleId :




#17 AR-1242-2

R.T.: 4.720 min
Delta R.T.: -0.011 min
Response: 173960
Conc: 7.18 ng/ml




#18 AR-1242-3

R.T.: 5.723 min
Delta R.T.: -0.012 min
Response: 66580
Conc: 1.66 ng/ml



#18 AR-1242-3


R.T.: 4.917 min
Delta R.T.: 0.011 min
Response: 12875
Conc: 1.00 ng/ml



#19 AR-1242-4


R.T.: 5.834 min
Delta R.T.: 0.000 min
Response: 42718
Conc: 1.37 ng/ml

Instrument :
ECD_O
ClientSampleId :




#19 AR-1242-4

R.T.: 4.982 min
Delta R.T.: -0.008 min
Response: 43997
Conc: 3.13 ng/ml




#20 AR-1242-5

R.T.: 6.575 min
Delta R.T.: 0.001 min
Response: 162674
Conc: 5.27 ng/ml



#20 AR-1242-5


R.T.: 5.511 min
Delta R.T.: -0.001 min
Response: 147947
Conc: 8.85 ng/ml



#21 AR-1248-1


R.T.: 5.642 min
Delta R.T.: -0.008 min
Response: 193383
Conc: 5.69 ng/ml

Instrument :
ECD_O
ClientSampleId :




#21 AR-1248-1

R.T.: 4.720 min
Delta R.T.: 0.008 min
Response: 173960
Conc: 12.55 ng/ml




#22 AR-1248-2

R.T.: 5.922 min
Delta R.T.: -0.002 min
Response: 120011
Conc: 2.29 ng/ml



#22 AR-1248-2


R.T.: 4.948 min
Delta R.T.: 0.000 min
Response: 88715
Conc: 4.47 ng/ml



#23 AR-1248-3


R.T.: 6.133 min
Delta R.T.: 0.003 min
Response: 34565
Conc: 0.61 ng/ml

Instrument :
ECD_O
ClientSampleId :




#23 AR-1248-3

R.T.: 4.982 min
Delta R.T.: -0.008 min
Response: 43997
Conc: 2.11 ng/ml




#24 AR-1248-4

R.T.: 6.534 min
Delta R.T.: 0.000 min
Response: 241886
Conc: 4.44 ng/ml



#24 AR-1248-4


R.T.: 5.157 min
Delta R.T.: -0.005 min
Response: 69456
Conc: 2.83 ng/ml



#25 AR-1248-5


R.T.: 6.575 min
Delta R.T.: 0.001 min
Response: 162674
Conc: 2.86 ng/ml

Instrument :
ECD_O
ClientSampleId :




#25 AR-1248-5

R.T.: 5.551 min
Delta R.T.: -0.003 min
Response: 55981
Conc: 2.58 ng/ml




#26 AR-1254-1

R.T.: 6.507 min
Delta R.T.: -0.002 min
Response: 345918
Conc: 5.25 ng/ml



#26 AR-1254-1


R.T.: 5.511 min
Delta R.T.: -0.001 min
Response: 147947
Conc: 4.18 ng/ml



#27 AR-1254-2


R.T.: 6.730 min
Delta R.T.: 0.003 min
Response: 156848
Conc: 1.63 ng/ml

Instrument :
ECD_O
ClientSampleId :




#27 AR-1254-2

R.T.: 5.657 min
Delta R.T.: -0.002 min
Response: 147387
Conc: 4.61 ng/ml




#28 AR-1254-3

R.T.: 7.101 min
Delta R.T.: 0.006 min
Response: 414709
Conc: 4.64 ng/ml



#28 AR-1254-3


R.T.: 6.062 min
Delta R.T.: -0.001 min
Response: 216857
Conc: 4.44 ng/ml



#29 AR-1254-4


R.T.: 7.380 min
Delta R.T.: 0.000 min
Response: 120080
Conc: 2.19 ng/ml

Instrument :
ECD_O
ClientSampleId :




#29 AR-1254-4

R.T.: 6.288 min
Delta R.T.: -0.003 min
Response: 114963
Conc: 4.39 ng/ml




#30 AR-1254-5

R.T.: 7.803 min
Delta R.T.: 0.003 min
Response: 347219
Conc: 5.16 ng/ml



#30 AR-1254-5


R.T.: 6.708 min
Delta R.T.: 0.000 min
Response: 113058
Conc: 2.68 ng/ml



#31 AR-1260-1


R.T.: 7.261 min
Delta R.T.: 0.001 min
Response: 32976
Conc: 0.46 ng/ml

Instrument :
ECD_O
ClientSampleId :




#31 AR-1260-1

R.T.: 6.191 min
Delta R.T.: -0.004 min
Response: 123199
Conc: 3.49 ng/ml




#32 AR-1260-2

R.T.: 7.516 min
Delta R.T.: -0.002 min
Response: 187097
Conc: 2.37 ng/ml



#32 AR-1260-2


R.T.: 6.381 min
Delta R.T.: -0.002 min
Response: 135762
Conc: 3.39 ng/ml



#33 AR-1260-3


R.T.: 7.857 min
Delta R.T.: -0.021 min
Response: 18737
Conc: 0.34 ng/ml

Instrument :
ECD_O
ClientSampleId :




#33 AR-1260-3

R.T.: 6.529 min
Delta R.T.: -0.008 min
Response: 121025
Conc: 3.20 ng/ml




#34 AR-1260-4

R.T.: 8.100 min
Delta R.T.: -0.005 min
Response: 107939
Conc: 1.72 ng/ml



#34 AR-1260-4


R.T.: 6.998 min
Delta R.T.: -0.010 min
Response: 46240
Conc: 1.60 ng/ml



#35 AR-1260-5


R.T.: 8.426 min
Delta R.T.: -0.003 min
Response: 430010
Conc: 4.02 ng/ml

Instrument :
ECD_O
ClientSampleId :




#35 AR-1260-5

R.T.: 7.249 min
Delta R.T.: 0.000 min
Response: 110484
Conc: 1.84 ng/ml




#36 AR-1262-1

R.T.: 7.857 min
Delta R.T.: -0.020 min
Response: 18737
Conc: 0.21 ng/ml



#36 AR-1262-1


R.T.: 6.732 min
Delta R.T.: -0.014 min
Response: 10809
Conc: 0.23 ng/ml



#37 AR-1262-2


R.T.: 8.426 min
Delta R.T.: -0.002 min
Response: 430010
Conc: 3.23 ng/ml

Instrument :
ECD_O
ClientSampleId :




#37 AR-1262-2

R.T.: 6.998 min
Delta R.T.: -0.009 min
Response: 46240
Conc: 1.11 ng/ml




#38 AR-1262-3

R.T.: 8.750 min
Delta R.T.: 0.005 min
Response: 71486
Conc: 0.73 ng/ml



#38 AR-1262-3


R.T.: 7.538 min
Delta R.T.: 0.006 min
Response: 182060
Conc: 5.70 ng/ml



#39 AR-1262-4


R.T.: 8.838 min
Delta R.T.: 0.002 min
Response: 58848
Conc: 0.73 ng/ml

Instrument :
ECD_O
ClientSampleId :




#39 AR-1262-4

R.T.: 7.596 min
Delta R.T.: 0.001 min
Response: 100781
Conc: 1.83 ng/ml




#40 AR-1262-5

R.T.: 9.501 min
Delta R.T.: -0.004 min
Response: -20092
Conc: N.D.



#40 AR-1262-5


R.T.: 8.085 min
Delta R.T.: -0.005 min
Response: 24978
Conc: 0.99 ng/ml



#41 AR-1268-1


R.T.: 8.750 min
Delta R.T.: 0.006 min
Response: 71486
Conc: 0.42 ng/ml

Instrument :
ECD_O
ClientSampleId :




#41 AR-1268-1

R.T.: 7.538 min
Delta R.T.: 0.006 min
Response: 182060
Conc: 2.04 ng/ml




#42 AR-1268-2

R.T.: 8.838 min
Delta R.T.: -0.002 min
Response: 58848
Conc: 0.38 ng/ml



#42 AR-1268-2


R.T.: 7.596 min
Delta R.T.: 0.000 min
Response: 100781
Conc: 1.28 ng/ml



#43 AR-1268-3


R.T.: 9.078 min
Delta R.T.: 0.007 min
Response: 25444
Conc: 0.18 ng/ml

Instrument :
ECD_O
ClientSampleId :




#43 AR-1268-3

R.T.: 7.806 min
Delta R.T.: 0.003 min
Response: 34069
Conc: 0.48 ng/ml




#44 AR-1268-4

R.T.: 9.501 min
Delta R.T.: -0.006 min
Response: -20092
Conc: N.D.



#44 AR-1268-4


R.T.: 8.097 min
Delta R.T.: 0.006 min
Response: 32037
Conc: 1.16 ng/ml



#45 AR-1268-5

R.T.: 9.931 min
Delta R.T.: -0.002 min
Response: 23403
Conc: 0.06 ng/ml

Instrument :
ECD_O
ClientSampleId :



#45 AR-1268-5

R.T.: 8.378 min
Delta R.T.: 0.000 min
Response: 40744
Conc: 0.21 ng/ml