

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\PO110122\
 Data File : PO090060.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 01 Nov 2022 11:02
 Operator : YP/AJ
 Sample : N5336-03
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :
 SB-01-16.5-17.0-DUP

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Nov 02 04:20:11 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\PO102722.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Fri Oct 28 05:05:44 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds						
1) SA Tetrachlo...	4.307	3.485	82323132	26561954	25.615	24.993
2) SA Decachlor...	10.054	8.493	58918371	23401734	24.043	22.722

Target Compounds



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\PO110122\
Data File : PO090060.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 01 Nov 2022 11:02
Operator : YP/AJ
Sample : N5336-03
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
ECD_O
ClientSampleId :
SB-01-16.5-17.0-DUP

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Nov 02 04:20:11 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\PO102722.M
Quant Title : GC EXTRACTABLES
QLast Update : Fri Oct 28 05:05:44 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.307 min
Delta R.T.: 0.000 min
Response: 82323132
Conc: 25.61 ng/ml

Instrument :
ECD_O
ClientSampleId :
SB-01-16.5-17.0-DUP




#1 Tetrachloro-m-xylene

R.T.: 3.485 min
Delta R.T.: -0.001 min
Response: 26561954
Conc: 24.99 ng/ml



#2 Decachlorobiphenyl

R.T.: 10.054 min
Delta R.T.: 0.000 min
Response: 58918371
Conc: 24.04 ng/ml



#2 Decachlorobiphenyl

R.T.: 8.493 min
Delta R.T.: -0.003 min
Response: 23401734
Conc: 22.72 ng/ml