

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0110223\
 Data File : P0099323.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 03 Nov 2023 03:54
 Operator : YP/AJ
 Sample : I.BLK
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Nov 03 04:09:44 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0102523.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Wed Oct 25 06:04:36 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds						
1) SA Tetrachlo...	4.467	3.623	35785990	13472315	18.111	18.720
2) SA Decachlor...	10.256	8.612	18703838	7338636	16.510	13.678
Target Compounds						
3) L1 AR-1016-1	5.637	4.715	37635	137745	0.683	6.151 #
4) L1 AR-1016-2	5.680	4.746	53366	47859	0.645	1.531 #
5) L1 AR-1016-3	5.757	4.950f	24577	422664	0.477	24.961 #
6) L1 AR-1016-4	5.767f	4.950	20534	422664	0.505	29.234 #
7) L1 AR-1016-5	6.146	5.172	94415	157981	2.224	8.456 #
8) L2 AR-1221-1	4.678	3.856	105730	55268	4.258	5.949 #
9) L2 AR-1221-2	4.777	3.924	898212	218383	48.554	33.682 #
10) L2 AR-1221-3	4.853	4.002	58084	35808	1.072	1.770 #
11) L3 AR-1232-1	4.853	4.002	58084	35808	1.270	2.089 #
12) L3 AR-1232-2	5.387	4.746	24879	47859	1.054	3.124 #
13) L3 AR-1232-3	5.680	4.950f	53366	422664	1.351	52.823 #
14) L3 AR-1232-4	5.767f	4.988	20534	240253	1.076	31.227 #
15) L3 AR-1232-5	5.914	5.151	167332	294851	10.045	34.666 #
16) L4 AR-1242-1	5.637	4.715	37635	137745	0.869	7.840 #
17) L4 AR-1242-2	5.680	4.715	53366	137745	0.833	5.684 #
18) L4 AR-1242-3	5.757	4.950f	24577	422664	0.611	32.967 #
19) L4 AR-1242-4	5.767f	4.988	20534	240253	0.656	17.067 #
20) L4 AR-1242-5	6.568	5.527	1402750	1483690	45.472	88.784 #
21) L5 AR-1248-1	5.637	4.715	37635	137745	1.108	9.938 #
22) L5 AR-1248-2	5.914	4.950	167332	422664	3.197	21.278 #
23) L5 AR-1248-3	6.146	4.988	94415	240253	1.657	11.521 #
24) L5 AR-1248-4	6.533	5.151	567232	294851	10.402	11.994
25) L5 AR-1248-5	6.568	5.527	1402750	1483690	24.694	68.315 #
26) L6 AR-1254-1	6.499	5.527	2329236	1483690	35.384	41.873
27) L6 AR-1254-2	6.721	5.657	1041113	861148	10.815	26.924 #
28) L6 AR-1254-3	7.086	6.054	752379	534640	8.417	10.936 #
29) L6 AR-1254-4	7.353	6.242f	107703	210806	1.966	8.044 #
30) L6 AR-1254-5	7.834	6.712	270213	51161	4.013	1.214 #
31) L7 AR-1260-1	7.253	6.188	133056	132171	1.857	3.747 #
32) L7 AR-1260-2	7.526	6.400	640696	74839	8.121	1.867 #
33) L7 AR-1260-3	7.855	6.548	50599	13443	0.927	0.356 #
34) L7 AR-1260-4	8.107	7.017	175694	72246	2.804	2.500
35) L7 AR-1260-5	8.430	0.000	40018	0	0.374	N.D. #
36) L8 AR-1262-1	7.855	6.730	50599	16707	0.559	0.356 #
37) L8 AR-1262-2	8.430	7.017	40018	72246	0.300	1.740 #
38) L8 AR-1262-3	8.747	7.528	43534	172268	0.443	5.392 #
39) L8 AR-1262-4	8.841	7.584	132214	102046	1.650	1.856
40) L8 AR-1262-5	9.508	8.053f	26177	21088	0.596	0.840 #
41) L9 AR-1268-1	8.747	7.528	43534	172268	0.253	1.931 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0110223\
 Data File : P0099323.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 03 Nov 2023 03:54
 Operator : YP/AJ
 Sample : I.BLK
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Nov 03 04:09:44 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0102523.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Wed Oct 25 06:04:36 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42) L9	AR-1268-2	8.841	7.584	132214	102046	0.843	1.292 #
43) L9	AR-1268-3	9.087	7.791	163944	24228	1.169	0.344 #
44) L9	AR-1268-4	9.508	8.053f	26177	21088	0.522	0.765 #
45) L9	AR-1268-5	9.947	0.000	61650	0	0.151	N.D. #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\PO110223\
Data File : PO099323.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 03 Nov 2023 03:54
Operator : YP/AJ
Sample : I.BLK
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
ECD_O
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Nov 03 04:09:44 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\PO102523.M
Quant Title : GC EXTRACTABLES
QLast Update : Wed Oct 25 06:04:36 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.467 min
Delta R.T.: -0.011 min
Response: 35785990
Conc: 18.11 ng/ml

Instrument :
ECD_O
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 3.623 min
Delta R.T.: -0.008 min
Response: 13472315
Conc: 18.72 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.256 min
Delta R.T.: -0.025 min
Response: 18703838
Conc: 16.51 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.612 min
Delta R.T.: -0.018 min
Response: 7338636
Conc: 13.68 ng/ml



#3 AR-1016-1


R.T.: 5.637 min
Delta R.T.: -0.014 min
Response: 37635
Conc: 0.68 ng/ml

Instrument :
ECD_O
ClientSampleId :




#3 AR-1016-1

R.T.: 4.715 min
Delta R.T.: 0.002 min
Response: 137745
Conc: 6.15 ng/ml




#4 AR-1016-2

R.T.: 5.680 min
Delta R.T.: 0.006 min
Response: 53366
Conc: 0.65 ng/ml



#4 AR-1016-2


R.T.: 4.746 min
Delta R.T.: 0.014 min
Response: 47859
Conc: 1.53 ng/ml



#5 AR-1016-3


R.T.: 5.757 min
Delta R.T.: 0.021 min
Response: 24577
Conc: 0.48 ng/ml

Instrument :
ECD_O
ClientSampleId :




#5 AR-1016-3

R.T.: 4.950 min
Delta R.T.: 0.042 min
Response: 422664
Conc: 24.96 ng/ml




#6 AR-1016-4

R.T.: 5.767 min
Delta R.T.: -0.068 min
Response: 20534
Conc: 0.51 ng/ml



#6 AR-1016-4


R.T.: 4.950 min
Delta R.T.: 0.000 min
Response: 422664
Conc: 29.23 ng/ml



#7 AR-1016-5


R.T.: 6.146 min
Delta R.T.: 0.016 min
Response: 94415
Conc: 2.22 ng/ml

Instrument :
ECD_O
ClientSampleId :




#7 AR-1016-5

R.T.: 5.172 min
Delta R.T.: 0.010 min
Response: 157981
Conc: 8.46 ng/ml




#8 AR-1221-1

R.T.: 4.678 min
Delta R.T.: -0.008 min
Response: 105730
Conc: 4.26 ng/ml



#8 AR-1221-1


R.T.: 3.856 min
Delta R.T.: 0.012 min
Response: 55268
Conc: 5.95 ng/ml



#9 AR-1221-2


R.T.: 4.777 min
Delta R.T.: 0.005 min
Response: 898212
Conc: 48.55 ng/ml

Instrument :
ECD_O
ClientSampleId :




#9 AR-1221-2

R.T.: 3.924 min
Delta R.T.: -0.006 min
Response: 218383
Conc: 33.68 ng/ml




#10 AR-1221-3

R.T.: 4.853 min
Delta R.T.: 0.003 min
Response: 58084
Conc: 1.07 ng/ml



#10 AR-1221-3


R.T.: 4.002 min
Delta R.T.: -0.004 min
Response: 35808
Conc: 1.77 ng/ml



#11 AR-1232-1


R.T.: 4.853 min
Delta R.T.: 0.004 min
Response: 58084
Conc: 1.27 ng/ml

Instrument :
ECD_O
ClientSampleId :




#11 AR-1232-1

R.T.: 4.002 min
Delta R.T.: -0.003 min
Response: 35808
Conc: 2.09 ng/ml




#12 AR-1232-2

R.T.: 5.387 min
Delta R.T.: 0.006 min
Response: 24879
Conc: 1.05 ng/ml



#12 AR-1232-2


R.T.: 4.746 min
Delta R.T.: 0.015 min
Response: 47859
Conc: 3.12 ng/ml



#13 AR-1232-3


R.T.: 5.680 min
Delta R.T.: 0.008 min
Response: 53366
Conc: 1.35 ng/ml

Instrument :
ECD_O
ClientSampleId :




#13 AR-1232-3

R.T.: 4.950 min
Delta R.T.: 0.043 min
Response: 422664
Conc: 52.82 ng/ml




#14 AR-1232-4

R.T.: 5.767 min
Delta R.T.: -0.066 min
Response: 20534
Conc: 1.08 ng/ml



#14 AR-1232-4


R.T.: 4.988 min
Delta R.T.: -0.002 min
Response: 240253
Conc: 31.23 ng/ml



#15 AR-1232-5


R.T.: 5.914 min
Delta R.T.: -0.011 min
Response: 167332
Conc: 10.05 ng/ml

Instrument :
ECD_O
ClientSampleId :




#15 AR-1232-5

R.T.: 5.151 min
Delta R.T.: -0.010 min
Response: 294851
Conc: 34.67 ng/ml




#16 AR-1242-1

R.T.: 5.637 min
Delta R.T.: -0.013 min
Response: 37635
Conc: 0.87 ng/ml



#16 AR-1242-1


R.T.: 4.715 min
Delta R.T.: 0.003 min
Response: 137745
Conc: 7.84 ng/ml



#17 AR-1242-2


R.T.: 5.680 min
Delta R.T.: 0.006 min
Response: 53366
Conc: 0.83 ng/ml

Instrument :
ECD_O
ClientSampleId :




#17 AR-1242-2

R.T.: 4.715 min
Delta R.T.: -0.015 min
Response: 137745
Conc: 5.68 ng/ml




#18 AR-1242-3

R.T.: 5.757 min
Delta R.T.: 0.021 min
Response: 24577
Conc: 0.61 ng/ml



#18 AR-1242-3


R.T.: 4.950 min
Delta R.T.: 0.044 min
Response: 422664
Conc: 32.97 ng/ml



#19 AR-1242-4


R.T.: 5.767 min
Delta R.T.: -0.067 min
Response: 20534
Conc: 0.66 ng/ml

Instrument :
ECD_O
ClientSampleId :




#19 AR-1242-4

R.T.: 4.988 min
Delta R.T.: -0.001 min
Response: 240253
Conc: 17.07 ng/ml




#20 AR-1242-5

R.T.: 6.568 min
Delta R.T.: -0.005 min
Response: 1402750
Conc: 45.47 ng/ml



#20 AR-1242-5


R.T.: 5.527 min
Delta R.T.: 0.014 min
Response: 1483690
Conc: 88.78 ng/ml



#21 AR-1248-1


R.T.: 5.637 min
Delta R.T.: -0.013 min
Response: 37635
Conc: 1.11 ng/ml

Instrument :
ECD_O
ClientSampleId :




#21 AR-1248-1

R.T.: 4.715 min
Delta R.T.: 0.003 min
Response: 137745
Conc: 9.94 ng/ml




#22 AR-1248-2

R.T.: 5.914 min
Delta R.T.: -0.011 min
Response: 167332
Conc: 3.20 ng/ml



#22 AR-1248-2


R.T.: 4.950 min
Delta R.T.: 0.000 min
Response: 422664
Conc: 21.28 ng/ml



#23 AR-1248-3


R.T.: 6.146 min
Delta R.T.: 0.016 min
Response: 94415
Conc: 1.66 ng/ml

Instrument :
ECD_O
ClientSampleId :




#23 AR-1248-3

R.T.: 4.988 min
Delta R.T.: -0.002 min
Response: 240253
Conc: 11.52 ng/ml




#24 AR-1248-4

R.T.: 6.533 min
Delta R.T.: -0.002 min
Response: 567232
Conc: 10.40 ng/ml



#24 AR-1248-4


R.T.: 5.151 min
Delta R.T.: -0.010 min
Response: 294851
Conc: 11.99 ng/ml



#25 AR-1248-5


R.T.: 6.568 min
Delta R.T.: -0.005 min
Response: 1402750
Conc: 24.69 ng/ml

Instrument :
ECD_O
ClientSampleId :




#25 AR-1248-5

R.T.: 5.527 min
Delta R.T.: -0.027 min
Response: 1483690
Conc: 68.31 ng/ml




#26 AR-1254-1

R.T.: 6.499 min
Delta R.T.: -0.010 min
Response: 2329236
Conc: 35.38 ng/ml



#26 AR-1254-1


R.T.: 5.527 min
Delta R.T.: 0.015 min
Response: 1483690
Conc: 41.87 ng/ml



#27 AR-1254-2


R.T.: 6.721 min
Delta R.T.: -0.006 min
Response: 1041113
Conc: 10.81 ng/ml

Instrument :
ECD_O
ClientSampleId :




#27 AR-1254-2

R.T.: 5.657 min
Delta R.T.: -0.003 min
Response: 861148
Conc: 26.92 ng/ml




#28 AR-1254-3

R.T.: 7.086 min
Delta R.T.: -0.009 min
Response: 752379
Conc: 8.42 ng/ml



#28 AR-1254-3


R.T.: 6.054 min
Delta R.T.: -0.009 min
Response: 534640
Conc: 10.94 ng/ml



#29 AR-1254-4


R.T.: 7.353 min
Delta R.T.: -0.027 min
Response: 107703
Conc: 1.97 ng/ml

Instrument :
ECD_O
ClientSampleId :




#29 AR-1254-4

R.T.: 6.242 min
Delta R.T.: -0.050 min
Response: 210806
Conc: 8.04 ng/ml




#30 AR-1254-5

R.T.: 7.834 min
Delta R.T.: 0.034 min
Response: 270213
Conc: 4.01 ng/ml



#30 AR-1254-5


R.T.: 6.712 min
Delta R.T.: 0.003 min
Response: 51161
Conc: 1.21 ng/ml



#31 AR-1260-1


R.T.: 7.253 min
Delta R.T.: -0.007 min
Response: 133056
Conc: 1.86 ng/ml

Instrument :
ECD_O
ClientSampleId :




#31 AR-1260-1

R.T.: 6.188 min
Delta R.T.: -0.007 min
Response: 132171
Conc: 3.75 ng/ml




#32 AR-1260-2

R.T.: 7.526 min
Delta R.T.: 0.009 min
Response: 640696
Conc: 8.12 ng/ml



#32 AR-1260-2


R.T.: 6.400 min
Delta R.T.: 0.017 min
Response: 74839
Conc: 1.87 ng/ml



#33 AR-1260-3


R.T.: 7.855 min
Delta R.T.: -0.023 min
Response: 50599
Conc: 0.93 ng/ml

Instrument :
ECD_O
ClientSampleId :




#33 AR-1260-3

R.T.: 6.548 min
Delta R.T.: 0.012 min
Response: 13443
Conc: 0.36 ng/ml




#34 AR-1260-4

R.T.: 8.107 min
Delta R.T.: 0.002 min
Response: 175694
Conc: 2.80 ng/ml



#34 AR-1260-4


R.T.: 7.017 min
Delta R.T.: 0.009 min
Response: 72246
Conc: 2.50 ng/ml



#35 AR-1260-5


R.T.: 8.430 min
Delta R.T.: 0.002 min
Response: 40018
Conc: 0.37 ng/ml

Instrument :
ECD_O
ClientSampleId :




#35 AR-1260-5

R.T.: 0.000 min
Exp R.T.: 7.250 min
Response: 0
Conc: N.D.




#36 AR-1262-1

R.T.: 7.855 min
Delta R.T.: -0.022 min
Response: 50599
Conc: 0.56 ng/ml



#36 AR-1262-1


R.T.: 6.730 min
Delta R.T.: -0.016 min
Response: 16707
Conc: 0.36 ng/ml



#37 AR-1262-2


R.T.: 8.430 min
Delta R.T.: 0.003 min
Response: 40018
Conc: 0.30 ng/ml

Instrument :
ECD_O
ClientSampleId :




#37 AR-1262-2

R.T.: 7.017 min
Delta R.T.: 0.011 min
Response: 72246
Conc: 1.74 ng/ml




#38 AR-1262-3

R.T.: 8.747 min
Delta R.T.: 0.002 min
Response: 43534
Conc: 0.44 ng/ml



#38 AR-1262-3


R.T.: 7.528 min
Delta R.T.: -0.004 min
Response: 172268
Conc: 5.39 ng/ml



#39 AR-1262-4


R.T.: 8.841 min
Delta R.T.: 0.005 min
Response: 132214
Conc: 1.65 ng/ml

Instrument :
ECD_O
ClientSampleId :




#39 AR-1262-4

R.T.: 7.584 min
Delta R.T.: -0.011 min
Response: 102046
Conc: 1.86 ng/ml




#40 AR-1262-5

R.T.: 9.508 min
Delta R.T.: 0.002 min
Response: 26177
Conc: 0.60 ng/ml



#40 AR-1262-5


R.T.: 8.053 min
Delta R.T.: -0.037 min
Response: 21088
Conc: 0.84 ng/ml



#41 AR-1268-1


R.T.: 8.747 min
Delta R.T.: 0.002 min
Response: 43534
Conc: 0.25 ng/ml

Instrument :
ECD_O
ClientSampleId :




#41 AR-1268-1

R.T.: 7.528 min
Delta R.T.: -0.005 min
Response: 172268
Conc: 1.93 ng/ml




#42 AR-1268-2

R.T.: 8.841 min
Delta R.T.: 0.000 min
Response: 132214
Conc: 0.84 ng/ml



#42 AR-1268-2


R.T.: 7.584 min
Delta R.T.: -0.013 min
Response: 102046
Conc: 1.29 ng/ml



#43 AR-1268-3


R.T.: 9.087 min
Delta R.T.: 0.015 min
Response: 163944
Conc: 1.17 ng/ml

Instrument :
ECD_O
ClientSampleId :




#43 AR-1268-3

R.T.: 7.791 min
Delta R.T.: -0.012 min
Response: 24228
Conc: 0.34 ng/ml




#44 AR-1268-4

R.T.: 9.508 min
Delta R.T.: 0.000 min
Response: 26177
Conc: 0.52 ng/ml



#44 AR-1268-4


R.T.: 8.053 min
Delta R.T.: -0.038 min
Response: 21088
Conc: 0.77 ng/ml



#45 AR-1268-5

R.T.: 9.947 min
Delta R.T.: 0.014 min
Response: 61650
Conc: 0.15 ng/ml

Instrument :
ECD_O
ClientSampleId :



#45 AR-1268-5

R.T.: 0.000 min
Exp R.T. : 8.378 min
Response: 0
Conc: N.D.