

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0111722\
 Data File : P0090716.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 17 Nov 2022 17:56
 Operator : YP/AJ
 Sample : N5642-04
 Misc :
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :
 RIGHT-SIDE-FLATS-24

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Nov 17 21:31:48 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0102722.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Fri Oct 28 05:05:44 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds						
1) SA Tetrachlo...	4.300	3.479	74260665	23945192	23.106	22.530
2) SA Decachlor...	10.052	8.485	50789718	20115355	20.726	19.531

Target Compounds



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\PO111722\
Data File : PO090716.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 17 Nov 2022 17:56
Operator : YP/AJ
Sample : N5642-04
Misc :
ALS Vial : 18 Sample Multiplier: 1

Instrument :
ECD_O
ClientSampleId :
RIGHT-SIDE-FLATS-24

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Nov 17 21:31:48 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\PO102722.M
Quant Title : GC EXTRACTABLES
QLast Update : Fri Oct 28 05:05:44 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.300 min
Delta R.T.: -0.007 min
Response: 74260665
Conc: 23.11 ng/ml

Instrument :
ECD_O
ClientSampleId :
RIGHT-SIDE-FLATS-24




#1 Tetrachloro-m-xylene

R.T.: 3.479 min
Delta R.T.: -0.008 min
Response: 23945192
Conc: 22.53 ng/ml



#2 Decachlorobiphenyl

R.T.: 10.052 min
Delta R.T.: -0.002 min
Response: 50789718
Conc: 20.73 ng/ml



#2 Decachlorobiphenyl

R.T.: 8.485 min
Delta R.T.: -0.011 min
Response: 20115355
Conc: 19.53 ng/ml