

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0111819\
 Data File : P0063860.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 18 Nov 2019 21:51
 Operator : SM/AJ
 Sample : I.BLK
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :
 I.BLK

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Nov 19 01:19:19 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0111419.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Fri Nov 15 01:29:03 2019
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.317	3.568	654857	489407	21.418	22.034
2)	SA Decachlor...	9.945	8.540	804768	667389	19.805	22.819
Target Compounds							
3)	L1 AR-1016-1	0.000	4.643	0	8442	N.D.	8.237 #
4)	L1 AR-1016-2	0.000	4.666	0	7367	N.D.	5.407 #
5)	L1 AR-1016-3	0.000	4.844	0	13771	N.D.	18.495 #
6)	L1 AR-1016-4	0.000	4.885	0	19192	N.D.	30.806 #
7)	L1 AR-1016-5	0.000	5.091	0	1103	N.D.	1.388 #
8)	L2 AR-1221-1	0.000	3.814	0	1254	N.D.	4.616 #
9)	L2 AR-1221-2	4.620	3.867	9645	12711	30.749	60.449 #
10)	L2 AR-1221-3	4.620	3.938	9645	2714	10.169	4.071 #
11)	L3 AR-1232-1	4.620	3.938	9645	2714	7.251	2.879 #
12)	L3 AR-1232-2	0.000	4.666	0	7367	N.D.	7.310 #
13)	L3 AR-1232-3	0.000	4.844	0	13771	N.D.	26.019 #
14)	L3 AR-1232-4	0.000	4.919	0	5710	N.D.	12.163 #
15)	L3 AR-1232-5	0.000	5.091	0	1103	N.D.	2.139 #
16)	L4 AR-1242-1	0.000	4.643	0	8442	N.D.	10.701 #
17)	L4 AR-1242-2	0.000	4.666	0	7367	N.D.	6.959 #
18)	L4 AR-1242-3	0.000	4.844	0	13771	N.D.	24.037 #
19)	L4 AR-1242-4	0.000	4.919	0	5710	N.D.	10.001 #
20)	L4 AR-1242-5	6.329	5.426	14607	7355	14.056	9.450 #
21)	L5 AR-1248-1	0.000	4.643	0	8442	N.D.	13.100 #
22)	L5 AR-1248-2	0.000	4.885	0	19192	N.D.	22.268 #
23)	L5 AR-1248-3	0.000	4.919	0	5710	N.D.	6.454 #
24)	L5 AR-1248-4	6.329	5.091	14607	1103	8.439	1.024 #
25)	L5 AR-1248-5	6.329	5.468	14607	9800	8.660	8.787
26)	L6 AR-1254-1	6.329	5.426	14607	7355	8.361	4.151 #
27)	L6 AR-1254-2	0.000	5.589	0	5666	N.D.	3.593 #
28)	L6 AR-1254-3	6.914	5.990	35395	8260	11.274	3.081 #
29)	L6 AR-1254-4	0.000	6.217	0	2332	N.D.	1.315 #
30)	L6 AR-1254-5	0.000	6.632	0	10494	N.D.	4.200 #
31)	L7 AR-1260-1	0.000	6.123	0	6849	N.D.	4.361 #
32)	L7 AR-1260-2	7.325	6.295	19808	8515	7.862	4.328 #
33)	L7 AR-1260-3	0.000	6.461	0	5497	N.D.	3.082 #
34)	L7 AR-1260-4	0.000	6.930	0	5114	N.D.	3.248 #
35)	L7 AR-1260-5	8.226	7.171	20153	11545	4.293	2.978 #
36)	L8 AR-1262-1	0.000	6.716	0	3448	N.D.	3.298 #
37)	L8 AR-1262-2	8.226	7.171	20153	11545	3.421	2.434 #
38)	L8 AR-1262-3	0.000	7.464	0	13665	N.D.	7.291 #
39)	L8 AR-1262-4	0.000	7.518	0	36544	N.D.	10.351 #
40)	L8 AR-1262-5	9.182	8.011	70523	6334	32.374	4.148 #
41)	L9 AR-1268-1	0.000	7.464	0	13665	N.D.	2.560 #
42)	L9 AR-1268-2	0.000	7.518	0	36544	N.D.	7.333 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0111819\
 Data File : P0063860.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 18 Nov 2019 21:51
 Operator : SM/AJ
 Sample : I.BLK
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :
 I.BLK

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Nov 19 01:19:19 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0111419.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Fri Nov 15 01:29:03 2019
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
43) L9	AR-1268-3	0.000	7.727	0	11968	N.D.	3.015 #
44) L9	AR-1268-4	9.182	8.011	70523	6334	29.012	3.739 #
45) L9	AR-1268-5	0.000	8.292	0	36820	N.D.	3.113 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\PO111819\
Data File : PO063860.D
Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
Acq On : 18 Nov 2019 21:51
Operator : SM/AJ
Sample : I.BLK
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
ECD_O
ClientSampleId :
I.BLK

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Nov 19 01:19:19 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\PO111419.M
Quant Title : GC EXTRACTABLES
QLast Update : Fri Nov 15 01:29:03 2019
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.317 min
Delta R.T.: 0.003 min
Response: 654857
Conc: 21.42 ng/ml

Instrument :
ECD_O
ClientSampleId :
I.BLK




#1 Tetrachloro-m-xylene

R.T.: 3.568 min
Delta R.T.: 0.000 min
Response: 489407
Conc: 22.03 ng/ml




#2 Decachlorobiphenyl

R.T.: 9.945 min
Delta R.T.: 0.009 min
Response: 804768
Conc: 19.80 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.540 min
Delta R.T.: 0.000 min
Response: 667389
Conc: 22.82 ng/ml



#3 AR-1016-1


R.T.: 0.000 min
Exp R.T. : 5.475 min
Response: 0
Conc: N.D.

Instrument :
ECD_O
ClientSampleId :
I.BLK




#3 AR-1016-1

R.T.: 4.643 min
Delta R.T.: -0.004 min
Response: 8442
Conc: 8.24 ng/ml




#4 AR-1016-2

R.T.: 0.000 min
Exp R.T. : 5.497 min
Response: 0
Conc: N.D.



#4 AR-1016-2


R.T.: 4.666 min
Delta R.T.: 0.000 min
Response: 7367
Conc: 5.41 ng/ml



#5 AR-1016-3


R.T.: 0.000 min
Exp R.T. : 5.558 min
Response: 0
Conc: N.D.

Instrument :
ECD_O
ClientSampleId :
I.BLK




#5 AR-1016-3

R.T.: 4.844 min
Delta R.T.: 0.003 min
Response: 13771
Conc: 18.49 ng/ml




#6 AR-1016-4

R.T.: 0.000 min
Exp R.T. : 5.656 min
Response: 0
Conc: N.D.



#6 AR-1016-4


R.T.: 4.885 min
Delta R.T.: 0.003 min
Response: 19192
Conc: 30.81 ng/ml



#7 AR-1016-5


R.T.: 0.000 min
Exp R.T. : 5.949 min
Response: 0
Conc: N.D.

Instrument :
ECD_O
ClientSampleId :
I.BLK




#7 AR-1016-5

R.T.: 5.091 min
Delta R.T.: -0.003 min
Response: 1103
Conc: 1.39 ng/ml




#8 AR-1221-1

R.T.: 0.000 min
Exp R.T. : 4.523 min
Response: 0
Conc: N.D.



#8 AR-1221-1


R.T.: 3.814 min
Delta R.T.: 0.031 min
Response: 1254
Conc: 4.62 ng/ml



#9 AR-1221-2


R.T.: 4.620 min
Delta R.T.: 0.010 min
Response: 9645
Conc: 30.75 ng/ml

Instrument :
ECD_O
ClientSampleId :
I.BLK




#9 AR-1221-2

R.T.: 3.867 min
Delta R.T.: 0.000 min
Response: 12711
Conc: 60.45 ng/ml




#10 AR-1221-3

R.T.: 4.620 min
Delta R.T.: -0.066 min
Response: 9645
Conc: 10.17 ng/ml



#10 AR-1221-3


R.T.: 3.938 min
Delta R.T.: -0.006 min
Response: 2714
Conc: 4.07 ng/ml



#11 AR-1232-1


R.T.: 4.620 min
Delta R.T.: -0.066 min
Response: 9645
Conc: 7.25 ng/ml

Instrument :
ECD_O
ClientSampleId :
I.BLK




#11 AR-1232-1

R.T.: 3.938 min
Delta R.T.: -0.005 min
Response: 2714
Conc: 2.88 ng/ml




#12 AR-1232-2

R.T.: 0.000 min
Exp R.T. : 5.210 min
Response: 0
Conc: N.D.



#12 AR-1232-2


R.T.: 4.666 min
Delta R.T.: -0.002 min
Response: 7367
Conc: 7.31 ng/ml



#13 AR-1232-3


R.T.: 0.000 min
Exp R.T. : 5.498 min
Response: 0
Conc: N.D.

Instrument :
ECD_O
ClientSampleId :
I.BLK




#13 AR-1232-3

R.T.: 4.844 min
Delta R.T.: 0.003 min
Response: 13771
Conc: 26.02 ng/ml




#14 AR-1232-4

R.T.: 0.000 min
Exp R.T. : 5.658 min
Response: 0
Conc: N.D.



#14 AR-1232-4


R.T.: 4.919 min
Delta R.T.: -0.005 min
Response: 5710
Conc: 12.16 ng/ml



#15 AR-1232-5


R.T.: 0.000 min
Exp R.T. : 5.748 min
Response: 0
Conc: N.D.

Instrument :
ECD_O
ClientSampleId :
I.BLK




#15 AR-1232-5

R.T.: 5.091 min
Delta R.T.: -0.003 min
Response: 1103
Conc: 2.14 ng/ml




#16 AR-1242-1

R.T.: 0.000 min
Exp R.T. : 5.476 min
Response: 0
Conc: N.D.



#16 AR-1242-1


R.T.: 4.643 min
Delta R.T.: -0.004 min
Response: 8442
Conc: 10.70 ng/ml



#17 AR-1242-2


R.T.: 0.000 min
Exp R.T. : 5.497 min
Response: 0
Conc: N.D.

Instrument :
ECD_O
ClientSampleId :
I.BLK




#17 AR-1242-2

R.T.: 4.666 min
Delta R.T.: 0.000 min
Response: 7367
Conc: 6.96 ng/ml




#18 AR-1242-3

R.T.: 0.000 min
Exp R.T. : 5.560 min
Response: 0
Conc: N.D.



#18 AR-1242-3


R.T.: 4.844 min
Delta R.T.: 0.003 min
Response: 13771
Conc: 24.04 ng/ml



#19 AR-1242-4


R.T.: 0.000 min
Exp R.T. : 5.657 min
Response: 0
Conc: N.D.

Instrument :
ECD_O
ClientSampleId :
I.BLK




#19 AR-1242-4

R.T.: 4.919 min
Delta R.T.: -0.004 min
Response: 5710
Conc: 10.00 ng/ml




#20 AR-1242-5

R.T.: 6.329 min
Delta R.T.: -0.061 min
Response: 14607
Conc: 14.06 ng/ml



#20 AR-1242-5


R.T.: 5.426 min
Delta R.T.: -0.017 min
Response: 7355
Conc: 9.45 ng/ml



#21 AR-1248-1


R.T.: 0.000 min
Exp R.T. : 5.475 min
Response: 0
Conc: N.D.

Instrument :
ECD_O
ClientSampleId :
I.BLK




#21 AR-1248-1

R.T.: 4.643 min
Delta R.T.: -0.005 min
Response: 8442
Conc: 13.10 ng/ml




#22 AR-1248-2

R.T.: 0.000 min
Exp R.T. : 5.747 min
Response: 0
Conc: N.D.



#22 AR-1248-2


R.T.: 4.885 min
Delta R.T.: 0.002 min
Response: 19192
Conc: 22.27 ng/ml



#23 AR-1248-3


R.T.: 0.000 min
Exp R.T.: 5.950 min
Response: 0
Conc: N.D.

Instrument :
ECD_O
ClientSampleId :
I.BLK




#23 AR-1248-3

R.T.: 4.919 min
Delta R.T.: -0.005 min
Response: 5710
Conc: 6.45 ng/ml




#24 AR-1248-4

R.T.: 6.329 min
Delta R.T.: -0.023 min
Response: 14607
Conc: 8.44 ng/ml



#24 AR-1248-4


R.T.: 5.091 min
Delta R.T.: -0.004 min
Response: 1103
Conc: 1.02 ng/ml



#25 AR-1248-5


R.T.: 6.329 min
Delta R.T.: -0.061 min
Response: 14607
Conc: 8.66 ng/ml

Instrument :
ECD_O
ClientSampleId :
I.BLK




#25 AR-1248-5

R.T.: 5.468 min
Delta R.T.: -0.017 min
Response: 9800
Conc: 8.79 ng/ml




#26 AR-1254-1

R.T.: 6.329 min
Delta R.T.: 0.005 min
Response: 14607
Conc: 8.36 ng/ml



#26 AR-1254-1


R.T.: 5.426 min
Delta R.T.: -0.019 min
Response: 7355
Conc: 4.15 ng/ml



#27 AR-1254-2


R.T.: 0.000 min
Exp R.T. : 6.542 min
Response: 0
Conc: N.D.

Instrument :
ECD_O
ClientSampleId :
I.BLK




#27 AR-1254-2

R.T.: 5.589 min
Delta R.T.: -0.002 min
Response: 5666
Conc: 3.59 ng/ml




#28 AR-1254-3

R.T.: 6.914 min
Delta R.T.: 0.008 min
Response: 35395
Conc: 11.27 ng/ml



#28 AR-1254-3


R.T.: 5.990 min
Delta R.T.: -0.004 min
Response: 8260
Conc: 3.08 ng/ml



#29 AR-1254-4


R.T.: 0.000 min
Exp R.T. : 7.191 min
Response: 0
Conc: N.D.

Instrument :
ECD_O
ClientSampleId :
I.BLK




#29 AR-1254-4

R.T.: 6.217 min
Delta R.T.: -0.004 min
Response: 2332
Conc: 1.31 ng/ml




#30 AR-1254-5

R.T.: 0.000 min
Exp R.T. : 7.608 min
Response: 0
Conc: N.D.



#30 AR-1254-5


R.T.: 6.632 min
Delta R.T.: -0.005 min
Response: 10494
Conc: 4.20 ng/ml



#31 AR-1260-1


R.T.: 0.000 min
Exp R.T.: 7.067 min
Response: 0
Conc: N.D.

Instrument :
ECD_O
ClientSampleId :
I.BLK




#31 AR-1260-1

R.T.: 6.123 min
Delta R.T.: 0.002 min
Response: 6849
Conc: 4.36 ng/ml




#32 AR-1260-2

R.T.: 7.325 min
Delta R.T.: 0.000 min
Response: 19808
Conc: 7.86 ng/ml



#32 AR-1260-2


R.T.: 6.295 min
Delta R.T.: -0.012 min
Response: 8515
Conc: 4.33 ng/ml



#33 AR-1260-3


R.T.: 0.000 min
Exp R.T. : 7.682 min
Response: 0
Conc: N.D.

Instrument :
ECD_O
ClientSampleId :
I.BLK




#33 AR-1260-3

R.T.: 6.461 min
Delta R.T.: -0.001 min
Response: 5497
Conc: 3.08 ng/ml




#34 AR-1260-4

R.T.: 0.000 min
Exp R.T. : 7.905 min
Response: 0
Conc: N.D.



#34 AR-1260-4


R.T.: 6.930 min
Delta R.T.: -0.002 min
Response: 5114
Conc: 3.25 ng/ml



#35 AR-1260-5


R.T.: 8.226 min
Delta R.T.: 0.010 min
Response: 20153
Conc: 4.29 ng/ml

Instrument :
ECD_O
ClientSampleId :
I.BLK




#35 AR-1260-5

R.T.: 7.171 min
Delta R.T.: 0.000 min
Response: 11545
Conc: 2.98 ng/ml




#36 AR-1262-1

R.T.: 0.000 min
Exp R.T. : 7.682 min
Response: 0
Conc: N.D.



#36 AR-1262-1


R.T.: 6.716 min
Delta R.T.: -0.011 min
Response: 3448
Conc: 3.30 ng/ml



#37 AR-1262-2


R.T.: 8.226 min
Delta R.T.: 0.009 min
Response: 20153
Conc: 3.42 ng/ml

Instrument :
ECD_O
ClientSampleId :
I.BLK




#37 AR-1262-2

R.T.: 7.171 min
Delta R.T.: -0.002 min
Response: 11545
Conc: 2.43 ng/ml




#38 AR-1262-3

R.T.: 0.000 min
Exp R.T. : 8.516 min
Response: 0
Conc: N.D.



#38 AR-1262-3


R.T.: 7.464 min
Delta R.T.: 0.008 min
Response: 13665
Conc: 7.29 ng/ml



#39 AR-1262-4


R.T.: 0.000 min
Exp R.T.: 8.603 min
Response: 0
Conc: N.D.

Instrument :
ECD_O
ClientSampleId :
I.BLK




#39 AR-1262-4

R.T.: 7.518 min
Delta R.T.: -0.001 min
Response: 36544
Conc: 10.35 ng/ml




#40 AR-1262-5

R.T.: 9.182 min
Delta R.T.: -0.045 min
Response: 70523
Conc: 32.37 ng/ml



#40 AR-1262-5


R.T.: 8.011 min
Delta R.T.: 0.000 min
Response: 6334
Conc: 4.15 ng/ml



#41 AR-1268-1


R.T.: 0.000 min
Exp R.T. : 8.513 min
Response: 0
Conc: N.D.

Instrument :
ECD_O
ClientSampleId :
I.BLK




#41 AR-1268-1

R.T.: 7.464 min
Delta R.T.: 0.009 min
Response: 13665
Conc: 2.56 ng/ml




#42 AR-1268-2

R.T.: 0.000 min
Exp R.T. : 8.604 min
Response: 0
Conc: N.D.



#42 AR-1268-2


R.T.: 7.518 min
Delta R.T.: -0.001 min
Response: 36544
Conc: 7.33 ng/ml



#43 AR-1268-3


R.T.: 0.000 min
Exp R.T.: 8.821 min
Response: 0
Conc: N.D.

Instrument :
ECD_O
ClientSampleId :
I.BLK




#43 AR-1268-3

R.T.: 7.727 min
Delta R.T.: 0.000 min
Response: 11968
Conc: 3.01 ng/ml




#44 AR-1268-4

R.T.: 9.182 min
Delta R.T.: -0.046 min
Response: 70523
Conc: 29.01 ng/ml



#44 AR-1268-4


R.T.: 8.011 min
Delta R.T.: 0.001 min
Response: 6334
Conc: 3.74 ng/ml



#45 AR-1268-5

R.T.: 0.000 min
Exp R.T. : 9.619 min
Response: 0
Conc: N.D.

Instrument :
ECD_O
ClientSampleId :
I.BLK



#45 AR-1268-5

R.T.: 8.292 min
Delta R.T.: 0.000 min
Response: 36820
Conc: 3.11 ng/ml