

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_0\Data\PO113023\
 Data File : PO100173.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 30 Nov 2023 14:42
 Operator : YP/AJ
 Sample : 05578-01 10X
 Misc :
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 ECD_0
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Nov 30 15:21:53 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_0\methods\PO112123.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Tue Nov 21 15:58:40 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.479	3.703	2260437	2495313	1.324	1.664 #
2)	SA Decachlor...	10.359	8.796	1379275	2187849	1.899	1.955
Target Compounds							
3)	L1 AR-1016-1	5.673	4.809	105080	148526	2.442	4.704 #
4)	L1 AR-1016-2	5.696	4.840	111195	35122	1.718	0.812 #
5)	L1 AR-1016-3	5.756	5.003	123960	57707	2.844	2.488
6)	L1 AR-1016-4	5.855	5.064	223860	58225	6.782	2.840 #
7)	L1 AR-1016-5	6.161	5.270	76444	94003	2.435	3.686 #
8)	L2 AR-1221-1	4.666	3.933	274172	244832	13.299	12.879
9)	L2 AR-1221-2	4.797	4.013	373353	17052	24.718	1.309 #
10)	L2 AR-1221-3	4.866	4.051f	94675	273332	2.110	7.609 #
11)	L3 AR-1232-1	4.866	4.051f	94675	273332	2.653	9.314 #
12)	L3 AR-1232-2	5.390	4.840	23341	35122	1.341	1.771 #
13)	L3 AR-1232-3	5.696	5.003	111195	57707	3.924	5.568 #
14)	L3 AR-1232-4	5.855	5.084	223860	79028	16.115	7.951 #
15)	L3 AR-1232-5	5.934	5.270	190636	94003	15.534	8.704 #
16)	L4 AR-1242-1	5.673	4.809	105080	148526	3.033	5.651 #
17)	L4 AR-1242-2	5.696	4.840	111195	35122	2.119	0.999 #
18)	L4 AR-1242-3	5.756	5.003	123960	57707	3.562	3.013
19)	L4 AR-1242-4	5.855	5.084	223860	79028	8.515	3.924 #
20)	L4 AR-1242-5	6.598	5.628	115770	166901	5.178	7.143 #
21)	L5 AR-1248-1	5.673	4.809	105080	148526	4.065	7.429 #
22)	L5 AR-1248-2	5.934	5.064	190636	58225	4.661	2.081 #
23)	L5 AR-1248-3	6.161	5.084	76444	79028	1.785	2.737 #
24)	L5 AR-1248-4	6.557	5.270	35973	94003	0.954	2.867 #
25)	L5 AR-1248-5	6.598	5.668	115770	25717	3.135	0.861 #
26)	L6 AR-1254-1	6.532	5.628	87974	166901	1.827	3.220 #
27)	L6 AR-1254-2	6.758	5.779	58258	109108	0.849	2.343 #
28)	L6 AR-1254-3	7.127	6.182	116087	323050	1.822	4.142 #
29)	L6 AR-1254-4	7.413	6.411	168490	325221	4.457	7.621 #
30)	L6 AR-1254-5	7.837	6.865	96796	270036	2.261	3.732 #
31)	L7 AR-1260-1	7.284	6.296	24170	169433	0.454	2.932 #
32)	L7 AR-1260-2	7.547	6.487	49405	311741	0.934	4.694 #
33)	L7 AR-1260-3	7.889	6.667	33032	42763	0.926	0.668 #
34)	L7 AR-1260-4	8.141	7.140	361606	60944	8.737	1.209 #
35)	L7 AR-1260-5	8.469	7.374	113799	463108	1.704	4.131 #
36)	L8 AR-1262-1	7.837	6.865	96796	270036	2.676	7.065 #
37)	L8 AR-1262-2	8.469	7.140	113799	60944	1.340	0.808 #
38)	L8 AR-1262-3	8.798	7.649	55095	-10713	0.915	N.D. #
39)	L8 AR-1262-4	8.888	7.687f	42376	138927	0.879	1.352 #
40)	L8 AR-1262-5	9.556	8.253	13420	30801	0.514	0.707 #
41)	L9 AR-1268-1	8.798	7.649	55095	-10713	0.499	N.D. #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\PO113023\
 Data File : PO100173.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 30 Nov 2023 14:42
 Operator : YP/AJ
 Sample : 05578-01 10X
 Misc :
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Nov 30 15:21:53 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\PO112123.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Tue Nov 21 15:58:40 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42) L9	AR-1268-2	8.888	7.687f	42376	138927	0.440	0.910 #
43) L9	AR-1268-3	9.133	7.927	10623	46458	0.118	0.324 #
44) L9	AR-1268-4	9.556	8.206	13420	41582	0.472	0.885 #
45) L9	AR-1268-5	9.998	8.550	23129	199030	0.092	0.500 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\PO113023\
Data File : PO100173.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 30 Nov 2023 14:42
Operator : YP/AJ
Sample : 05578-01 10X
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
ECD_O
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Nov 30 15:21:53 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\PO112123.M
Quant Title : GC EXTRACTABLES
QLast Update : Tue Nov 21 15:58:40 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.479 min
Delta R.T.: -0.001 min
Response: 2260437
Conc: 1.32 ng/ml

Instrument :
ECD_O
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 3.703 min
Delta R.T.: -0.002 min
Response: 2495313
Conc: 1.66 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.359 min
Delta R.T.: 0.002 min
Response: 1379275
Conc: 1.90 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.796 min
Delta R.T.: -0.005 min
Response: 2187849
Conc: 1.96 ng/ml



#3 AR-1016-1


R.T.: 5.673 min
Delta R.T.: 0.006 min
Response: 105080
Conc: 2.44 ng/ml

Instrument :
ECD_O
ClientSampleId :




#3 AR-1016-1

R.T.: 4.809 min
Delta R.T.: -0.003 min
Response: 148526
Conc: 4.70 ng/ml




#4 AR-1016-2

R.T.: 5.696 min
Delta R.T.: 0.006 min
Response: 111195
Conc: 1.72 ng/ml



#4 AR-1016-2


R.T.: 4.840 min
Delta R.T.: 0.009 min
Response: 35122
Conc: 0.81 ng/ml



#5 AR-1016-3


R.T.: 5.756 min
Delta R.T.: 0.004 min
Response: 123960
Conc: 2.84 ng/ml

Instrument :
ECD_O
ClientSampleId :




#5 AR-1016-3

R.T.: 5.003 min
Delta R.T.: -0.008 min
Response: 57707
Conc: 2.49 ng/ml




#6 AR-1016-4

R.T.: 5.855 min
Delta R.T.: 0.003 min
Response: 223860
Conc: 6.78 ng/ml



#6 AR-1016-4


R.T.: 5.064 min
Delta R.T.: 0.012 min
Response: 58225
Conc: 2.84 ng/ml



#7 AR-1016-5


R.T.: 6.161 min
Delta R.T.: 0.010 min
Response: 76444
Conc: 2.43 ng/ml

Instrument :
ECD_O
ClientSampleId :




#7 AR-1016-5

R.T.: 5.270 min
Delta R.T.: 0.001 min
Response: 94003
Conc: 3.69 ng/ml




#8 AR-1221-1

R.T.: 4.666 min
Delta R.T.: -0.026 min
Response: 274172
Conc: 13.30 ng/ml



#8 AR-1221-1


R.T.: 3.933 min
Delta R.T.: 0.010 min
Response: 244832
Conc: 12.88 ng/ml



#9 AR-1221-2


R.T.: 4.797 min
Delta R.T.: 0.017 min
Response: 373353
Conc: 24.72 ng/ml

Instrument :
ECD_O
ClientSampleId :




#9 AR-1221-2

R.T.: 4.013 min
Delta R.T.: 0.002 min
Response: 17052
Conc: 1.31 ng/ml




#10 AR-1221-3

R.T.: 4.866 min
Delta R.T.: 0.008 min
Response: 94675
Conc: 2.11 ng/ml



#10 AR-1221-3


R.T.: 4.051 min
Delta R.T.: -0.038 min
Response: 273332
Conc: 7.61 ng/ml



#11 AR-1232-1


R.T.: 4.866 min
Delta R.T.: 0.009 min
Response: 94675
Conc: 2.65 ng/ml

Instrument :
ECD_O
ClientSampleId :




#11 AR-1232-1

R.T.: 4.051 min
Delta R.T.: -0.038 min
Response: 273332
Conc: 9.31 ng/ml




#12 AR-1232-2

R.T.: 5.390 min
Delta R.T.: -0.004 min
Response: 23341
Conc: 1.34 ng/ml



#12 AR-1232-2


R.T.: 4.840 min
Delta R.T.: 0.010 min
Response: 35122
Conc: 1.77 ng/ml



#13 AR-1232-3


R.T.: 5.696 min
Delta R.T.: 0.007 min
Response: 111195
Conc: 3.92 ng/ml

Instrument :
ECD_O
ClientSampleId :




#13 AR-1232-3

R.T.: 5.003 min
Delta R.T.: -0.007 min
Response: 57707
Conc: 5.57 ng/ml




#14 AR-1232-4

R.T.: 5.855 min
Delta R.T.: 0.004 min
Response: 223860
Conc: 16.11 ng/ml



#14 AR-1232-4


R.T.: 5.084 min
Delta R.T.: -0.011 min
Response: 79028
Conc: 7.95 ng/ml



#15 AR-1232-5


R.T.: 5.934 min
Delta R.T.: -0.009 min
Response: 190636
Conc: 15.53 ng/ml

Instrument :
ECD_O
ClientSampleId :




#15 AR-1232-5

R.T.: 5.270 min
Delta R.T.: 0.002 min
Response: 94003
Conc: 8.70 ng/ml




#16 AR-1242-1

R.T.: 5.673 min
Delta R.T.: 0.006 min
Response: 105080
Conc: 3.03 ng/ml



#16 AR-1242-1


R.T.: 4.809 min
Delta R.T.: -0.003 min
Response: 148526
Conc: 5.65 ng/ml



#17 AR-1242-2


R.T.: 5.696 min
Delta R.T.: 0.006 min
Response: 111195
Conc: 2.12 ng/ml

Instrument :
ECD_O
ClientSampleId :




#17 AR-1242-2

R.T.: 4.840 min
Delta R.T.: 0.009 min
Response: 35122
Conc: 1.00 ng/ml




#18 AR-1242-3

R.T.: 5.756 min
Delta R.T.: 0.003 min
Response: 123960
Conc: 3.56 ng/ml



#18 AR-1242-3


R.T.: 5.003 min
Delta R.T.: -0.008 min
Response: 57707
Conc: 3.01 ng/ml



#19 AR-1242-4


R.T.: 5.855 min
Delta R.T.: 0.002 min
Response: 223860
Conc: 8.51 ng/ml

Instrument :
ECD_O
ClientSampleId :




#19 AR-1242-4

R.T.: 5.084 min
Delta R.T.: -0.011 min
Response: 79028
Conc: 3.92 ng/ml




#20 AR-1242-5

R.T.: 6.598 min
Delta R.T.: -0.002 min
Response: 115770
Conc: 5.18 ng/ml



#20 AR-1242-5


R.T.: 5.628 min
Delta R.T.: 0.003 min
Response: 166901
Conc: 7.14 ng/ml



#21 AR-1248-1


R.T.: 5.673 min
Delta R.T.: 0.008 min
Response: 105080
Conc: 4.06 ng/ml

Instrument :
ECD_O
ClientSampleId :




#21 AR-1248-1

R.T.: 4.809 min
Delta R.T.: -0.002 min
Response: 148526
Conc: 7.43 ng/ml




#22 AR-1248-2

R.T.: 5.934 min
Delta R.T.: -0.009 min
Response: 190636
Conc: 4.66 ng/ml



#22 AR-1248-2


R.T.: 5.064 min
Delta R.T.: 0.013 min
Response: 58225
Conc: 2.08 ng/ml



#23 AR-1248-3


R.T.: 6.161 min
Delta R.T.: 0.010 min
Response: 76444
Conc: 1.78 ng/ml

Instrument :
ECD_O
ClientSampleId :




#23 AR-1248-3

R.T.: 5.084 min
Delta R.T.: -0.010 min
Response: 79028
Conc: 2.74 ng/ml




#24 AR-1248-4

R.T.: 6.557 min
Delta R.T.: -0.002 min
Response: 35973
Conc: 0.95 ng/ml



#24 AR-1248-4


R.T.: 5.270 min
Delta R.T.: 0.002 min
Response: 94003
Conc: 2.87 ng/ml



#25 AR-1248-5


R.T.: 6.598 min
Delta R.T.: 0.000 min
Response: 115770
Conc: 3.13 ng/ml

Instrument :
ECD_O
ClientSampleId :




#25 AR-1248-5

R.T.: 5.668 min
Delta R.T.: 0.003 min
Response: 25717
Conc: 0.86 ng/ml




#26 AR-1254-1

R.T.: 6.532 min
Delta R.T.: -0.002 min
Response: 87974
Conc: 1.83 ng/ml



#26 AR-1254-1


R.T.: 5.628 min
Delta R.T.: 0.003 min
Response: 166901
Conc: 3.22 ng/ml



#27 AR-1254-2


R.T.: 6.758 min
Delta R.T.: 0.003 min
Response: 58258
Conc: 0.85 ng/ml

Instrument :
ECD_O
ClientSampleId :




#27 AR-1254-2

R.T.: 5.779 min
Delta R.T.: 0.005 min
Response: 109108
Conc: 2.34 ng/ml




#28 AR-1254-3

R.T.: 7.127 min
Delta R.T.: 0.001 min
Response: 116087
Conc: 1.82 ng/ml



#28 AR-1254-3


R.T.: 6.182 min
Delta R.T.: 0.000 min
Response: 323050
Conc: 4.14 ng/ml



#29 AR-1254-4


R.T.: 7.413 min
Delta R.T.: 0.000 min
Response: 168490
Conc: 4.46 ng/ml

Instrument :
ECD_O
ClientSampleId :




#29 AR-1254-4

R.T.: 6.411 min
Delta R.T.: -0.001 min
Response: 325221
Conc: 7.62 ng/ml




#30 AR-1254-5

R.T.: 7.837 min
Delta R.T.: -0.002 min
Response: 96796
Conc: 2.26 ng/ml



#30 AR-1254-5


R.T.: 6.865 min
Delta R.T.: 0.030 min
Response: 270036
Conc: 3.73 ng/ml



#31 AR-1260-1


R.T.: 7.284 min
Delta R.T.: -0.007 min
Response: 24170
Conc: 0.45 ng/ml

Instrument :
ECD_O
ClientSampleId :




#31 AR-1260-1

R.T.: 6.296 min
Delta R.T.: -0.019 min
Response: 169433
Conc: 2.93 ng/ml




#32 AR-1260-2

R.T.: 7.547 min
Delta R.T.: -0.004 min
Response: 49405
Conc: 0.93 ng/ml



#32 AR-1260-2


R.T.: 6.487 min
Delta R.T.: -0.016 min
Response: 311741
Conc: 4.69 ng/ml



#33 AR-1260-3


R.T.: 7.889 min
Delta R.T.: -0.026 min
Response: 33032
Conc: 0.93 ng/ml

Instrument :
ECD_O
ClientSampleId :




#33 AR-1260-3

R.T.: 6.667 min
Delta R.T.: 0.007 min
Response: 42763
Conc: 0.67 ng/ml




#34 AR-1260-4

R.T.: 8.141 min
Delta R.T.: -0.002 min
Response: 361606
Conc: 8.74 ng/ml



#34 AR-1260-4


R.T.: 7.140 min
Delta R.T.: 0.005 min
Response: 60944
Conc: 1.21 ng/ml



#35 AR-1260-5


R.T.: 8.469 min
Delta R.T.: -0.003 min
Response: 113799
Conc: 1.70 ng/ml

Instrument :
ECD_O
ClientSampleId :




#35 AR-1260-5

R.T.: 7.374 min
Delta R.T.: -0.004 min
Response: 463108
Conc: 4.13 ng/ml




#36 AR-1262-1

R.T.: 7.837 min
Delta R.T.: 0.003 min
Response: 96796
Conc: 2.68 ng/ml



#36 AR-1262-1


R.T.: 6.865 min
Delta R.T.: 0.031 min
Response: 270036
Conc: 7.07 ng/ml



#37 AR-1262-2


R.T.: 8.469 min
Delta R.T.: -0.003 min
Response: 113799
Conc: 1.34 ng/ml

Instrument :
ECD_O
ClientSampleId :




#37 AR-1262-2

R.T.: 7.140 min
Delta R.T.: 0.005 min
Response: 60944
Conc: 0.81 ng/ml




#38 AR-1262-3

R.T.: 8.798 min
Delta R.T.: 0.003 min
Response: 55095
Conc: 0.91 ng/ml



#38 AR-1262-3


R.T.: 7.649 min
Delta R.T.: -0.015 min
Response: -10713
Conc: N.D.



#39 AR-1262-4


R.T.: 8.888 min
Delta R.T.: -0.002 min
Response: 42376
Conc: 0.88 ng/ml

Instrument :
ECD_O
ClientSampleId :




#39 AR-1262-4

R.T.: 7.687 min
Delta R.T.: -0.042 min
Response: 138927
Conc: 1.35 ng/ml




#40 AR-1262-5

R.T.: 9.556 min
Delta R.T.: -0.013 min
Response: 13420
Conc: 0.51 ng/ml



#40 AR-1262-5


R.T.: 8.253 min
Delta R.T.: 0.023 min
Response: 30801
Conc: 0.71 ng/ml



#41 AR-1268-1


R.T.: 8.798 min
Delta R.T.: 0.005 min
Response: 55095
Conc: 0.50 ng/ml

Instrument :
ECD_O
ClientSampleId :




#41 AR-1268-1

R.T.: 7.649 min
Delta R.T.: -0.015 min
Response: -10713
Conc: N.D.




#42 AR-1268-2

R.T.: 8.888 min
Delta R.T.: -0.004 min
Response: 42376
Conc: 0.44 ng/ml



#42 AR-1268-2


R.T.: 7.687 min
Delta R.T.: -0.042 min
Response: 138927
Conc: 0.91 ng/ml



#43 AR-1268-3


R.T.: 9.133 min
Delta R.T.: 0.003 min
Response: 10623
Conc: 0.12 ng/ml

Instrument :
ECD_O
ClientSampleId :




#43 AR-1268-3

R.T.: 7.927 min
Delta R.T.: -0.011 min
Response: 46458
Conc: 0.32 ng/ml




#44 AR-1268-4

R.T.: 9.556 min
Delta R.T.: -0.014 min
Response: 13420
Conc: 0.47 ng/ml



#44 AR-1268-4


R.T.: 8.206 min
Delta R.T.: -0.024 min
Response: 41582
Conc: 0.89 ng/ml



#45 AR-1268-5

R.T.: 9.998 min
Delta R.T.: -0.006 min
Response: 23129
Conc: 0.09 ng/ml

Instrument :
ECD_O
ClientSampleId :



#45 AR-1268-5

R.T.: 8.550 min
Delta R.T.: 0.017 min
Response: 199030
Conc: 0.50 ng/ml