

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\PO120123\
 Data File : PO100213.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 01 Dec 2023 14:49
 Operator : YP/AJ
 Sample : PB157500BL
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Dec 01 15:39:55 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\PO112123.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Tue Nov 21 15:58:40 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.480	3.702	30065690	27730520	17.615	18.488
2)	SA Decachlor...	10.361	8.794	18234377	26692184	25.104	23.854
Target Compounds							
3)	L1 AR-1016-1	5.656	4.826	14579	69241	0.339	2.193 #
4)	L1 AR-1016-2	5.700	4.826	74346	69241	1.148	1.601 #
5)	L1 AR-1016-3	5.762	5.016	96863	32753	2.222	1.412 #
6)	L1 AR-1016-4	5.850	5.056	56467	94589	1.711	4.614 #
7)	L1 AR-1016-5	6.157	5.274	22509	11386	0.717	0.446 #
8)	L2 AR-1221-1	4.701	3.933	20745	88422	1.006	4.651 #
9)	L2 AR-1221-2	4.792	4.008	539199	463191	35.699	35.544
10)	L2 AR-1221-3	4.850	4.089	21234	16862	0.473	0.469
11)	L3 AR-1232-1	4.850	4.089	21234	16862	0.595	0.575
12)	L3 AR-1232-2	5.405	4.826	22586	69241	1.298	3.492 #
13)	L3 AR-1232-3	5.700	5.016	74346	32753	2.624	3.160
14)	L3 AR-1232-4	5.850	5.098	56467	101727	4.065	10.234 #
15)	L3 AR-1232-5	5.962	5.274	120295	11386	9.802	1.054 #
16)	L4 AR-1242-1	5.656	4.826	14579	69241	0.421	2.635 #
17)	L4 AR-1242-2	5.700	4.826	74346	69241	1.417	1.969 #
18)	L4 AR-1242-3	5.762	5.016	96863	32753	2.783	1.710 #
19)	L4 AR-1242-4	5.850	5.098	56467	101727	2.148	5.050 #
20)	L4 AR-1242-5	6.601	5.646	37424	247149	1.674	10.577 #
21)	L5 AR-1248-1	5.656	4.826	14579	69241	0.564	3.464 #
22)	L5 AR-1248-2	5.962	5.056	120295	94589	2.941	3.380
23)	L5 AR-1248-3	6.157	5.098	22509	101727	0.525	3.523 #
24)	L5 AR-1248-4	6.567	5.274	15723	11386	0.417	0.347
25)	L5 AR-1248-5	6.601	5.681	37424	111292	1.013	3.726 #
26)	L6 AR-1254-1	6.533	5.646	38748	247149	0.805	4.768 #
27)	L6 AR-1254-2	6.750	5.790	47616	174692	0.694	3.751 #
28)	L6 AR-1254-3	7.128	6.174	304066	144845	4.773	1.857 #
29)	L6 AR-1254-4	7.412	6.426	46410	30836	1.228	0.723 #
30)	L6 AR-1254-5	7.845	6.824	45909	62995	1.073	0.871
31)	L7 AR-1260-1	7.280	6.318	35600	53929	0.669	0.933 #
32)	L7 AR-1260-2	7.566	6.483	58547	377719	1.107	5.687 #
33)	L7 AR-1260-3	7.922	6.675	37774	42170	1.059	0.659 #
34)	L7 AR-1260-4	8.145	7.124	55492	115366	1.341	2.288 #
35)	L7 AR-1260-5	8.482	7.374	63802	60593	0.955	0.541 #
36)	L8 AR-1262-1	7.827	6.824	134177	62995	3.709	1.648 #
37)	L8 AR-1262-2	8.482	7.124	63802	115366	0.751	1.529 #
38)	L8 AR-1262-3	8.808	7.680	50617	30740	0.840	0.528 #
39)	L8 AR-1262-4	8.899	7.729	34769	52449	0.721	0.510 #
40)	L8 AR-1262-5	9.580	8.230	13228	72945	0.507	1.674 #
41)	L9 AR-1268-1	8.808	7.680	50617	30740	0.459	0.185 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\PO120123\
 Data File : PO100213.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 01 Dec 2023 14:49
 Operator : YP/AJ
 Sample : PB157500BL
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Dec 01 15:39:55 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\PO112123.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Tue Nov 21 15:58:40 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42) L9	AR-1268-2	8.899	7.729	34769	52449	0.361	0.344
43) L9	AR-1268-3	9.123	7.950	28037	588069	0.311	4.103 #
44) L9	AR-1268-4	9.580	8.230	13228	72945	0.465	1.552 #
45) L9	AR-1268-5	10.000	8.526	21353	131532	0.085	0.330 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\PO120123\
Data File : PO100213.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 01 Dec 2023 14:49
Operator : YP/AJ
Sample : PB157500BL
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
ECD_O
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Dec 01 15:39:55 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\PO112123.M
Quant Title : GC EXTRACTABLES
QLast Update : Tue Nov 21 15:58:40 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.480 min
Delta R.T.: 0.000 min
Response: 30065690
Conc: 17.61 ng/ml

Instrument :
ECD_O
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 3.702 min
Delta R.T.: -0.003 min
Response: 27730520
Conc: 18.49 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.361 min
Delta R.T.: 0.004 min
Response: 18234377
Conc: 25.10 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.794 min
Delta R.T.: -0.007 min
Response: 26692184
Conc: 23.85 ng/ml



#3 AR-1016-1


R.T.: 5.656 min
Delta R.T.: -0.011 min
Response: 14579
Conc: 0.34 ng/ml

Instrument :
ECD_O
ClientSampleId :




#3 AR-1016-1

R.T.: 4.826 min
Delta R.T.: 0.014 min
Response: 69241
Conc: 2.19 ng/ml




#4 AR-1016-2

R.T.: 5.700 min
Delta R.T.: 0.010 min
Response: 74346
Conc: 1.15 ng/ml



#4 AR-1016-2


R.T.: 4.826 min
Delta R.T.: -0.006 min
Response: 69241
Conc: 1.60 ng/ml



#5 AR-1016-3


R.T.: 5.762 min
Delta R.T.: 0.009 min
Response: 96863
Conc: 2.22 ng/ml

Instrument :
ECD_O
ClientSampleId :




#5 AR-1016-3

R.T.: 5.016 min
Delta R.T.: 0.006 min
Response: 32753
Conc: 1.41 ng/ml




#6 AR-1016-4

R.T.: 5.850 min
Delta R.T.: -0.001 min
Response: 56467
Conc: 1.71 ng/ml



#6 AR-1016-4


R.T.: 5.056 min
Delta R.T.: 0.004 min
Response: 94589
Conc: 4.61 ng/ml



#7 AR-1016-5


R.T.: 6.157 min
Delta R.T.: 0.006 min
Response: 22509
Conc: 0.72 ng/ml

Instrument :
ECD_O
ClientSampleId :




#7 AR-1016-5

R.T.: 5.274 min
Delta R.T.: 0.005 min
Response: 11386
Conc: 0.45 ng/ml




#8 AR-1221-1

R.T.: 4.701 min
Delta R.T.: 0.009 min
Response: 20745
Conc: 1.01 ng/ml



#8 AR-1221-1


R.T.: 3.933 min
Delta R.T.: 0.010 min
Response: 88422
Conc: 4.65 ng/ml



#9 AR-1221-2


R.T.: 4.792 min
Delta R.T.: 0.012 min
Response: 539199
Conc: 35.70 ng/ml

Instrument :
ECD_O
ClientSampleId :




#9 AR-1221-2

R.T.: 4.008 min
Delta R.T.: -0.002 min
Response: 463191
Conc: 35.54 ng/ml




#10 AR-1221-3

R.T.: 4.850 min
Delta R.T.: -0.007 min
Response: 21234
Conc: 0.47 ng/ml



#10 AR-1221-3


R.T.: 4.089 min
Delta R.T.: 0.000 min
Response: 16862
Conc: 0.47 ng/ml



#11 AR-1232-1


R.T.: 4.850 min
Delta R.T.: -0.006 min
Response: 21234
Conc: 0.60 ng/ml

Instrument :
ECD_O
ClientSampleId :




#11 AR-1232-1

R.T.: 4.089 min
Delta R.T.: 0.000 min
Response: 16862
Conc: 0.57 ng/ml




#12 AR-1232-2

R.T.: 5.405 min
Delta R.T.: 0.010 min
Response: 22586
Conc: 1.30 ng/ml



#12 AR-1232-2


R.T.: 4.826 min
Delta R.T.: -0.005 min
Response: 69241
Conc: 3.49 ng/ml



#13 AR-1232-3


R.T.: 5.700 min
Delta R.T.: 0.011 min
Response: 74346
Conc: 2.62 ng/ml

Instrument :
ECD_O
ClientSampleId :




#13 AR-1232-3

R.T.: 5.016 min
Delta R.T.: 0.006 min
Response: 32753
Conc: 3.16 ng/ml




#14 AR-1232-4

R.T.: 5.850 min
Delta R.T.: 0.000 min
Response: 56467
Conc: 4.06 ng/ml



#14 AR-1232-4


R.T.: 5.098 min
Delta R.T.: 0.004 min
Response: 101727
Conc: 10.23 ng/ml



#15 AR-1232-5


R.T.: 5.962 min
Delta R.T.: 0.018 min
Response: 120295
Conc: 9.80 ng/ml

Instrument :
ECD_O
ClientSampleId :




#15 AR-1232-5

R.T.: 5.274 min
Delta R.T.: 0.006 min
Response: 11386
Conc: 1.05 ng/ml




#16 AR-1242-1

R.T.: 5.656 min
Delta R.T.: -0.011 min
Response: 14579
Conc: 0.42 ng/ml



#16 AR-1242-1


R.T.: 4.826 min
Delta R.T.: 0.014 min
Response: 69241
Conc: 2.63 ng/ml



#17 AR-1242-2


R.T.: 5.700 min
Delta R.T.: 0.010 min
Response: 74346
Conc: 1.42 ng/ml

Instrument :
ECD_O
ClientSampleId :




#17 AR-1242-2

R.T.: 4.826 min
Delta R.T.: -0.006 min
Response: 69241
Conc: 1.97 ng/ml




#18 AR-1242-3

R.T.: 5.762 min
Delta R.T.: 0.009 min
Response: 96863
Conc: 2.78 ng/ml



#18 AR-1242-3


R.T.: 5.016 min
Delta R.T.: 0.005 min
Response: 32753
Conc: 1.71 ng/ml



#19 AR-1242-4


R.T.: 5.850 min
Delta R.T.: -0.002 min
Response: 56467
Conc: 2.15 ng/ml

Instrument :
ECD_O
ClientSampleId :




#19 AR-1242-4

R.T.: 5.098 min
Delta R.T.: 0.003 min
Response: 101727
Conc: 5.05 ng/ml




#20 AR-1242-5

R.T.: 6.601 min
Delta R.T.: 0.001 min
Response: 37424
Conc: 1.67 ng/ml



#20 AR-1242-5


R.T.: 5.646 min
Delta R.T.: 0.021 min
Response: 247149
Conc: 10.58 ng/ml



#21 AR-1248-1


R.T.: 5.656 min
Delta R.T.: -0.010 min
Response: 14579
Conc: 0.56 ng/ml

Instrument :
ECD_O
ClientSampleId :




#21 AR-1248-1

R.T.: 4.826 min
Delta R.T.: 0.015 min
Response: 69241
Conc: 3.46 ng/ml




#22 AR-1248-2

R.T.: 5.962 min
Delta R.T.: 0.018 min
Response: 120295
Conc: 2.94 ng/ml



#22 AR-1248-2


R.T.: 5.056 min
Delta R.T.: 0.005 min
Response: 94589
Conc: 3.38 ng/ml



#23 AR-1248-3


R.T.: 6.157 min
Delta R.T.: 0.005 min
Response: 22509
Conc: 0.53 ng/ml

Instrument :
ECD_O
ClientSampleId :




#23 AR-1248-3

R.T.: 5.098 min
Delta R.T.: 0.004 min
Response: 101727
Conc: 3.52 ng/ml




#24 AR-1248-4

R.T.: 6.567 min
Delta R.T.: 0.007 min
Response: 15723
Conc: 0.42 ng/ml



#24 AR-1248-4


R.T.: 5.274 min
Delta R.T.: 0.006 min
Response: 11386
Conc: 0.35 ng/ml



#25 AR-1248-5


R.T.: 6.601 min
Delta R.T.: 0.002 min
Response: 37424
Conc: 1.01 ng/ml

Instrument :
ECD_O
ClientSampleId :




#25 AR-1248-5

R.T.: 5.681 min
Delta R.T.: 0.015 min
Response: 111292
Conc: 3.73 ng/ml




#26 AR-1254-1

R.T.: 6.533 min
Delta R.T.: 0.000 min
Response: 38748
Conc: 0.80 ng/ml



#26 AR-1254-1


R.T.: 5.646 min
Delta R.T.: 0.021 min
Response: 247149
Conc: 4.77 ng/ml



#27 AR-1254-2


R.T.: 6.750 min
Delta R.T.: -0.005 min
Response: 47616
Conc: 0.69 ng/ml

Instrument :
ECD_O
ClientSampleId :




#27 AR-1254-2

R.T.: 5.790 min
Delta R.T.: 0.016 min
Response: 174692
Conc: 3.75 ng/ml




#28 AR-1254-3

R.T.: 7.128 min
Delta R.T.: 0.003 min
Response: 304066
Conc: 4.77 ng/ml



#28 AR-1254-3


R.T.: 6.174 min
Delta R.T.: -0.008 min
Response: 144845
Conc: 1.86 ng/ml



#29 AR-1254-4


R.T.: 7.412 min
Delta R.T.: -0.002 min
Response: 46410
Conc: 1.23 ng/ml

Instrument :
ECD_O
ClientSampleId :




#29 AR-1254-4

R.T.: 6.426 min
Delta R.T.: 0.014 min
Response: 30836
Conc: 0.72 ng/ml




#30 AR-1254-5

R.T.: 7.845 min
Delta R.T.: 0.006 min
Response: 45909
Conc: 1.07 ng/ml



#30 AR-1254-5


R.T.: 6.824 min
Delta R.T.: -0.011 min
Response: 62995
Conc: 0.87 ng/ml



#31 AR-1260-1


R.T.: 7.280 min
Delta R.T.: -0.011 min
Response: 35600
Conc: 0.67 ng/ml

Instrument :
ECD_O
ClientSampleId :




#31 AR-1260-1

R.T.: 6.318 min
Delta R.T.: 0.003 min
Response: 53929
Conc: 0.93 ng/ml




#32 AR-1260-2

R.T.: 7.566 min
Delta R.T.: 0.015 min
Response: 58547
Conc: 1.11 ng/ml



#32 AR-1260-2


R.T.: 6.483 min
Delta R.T.: -0.020 min
Response: 377719
Conc: 5.69 ng/ml



#33 AR-1260-3


R.T.: 7.922 min
Delta R.T.: 0.007 min
Response: 37774
Conc: 1.06 ng/ml

Instrument :
ECD_O
ClientSampleId :




#33 AR-1260-3

R.T.: 6.675 min
Delta R.T.: 0.016 min
Response: 42170
Conc: 0.66 ng/ml




#34 AR-1260-4

R.T.: 8.145 min
Delta R.T.: 0.001 min
Response: 55492
Conc: 1.34 ng/ml



#34 AR-1260-4


R.T.: 7.124 min
Delta R.T.: -0.012 min
Response: 115366
Conc: 2.29 ng/ml



#35 AR-1260-5


R.T.: 8.482 min
Delta R.T.: 0.009 min
Response: 63802
Conc: 0.96 ng/ml

Instrument :
ECD_O
ClientSampleId :




#35 AR-1260-5

R.T.: 7.374 min
Delta R.T.: -0.004 min
Response: 60593
Conc: 0.54 ng/ml




#36 AR-1262-1

R.T.: 7.827 min
Delta R.T.: -0.008 min
Response: 134177
Conc: 3.71 ng/ml



#36 AR-1262-1


R.T.: 6.824 min
Delta R.T.: -0.010 min
Response: 62995
Conc: 1.65 ng/ml



#37 AR-1262-2


R.T.: 8.482 min
Delta R.T.: 0.009 min
Response: 63802
Conc: 0.75 ng/ml

Instrument :
ECD_O
ClientSampleId :




#37 AR-1262-2

R.T.: 7.124 min
Delta R.T.: -0.011 min
Response: 115366
Conc: 1.53 ng/ml




#38 AR-1262-3

R.T.: 8.808 min
Delta R.T.: 0.012 min
Response: 50617
Conc: 0.84 ng/ml



#38 AR-1262-3


R.T.: 7.680 min
Delta R.T.: 0.016 min
Response: 30740
Conc: 0.53 ng/ml



#39 AR-1262-4


R.T.: 8.899 min
Delta R.T.: 0.009 min
Response: 34769
Conc: 0.72 ng/ml

Instrument :
ECD_O
ClientSampleId :




#39 AR-1262-4

R.T.: 7.729 min
Delta R.T.: 0.000 min
Response: 52449
Conc: 0.51 ng/ml




#40 AR-1262-5

R.T.: 9.580 min
Delta R.T.: 0.011 min
Response: 13228
Conc: 0.51 ng/ml



#40 AR-1262-5


R.T.: 8.230 min
Delta R.T.: 0.000 min
Response: 72945
Conc: 1.67 ng/ml



#41 AR-1268-1


R.T.: 8.808 min
Delta R.T.: 0.014 min
Response: 50617
Conc: 0.46 ng/ml

Instrument :
ECD_O
ClientSampleId :




#41 AR-1268-1

R.T.: 7.680 min
Delta R.T.: 0.016 min
Response: 30740
Conc: 0.19 ng/ml




#42 AR-1268-2

R.T.: 8.899 min
Delta R.T.: 0.007 min
Response: 34769
Conc: 0.36 ng/ml



#42 AR-1268-2


R.T.: 7.729 min
Delta R.T.: 0.000 min
Response: 52449
Conc: 0.34 ng/ml



#43 AR-1268-3


R.T.: 9.123 min
Delta R.T.: -0.006 min
Response: 28037
Conc: 0.31 ng/ml

Instrument :
ECD_O
ClientSampleId :




#43 AR-1268-3

R.T.: 7.950 min
Delta R.T.: 0.012 min
Response: 588069
Conc: 4.10 ng/ml




#44 AR-1268-4

R.T.: 9.580 min
Delta R.T.: 0.010 min
Response: 13228
Conc: 0.47 ng/ml



#44 AR-1268-4


R.T.: 8.230 min
Delta R.T.: 0.000 min
Response: 72945
Conc: 1.55 ng/ml



#45 AR-1268-5

R.T.: 10.000 min
Delta R.T.: -0.004 min
Response: 21353
Conc: 0.08 ng/ml

Instrument :
ECD_O
ClientSampleId :



#45 AR-1268-5

R.T.: 8.526 min
Delta R.T.: -0.007 min
Response: 131532
Conc: 0.33 ng/ml