

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\PO120222\
 Data File : PO090989.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 02 Dec 2022 17:31
 Operator : YP/AJ
 Sample : N5840-01
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :
 SP-SILICA-1201

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Dec 02 21:49:54 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\PO112522.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Mon Nov 28 11:25:59 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.277	3.481	540.9E6	242.7E6	159.965	231.224 #
2)	SA Decachlor...	10.043	8.477	54234344	20455918	20.418	21.070
Target Compounds							
3)	L1 AR-1016-1	5.479	4.571	281.6E6	102.4E6	2502.246	2777.793
4)	L1 AR-1016-2	5.479	4.571	281.6E6	102.4E6	1731.994	1986.586
5)	L1 AR-1016-3	5.550	4.788	532.1E6	-17840972	5103.207	N.D. #
6)	L1 AR-1016-4	5.650	4.788	123.9E6	-17840972	1529.477	N.D. #
7)	L1 AR-1016-5	5.950	5.004	219.2E6	18508620	2499.119	627.482 #
8)	L2 AR-1221-1	4.503	3.685	127.8E6	1075.1E6	3129.477	81570.187 #
9)	L2 AR-1221-2	4.580	3.751	1040.7E6	40236872	34310.728	4046.848 #
10)	L2 AR-1221-3	4.673	3.864	1446.3E6	136.4E6	15720.852	4392.318 #
11)	L3 AR-1232-1	4.673	3.864	1446.3E6	136.4E6	20101.538	5709.390 #
12)	L3 AR-1232-2	5.200	4.571	588.4E6	102.4E6	13580.748	4238.620 #
13)	L3 AR-1232-3	5.479	4.788	281.6E6	-17840972	3768.490	N.D. #
14)	L3 AR-1232-4	5.650	4.828	123.9E6	41305683	3307.079	3417.187
15)	L3 AR-1232-5	5.756	5.004	105.0E6	18508620	3512.566	1368.456 #
16)	L4 AR-1242-1	5.479	4.571	281.6E6	102.4E6	3154.756	3525.451
17)	L4 AR-1242-2	5.479	4.571	281.6E6	102.4E6	2217.751	2539.490
18)	L4 AR-1242-3	5.550	4.788	532.1E6	-17840972	6382.635	N.D. #
19)	L4 AR-1242-4	5.650	4.828	123.9E6	41305683	1950.974	1808.941
20)	L4 AR-1242-5	6.423	5.373	328.5E6	6025281	4807.134	213.548 #
21)	L5 AR-1248-1	5.479	4.554	281.6E6	58534467	3953.006	2488.097 #
22)	L5 AR-1248-2	5.756	4.788	105.0E6	-17840972	990.843	N.D. #
23)	L5 AR-1248-3	5.950	4.828	219.2E6	41305683	1862.309	1217.027 #
24)	L5 AR-1248-4	6.365	5.004	17230347	18508620	140.900	463.848 #
25)	L5 AR-1248-5	6.423	5.420	328.5E6	87879788	2863.877	2451.658
26)	L6 AR-1254-1	6.326	5.373	20639136	6025281	164.336	102.809 #
27)	L6 AR-1254-2	6.557	5.492	207.0E6	16318074	1097.885	305.752 #
28)	L6 AR-1254-3	6.946	5.908	97501278	18159860	520.181	222.898 #
29)	L6 AR-1254-4	7.196	6.166	28836786	7903817	208.751	161.542
30)	L6 AR-1254-5	7.651	6.581	915140	6529185	5.965	87.588 #
31)	L7 AR-1260-1	7.094	6.072	47951340	3112884	312.576	53.761 #
32)	L7 AR-1260-2	7.364	6.234	4567103	6071610	26.166	88.914 #
33)	L7 AR-1260-3	7.711	6.383	7891656	7950845	69.424	121.215 #
34)	L7 AR-1260-4	7.929	6.846	1343088	2089951	9.911	43.759 #
35)	L7 AR-1260-5	8.212f	7.092	2446119	1512361	9.630	13.912 #
36)	L8 AR-1262-1	7.711	6.581	7891656	6529185	43.192	86.867 #
37)	L8 AR-1262-2	8.212f	7.092	2446119	1512361	7.908	11.880 #
38)	L8 AR-1262-3	0.000	7.431	0	570597	N.D.	10.828 #
39)	L8 AR-1262-4	0.000	7.490	0	293276	N.D.	3.088 #
40)	L8 AR-1262-5	0.000	7.939	0	544006	N.D.	11.928 #
41)	L9 AR-1268-1	0.000	7.431	0	570597	N.D.	3.825 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\PO120222\
Data File : PO090989.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 02 Dec 2022 17:31
Operator : YP/AJ
Sample : N5840-01
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
ECD_O
ClientSampleId :
SP-SILICA-1201

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Dec 02 21:49:54 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\PO112522.M
Quant Title : GC EXTRACTABLES
QLast Update : Mon Nov 28 11:25:59 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42)	L9 AR-1268-2	0.000	7.490	0	293276	N.D.	2.183 #
43)	L9 AR-1268-3	8.822f	7.612f	966902	477030	3.394	4.133
44)	L9 AR-1268-4	0.000	7.939	0	544006	N.D.	11.027 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\PO120222\
Data File : PO090989.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 02 Dec 2022 17:31
Operator : YP/AJ
Sample : N5840-01
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
ECD_O
ClientSampleId :
SP-SILICA-1201

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Dec 02 21:49:54 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\PO112522.M
Quant Title : GC EXTRACTABLES
QLast Update : Mon Nov 28 11:25:59 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.277 min
Delta R.T.: -0.021 min
Response: 540859428
Conc: 159.97 ng/ml

Instrument :
ECD_O
ClientSampleId :
SP-SILICA-1201




#1 Tetrachloro-m-xylene

R.T.: 3.481 min
Delta R.T.: 0.005 min
Response: 242683410
Conc: 231.22 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.043 min
Delta R.T.: -0.007 min
Response: 54234344
Conc: 20.42 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.477 min
Delta R.T.: -0.005 min
Response: 20455918
Conc: 21.07 ng/ml



#3 AR-1016-1


R.T.: 5.479 min
Delta R.T.: 0.004 min
Response: 281584987
Conc: 2502.25 ng/ml

Instrument :
ECD_O
ClientSampleId :
SP-SILICA-1201




#3 AR-1016-1

R.T.: 4.571 min
Delta R.T.: 0.008 min
Response: 102367213
Conc: 2777.79 ng/ml




#4 AR-1016-2

R.T.: 5.479 min
Delta R.T.: -0.018 min
Response: 281584987
Conc: 1731.99 ng/ml



#4 AR-1016-2


R.T.: 4.571 min
Delta R.T.: -0.010 min
Response: 102367213
Conc: 1986.59 ng/ml



#5 AR-1016-3


R.T.: 5.550 min
Delta R.T.: -0.010 min
Response: 532058900
Conc: 5103.21 ng/m

Instrument :
ECD_O
ClientSampleId :
SP-SILICA-1201




#5 AR-1016-3

R.T.: 4.788 min
Delta R.T.: 0.031 min
Response: -17840972
Conc: N.D.




#6 AR-1016-4

R.T.: 5.650 min
Delta R.T.: -0.008 min
Response: 123937243
Conc: 1529.48 ng/ml



#6 AR-1016-4


R.T.: 4.788 min
Delta R.T.: -0.012 min
Response: -17840972
Conc: N.D.



#7 AR-1016-5


R.T.: 5.950 min
Delta R.T.: -0.006 min
Response: 219159195
Conc: 2499.12 ng/ml

Instrument :
ECD_O
ClientSampleId :
SP-SILICA-1201




#7 AR-1016-5

R.T.: 5.004 min
Delta R.T.: -0.009 min
Response: 18508620
Conc: 627.48 ng/ml




#8 AR-1221-1

R.T.: 4.503 min
Delta R.T.: -0.005 min
Response: 127847829
Conc: 3129.48 ng/ml



#8 AR-1221-1


R.T.: 3.685 min
Delta R.T.: -0.005 min
Response: 1075127167
Conc: 81570.19 ng/ml



#9 AR-1221-2


R.T.: 4.580 min
Delta R.T.: -0.016 min
Response: 1040697247
Conc: 34310.73 ng/ml

Instrument :
ECD_O
ClientSampleId :
SP-SILICA-1201




#9 AR-1221-2

R.T.: 3.751 min
Delta R.T.: -0.023 min
Response: 40236872
Conc: 4046.85 ng/ml




#10 AR-1221-3

R.T.: 4.673 min
Delta R.T.: 0.001 min
Response: 1446328399
Conc: 15720.85 ng/ml



#10 AR-1221-3


R.T.: 3.864 min
Delta R.T.: 0.014 min
Response: 136414625
Conc: 4392.32 ng/ml



#11 AR-1232-1


R.T.: 4.673 min
Delta R.T.: 0.001 min
Response: 1446328399
Conc: 20101.54 ng/ml

Instrument :
ECD_O
ClientSampleId :
SP-SILICA-1201




#11 AR-1232-1

R.T.: 3.864 min
Delta R.T.: 0.014 min
Response: 136414625
Conc: 5709.39 ng/ml




#12 AR-1232-2

R.T.: 5.200 min
Delta R.T.: -0.005 min
Response: 588362253
Conc: 13580.75 ng/ml



#12 AR-1232-2


R.T.: 4.571 min
Delta R.T.: -0.009 min
Response: 102367213
Conc: 4238.62 ng/ml



#13 AR-1232-3


R.T.: 5.479 min
Delta R.T.: -0.019 min
Response: 281584987
Conc: 3768.49 ng/m

Instrument :
ECD_O
ClientSampleId :
SP-SILICA-1201




#13 AR-1232-3

R.T.: 4.788 min
Delta R.T.: 0.032 min
Response: -17840972
Conc: N.D.




#14 AR-1232-4

R.T.: 5.650 min
Delta R.T.: -0.009 min
Response: 123937243
Conc: 3307.08 ng/ml



#14 AR-1232-4


R.T.: 4.828 min
Delta R.T.: -0.013 min
Response: 41305683
Conc: 3417.19 ng/ml



#15 AR-1232-5


R.T.: 5.756 min
Delta R.T.: 0.004 min
Response: 105038431
Conc: 3512.57 ng/ml

Instrument :
ECD_O
ClientSampleId :
SP-SILICA-1201




#15 AR-1232-5

R.T.: 5.004 min
Delta R.T.: -0.008 min
Response: 18508620
Conc: 1368.46 ng/ml




#16 AR-1242-1

R.T.: 5.479 min
Delta R.T.: 0.003 min
Response: 281584987
Conc: 3154.76 ng/ml



#16 AR-1242-1


R.T.: 4.571 min
Delta R.T.: 0.008 min
Response: 102367213
Conc: 3525.45 ng/ml



#17 AR-1242-2


R.T.: 5.479 min
Delta R.T.: -0.019 min
Response: 281584987
Conc: 2217.75 ng/ml

Instrument :
ECD_O
ClientSampleId :
SP-SILICA-1201




#17 AR-1242-2

R.T.: 4.571 min
Delta R.T.: -0.010 min
Response: 102367213
Conc: 2539.49 ng/ml




#18 AR-1242-3

R.T.: 5.550 min
Delta R.T.: -0.011 min
Response: 532058900
Conc: 6382.64 ng/ml



#18 AR-1242-3


R.T.: 4.788 min
Delta R.T.: 0.031 min
Response: -17840972
Conc: N.D.



#19 AR-1242-4


R.T.: 5.650 min
Delta R.T.: -0.009 min
Response: 123937243
Conc: 1950.97 ng/ml

Instrument :
ECD_O
ClientSampleId :
SP-SILICA-1201




#19 AR-1242-4

R.T.: 4.828 min
Delta R.T.: -0.014 min
Response: 41305683
Conc: 1808.94 ng/ml




#20 AR-1242-5

R.T.: 6.423 min
Delta R.T.: 0.021 min
Response: 328476844
Conc: 4807.13 ng/ml



#20 AR-1242-5


R.T.: 5.373 min
Delta R.T.: 0.006 min
Response: 6025281
Conc: 213.55 ng/ml



#21 AR-1248-1


R.T.: 5.479 min
Delta R.T.: 0.004 min
Response: 281584987
Conc: 3953.01 ng/ml

Instrument :
ECD_O
ClientSampleId :
SP-SILICA-1201




#21 AR-1248-1

R.T.: 4.554 min
Delta R.T.: -0.008 min
Response: 58534467
Conc: 2488.10 ng/ml




#22 AR-1248-2

R.T.: 5.756 min
Delta R.T.: 0.005 min
Response: 105038431
Conc: 990.84 ng/ml



#22 AR-1248-2


R.T.: 4.788 min
Delta R.T.: -0.012 min
Response: -17840972
Conc: N.D.



#23 AR-1248-3


R.T.: 5.950 min
Delta R.T.: -0.007 min
Response: 219159195
Conc: 1862.31 ng/ml

Instrument :
ECD_O
ClientSampleId :
SP-SILICA-1201




#23 AR-1248-3

R.T.: 4.828 min
Delta R.T.: -0.013 min
Response: 41305683
Conc: 1217.03 ng/ml




#24 AR-1248-4

R.T.: 6.365 min
Delta R.T.: 0.002 min
Response: 17230347
Conc: 140.90 ng/ml



#24 AR-1248-4


R.T.: 5.004 min
Delta R.T.: -0.008 min
Response: 18508620
Conc: 463.85 ng/ml



#25 AR-1248-5


R.T.: 6.423 min
Delta R.T.: 0.021 min
Response: 328476844
Conc: 2863.88 ng/ml

Instrument :
ECD_O
ClientSampleId :
SP-SILICA-1201




#25 AR-1248-5

R.T.: 5.420 min
Delta R.T.: 0.013 min
Response: 87879788
Conc: 2451.66 ng/ml




#26 AR-1254-1

R.T.: 6.326 min
Delta R.T.: -0.012 min
Response: 20639136
Conc: 164.34 ng/ml



#26 AR-1254-1


R.T.: 5.373 min
Delta R.T.: 0.005 min
Response: 6025281
Conc: 102.81 ng/ml



#27 AR-1254-2


R.T.: 6.557 min
Delta R.T.: -0.003 min
Response: 207014350
Conc: 1097.88 ng/ml

Instrument :
ECD_O
ClientSampleId :
SP-SILICA-1201




#27 AR-1254-2

R.T.: 5.492 min
Delta R.T.: -0.025 min
Response: 16318074
Conc: 305.75 ng/ml




#28 AR-1254-3

R.T.: 6.946 min
Delta R.T.: 0.018 min
Response: 97501278
Conc: 520.18 ng/ml



#28 AR-1254-3


R.T.: 5.908 min
Delta R.T.: -0.014 min
Response: 18159860
Conc: 222.90 ng/ml



#29 AR-1254-4


R.T.: 7.196 min
Delta R.T.: -0.020 min
Response: 28836786
Conc: 208.75 ng/ml

Instrument :
ECD_O
ClientSampleId :
SP-SILICA-1201




#29 AR-1254-4

R.T.: 6.166 min
Delta R.T.: 0.013 min
Response: 7903817
Conc: 161.54 ng/ml




#30 AR-1254-5

R.T.: 7.651 min
Delta R.T.: 0.014 min
Response: 915140
Conc: 5.96 ng/ml



#30 AR-1254-5


R.T.: 6.581 min
Delta R.T.: 0.009 min
Response: 6529185
Conc: 87.59 ng/ml



#31 AR-1260-1


R.T.: 7.094 min
Delta R.T.: 0.003 min
Response: 47951340
Conc: 312.58 ng/ml

Instrument :
ECD_O
ClientSampleId :
SP-SILICA-1201




#31 AR-1260-1

R.T.: 6.072 min
Delta R.T.: 0.020 min
Response: 3112884
Conc: 53.76 ng/ml




#32 AR-1260-2

R.T.: 7.364 min
Delta R.T.: 0.014 min
Response: 4567103
Conc: 26.17 ng/ml



#32 AR-1260-2


R.T.: 6.234 min
Delta R.T.: -0.008 min
Response: 6071610
Conc: 88.91 ng/ml



#33 AR-1260-3


R.T.: 7.711 min
Delta R.T.: -0.002 min
Response: 7891656
Conc: 69.42 ng/ml

Instrument :
ECD_O
ClientSampleId :
SP-SILICA-1201




#33 AR-1260-3

R.T.: 6.383 min
Delta R.T.: -0.011 min
Response: 7950845
Conc: 121.21 ng/ml




#34 AR-1260-4

R.T.: 7.929 min
Delta R.T.: -0.010 min
Response: 1343088
Conc: 9.91 ng/ml



#34 AR-1260-4


R.T.: 6.846 min
Delta R.T.: -0.023 min
Response: 2089951
Conc: 43.76 ng/ml



#35 AR-1260-5


R.T.: 8.212 min
Delta R.T.: -0.044 min
Response: 2446119
Conc: 9.63 ng/ml

Instrument :
ECD_O
ClientSampleId :
SP-SILICA-1201




#35 AR-1260-5

R.T.: 7.092 min
Delta R.T.: -0.022 min
Response: 1512361
Conc: 13.91 ng/ml




#36 AR-1262-1

R.T.: 7.711 min
Delta R.T.: -0.001 min
Response: 7891656
Conc: 43.19 ng/ml



#36 AR-1262-1


R.T.: 6.581 min
Delta R.T.: -0.028 min
Response: 6529185
Conc: 86.87 ng/ml



#37 AR-1262-2


R.T.: 8.212 min
Delta R.T.: -0.043 min
Response: 2446119
Conc: 7.91 ng/ml

Instrument :
ECD_O
ClientSampleId :
SP-SILICA-1201




#37 AR-1262-2

R.T.: 7.092 min
Delta R.T.: -0.020 min
Response: 1512361
Conc: 11.88 ng/ml




#38 AR-1262-3

R.T.: 0.000 min
Exp R.T. : 8.566 min
Response: 0
Conc: N.D.



#38 AR-1262-3


R.T.: 7.431 min
Delta R.T.: 0.034 min
Response: 570597
Conc: 10.83 ng/ml



#39 AR-1262-4


R.T.: 0.000 min
Exp R.T.: 8.652 min
Response: 0
Conc: N.D.

Instrument :
ECD_O
ClientSampleId :
SP-SILICA-1201




#39 AR-1262-4

R.T.: 7.490 min
Delta R.T.: 0.029 min
Response: 293276
Conc: 3.09 ng/ml




#40 AR-1262-5

R.T.: 0.000 min
Exp R.T.: 9.303 min
Response: 0
Conc: N.D.



#40 AR-1262-5


R.T.: 7.939 min
Delta R.T.: -0.018 min
Response: 544006
Conc: 11.93 ng/ml



#41 AR-1268-1


R.T.: 0.000 min
Exp R.T.: 8.562 min
Response: 0
Conc: N.D.

Instrument :
ECD_O
ClientSampleId :
SP-SILICA-1201




#41 AR-1268-1

R.T.: 7.431 min
Delta R.T.: 0.034 min
Response: 570597
Conc: 3.83 ng/ml




#42 AR-1268-2

R.T.: 0.000 min
Exp R.T.: 8.656 min
Response: 0
Conc: N.D.



#42 AR-1268-2


R.T.: 7.490 min
Delta R.T.: 0.028 min
Response: 293276
Conc: 2.18 ng/ml



#43 AR-1268-3


R.T.: 8.822 min
Delta R.T.: -0.059 min
Response: 966902
Conc: 3.39 ng/ml

Instrument :
ECD_O
ClientSampleId :
SP-SILICA-1201




#43 AR-1268-3

R.T.: 7.612 min
Delta R.T.: -0.057 min
Response: 477030
Conc: 4.13 ng/ml



#44 AR-1268-4

R.T.: 0.000 min
Exp R.T. : 9.303 min
Response: 0
Conc: N.D.



#44 AR-1268-4

R.T.: 7.939 min
Delta R.T.: -0.019 min
Response: 544006
Conc: 11.03 ng/ml